N.M. Oil Cons. D. sion 1625 N. French Dr.

UNITED STATES

DEPARTMENT OF THE INTEROSDS, NM 88240

BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993
Lease Designation and Serial No.

		Designation.	
]	LC-(65607	

6. If Indian, Allottee or Tribe Name

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

Roswell, New Mexico 88202

7. If Unit or CA, Agreement Designation	
8. Well Name and No.	
Hudson Federal #6	
9. API Well No.	
30-025-33325	
10. Field and Pool, or Exploratory Area	

NE Lea Delaware
11. County or Parish, State


Sec	ction 4 T20S-R34E		Lea County, New Mexico			
12	CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA					
	TYPE OF SUBMISSION TYPE OF ACTION					
	X Notice of Intent	Abandonment	Change of Plans			
	Subsequent Report	Recompletion Plugging Back	New Construction Non-Routine Fracturing			
	Final Abandonment Notice	Casing Repair Altering Casing	Water Shut-Off Conversion to Injection			
		X Other Plug & Abandon	Dispose Water (Note: Report results of multiple completion on Well			

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

07/18/00 Read & Stevens proposes to plug and abandon the subject well. Original perfs for the Brushy Canyon were 8,098' to 8,116' with a CIBP set @ 8,050' and 35' of cement on top. Read & Stevens will set a CIBP @ 6,100' above existing Cherry Canyon perforations, and cap with 35' of cement. The top of cement on the 5 $\frac{1}{2}$ " casing is 4,300', therefore, the 5 $\frac{1}{2}$ " casing will be cut and pulled from approximately 4,200'. A 140' cement plug will be set across the 5 $\frac{1}{2}$ " stub. Cement plugs will then be set from 2,100' to 1,600' across the top of the salt, from 500' to 400', and a 50' surface plug. A dry hole marker will be erected and location cleaned up.

Signed John C. Maxey Jr. (This space our Federal of Maxe Office use)	Title	Operations Manager	Date	7-18-00
Approved by Conditions of approval, if any:	Title	PETROLEUM ENGINEER	Date	AUG 17 2000

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



Form 3160-5

(June 1990)

Type of Well

Oil
Well

Name of Operator

Read & Stevens, Inc.

660' FNL & 990' FWL

4 Location of Well (Footage, Sec., T., R., M., or Survey Description)

3 Address and Telephone No. P. O. Box 1518

JUL 2 - 2000