

Submit 3 Copies To Appropriate District
Office

District I

1625 N. French Dr., Hobbs, NM 88240

District II

811 South First, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103

Revised March 25, 1999

WELL API NO. 30-025-33501
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: McGrail State
8. Well No. 7
9. Pool name or Wildcat Monument; Abo

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
Marathon Oil Company

3. Address of Operator
PO Box 2490 Hobbs, NM 88240

4. Well Location
Unit Letter H : 2310 feet from the North line and 430 feet from the West line
Section 27 Township 19S Range 36E NMPM County Lea

10. Elevation (Show whether DR, RKB, RT, GR, etc.)
GL 3704' KB 3719'

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

- PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐


SUBSEQUENT REPORT OF:

- REMEDIAL WORK ☒ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: Add pay ☒

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

3/26 RU pulling unit. ND wellhead. NU BOP. POOH w/rods & pump. POOH w/tbg. Retrieve junk left previously in hole. Clean out to PBTB 7692' (WL). Set permanent pkr at 7636'.
4/16 Perf 7662-7672 w/2 SPF. Set permanent pkr at 7575'. Perf 7606-7626 w/4 SPF. Swab.
4/23 Set CIBP at 7270'. Perf 7150-7233 w/2 SPF. RIH set pkr at 7106'. Acidize 7150-7233 w/8400 gals 20% CCA sour acid. Swab.
4/27 Rel pkr at 7106', RIH tag CIBP at 7270'. Perf 7020-7124 w/6 SPF. Set pkr at 6970'. Swab
5/9 Rel pkr at 6970'. RIH w/sandline drill. Knock CIBP at 7270' to the btm. POOH.
RIH w/2 3/8" tbg. Set TAC. ND BOP. NU wellhead. RIH w/pump & rods. Load & test, OK.
5/15 RD pulling unit.

TAC at 6966'
SN at 7404'
Btm of tbg 7471'



I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Kelly Cook TITLE Admin Assistant DATE 5/28/02

Type or print name Kelly Cook

(This space for State use)

Telephone No. 393-7106

APPROVED BY PAUL F. KAUTZ TITLE PETROLEUM ENGINEER DATE JUN 13 2002

Conditions of approval, if any: