State of New Mexico En., Minerals & Natural Resources Department

District 1
PO Box 1980, Hobbs, NM 88241-1980
District II
PO Drawer DD, Artesia, NM 88211-0719
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
PO Box 2088, Santa Fe, NM 87504-2088

OIL CONSERVATION DIVISION P.O. Box 2088 Santa Fe, NM 87504-2088

Form C-101 Revised February 10, 1994 Instructions on back Submit to Appropriate District Office State Lease - 6 Copies Fee Lease - 5 Copies

AMENDED REPORT

									AMEN	NDED REPORT	
APPLIC	ATION	FOR PI	ERMIT T	O DRI	LL, RE-EN	TER, D	EEPEN,	PLUGBACE	K. OR ADI	D A ZONE	
APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK 1 Operator name and Address										² OGRID Number	
Amerada Hess Corporation									000405		
P.O. Box 2040							000495 3 API Number				
Houston, TX 77252-2040						30-0 25- 33 551					
⁴ Pro		5 Property Name							6 Well Number		
194	07		W.A. WEIR							10	
⁷ Surface Location											
UL or lot no.	Section	Township	Range	Lot. Idn	Feet from t	the Nort	h/South Line	Feet from the	East/West line	County	
D	35	198	36E		330		NORTH	660	WEST	LEA	
8 Proposed Bottom Hole Location If Different From Surface											
UL or lot no. Section		Township	Range Lot. Idn		Feet from	the Nort	h/South Line	Feet from the	East/West line	County	
9 Proposed Pool 1						10 Proposed Pool 2					
MONUMENT/ABO											
11 Work T	una Coda	1 12	Well Type Code 13 Cabl			/Potery 14T on		e Type Code 15 Ground Leve		Land Blandian	
11 Work Type Code		"	wen Type Code		15 Cable	Rouny	1,4 Let	ise Type Code	Code 15 Ground Level Elevation		
N N			0 17 Process 1 Process		R R			P P		3648'	
¹⁶ Multiple			17 Proposed Depth		¹⁸ Formations		19	¹⁹ Contractor		20 Spud Date	
NO NO			8100'		ABO		t	UNKNOWN			
²¹ Proposed Casing and Cement Program											
Hole Size		Cas	Casing Size Casin		g weight/foot Setting		Depth	Depth Sacks of Cement		Estimated TOC	
11"		8-5/8"		24#		1200'		450 SX. S		SURFACE	
7-7/8"		5-1/2"		15.5#		8100'		1050 SX.		3000'	
		-								·	
²² Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary											
DRILL AN 11" HOLE TO 1200' AND SET 1200' OF 8-5/8" 24# SURFACE CASING CEMENT WITH 450 SX. OF CEMENT AND CIRCULATE TO SURFACE.											
DRILL AN 7-7/8" HOLE TO 8100' AND SET 8100' OF 5-1/2" 15.5 # PRODUCTION CASING. CEMENT WITH											
1050 SX. OF CEMENT TO 3000'.											
Permit Expires 1 Year From Approval											
Date Unless Drilling Underway											
²³ I hereby certify that the information given above is true and complete to the best of my knowledge and belief.						OIL CONSERVATION DIVISION					
Signature: Noschunger						Approved by:					
Printed name: MIKE JUMPER						Title:					
Title: ADM. SUPERVISOR DRILLING SERVICES						Approval DAG 2 6 1996 Expiration Date:					
Date: Phone:					Conditions of Approval:						
00.00.00			(712) 600 4046				7				

