

Submit to Appropriate  
District Office  
State Lease - 6 copies  
Fee Lease - 5 copies

State of New Mexico  
Energy, Minerals and Natural Resources Department

Form C-105  
Revised 1-1-89

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

OIL CONSERVATION DIVISION

P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

WELL API NO.

30-025-33735

5. Indicate Type Of Lease

STATE ☒

FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

MONUMENT "23" STATE

8. Well No.

5

9. Pool name or Wildcat

MONUMENT; ABO, NORTH

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

OIL WELL ☒

GAS WELL ☐

DRY ☐

OTHER ☐

b. Type of Completion:

NEW WELL ☒

WORK OVER ☐

DEEPEN ☐

PLUG BACK ☐

DIFF RESVR ☐

OTHER ☐

2. Name of Operator

Chevron U.S.A. Inc.

3. Address of Operator

P.O. Box 1150, Midland, TX 79702

4. Well Location

Unit Letter B : 472 Feet From The NORTH Line and 2310 Feet From The EAST Line

Section 23 Township 19S Range 36E NMPM LEA County

10. Date Spudded

1/13/97

11. Date T.D. Reached

2/2/97

12. Date Compl.(Ready to Prod.)

4/23/97

13. Elevations(DF & RKB, RT, GR, etc.)

3724' GR

14. Elev. Casinghead

15. Total Depth

7640'

16. Plug Back T.D.

7610'

17. If Multiple Compl. How Many Zones?

18. Intervals Drilled By

Rotary Tools

XX

Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name

7225' - 7577' ABO

20. Was Directional Survey Made

YES

21. Type Electric and Other Logs Run

LDT/CNL/NGT/GR/CAL/USI/CCL

22. Was Well Cored

NO

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
11-3/4"	42	450'	14-3/4"	260 SX - SURF	
8-5/8"	24	2853'	11"	850 SX - SURF	
5-1/2"	15.5	7640'	7-7/8"	230 SX - TOC 6500'	

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2-7/8"	7456'	

25. TUBING RECORD

26. Perforation record (interval, size, and number)

7225-31' (13 HOLES); 7485-93' (33 HOLES);

7506-14' (17 HOLES); 7539-77' (75 HOLES)

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL

AMOUNT AND KIND MATERIAL USED

7485'-7593'

2750 GALS 15%

7485'-7577'

4000 GALS 15%, 250 RCNB'S

28. PRODUCTION

Date First Production 4/23/97		Production Method (Flowing, gas lift, pumping - Size and type pump) PUMPING				Well Status (Prod. or Shut-in) PRODUCING	
Date of Test 4/23/97	Hours Tested 24 HOURS	Choke Size W.O.	Prod'n For Test Period	Oil - Bbl. 32	Gas - MCF 20	Water - Bbl. 28	Gas - Oil Ratio 625
Flow Tubing Press. 0	Casing Pressure 0	Calculated 24-Hour Rate	Oil - Bbl. 32	Gas - MCF 20	Water - Bbl. 28	Oil Gravity - API (Corr.)	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

SOLD

Test Witnessed By

30. List Attachments

DEVIATION SURVEY, DIRECTIONAL SURVEY

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature

*J. K. Ripley*

Printed Name

J. K. RIPLEY

Title

T.A.

Date

5/7/97

# INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

### Southeastern New Mexico

T. Anhy \_\_\_\_\_ 1376  
 T. Salt \_\_\_\_\_ 1468  
 B. Salt \_\_\_\_\_ 2655  
 T. Yates \_\_\_\_\_ 2803  
 T. 7 Rivers \_\_\_\_\_ 3095  
 T. Queen \_\_\_\_\_ 3677  
 T. Grayburg \_\_\_\_\_ 4026  
 T. San Andres \_\_\_\_\_ 4538  
 T. Glorieta \_\_\_\_\_  
 T. Paddock \_\_\_\_\_  
 T. Blinebry \_\_\_\_\_  
 T. Tubb \_\_\_\_\_  
 T. Drinkard \_\_\_\_\_  
 T. Abo \_\_\_\_\_ 7199  
 T. Wolfcamp \_\_\_\_\_  
 T. Penn \_\_\_\_\_  
 T. Cisco (Bough C) \_\_\_\_\_

T. Canyon \_\_\_\_\_  
 T. Strawn \_\_\_\_\_  
 T. Atoka \_\_\_\_\_  
 T. Miss \_\_\_\_\_  
 T. Devonian \_\_\_\_\_  
 T. Silurian \_\_\_\_\_  
 T. Montoya \_\_\_\_\_  
 T. Simpson \_\_\_\_\_  
 T. McKee \_\_\_\_\_  
 T. Ellenburger \_\_\_\_\_  
 T. Gr. Wash \_\_\_\_\_  
 T. Delaware Sand \_\_\_\_\_ 4701  
 T. Bone Springs \_\_\_\_\_ 5545  
 T. \_\_\_\_\_  
 T. \_\_\_\_\_  
 T. \_\_\_\_\_  
 T. \_\_\_\_\_

### Northeastern New Mexico

T. Ojo Alamo \_\_\_\_\_  
 T. Kirtland-Fruitland \_\_\_\_\_  
 T. Pictured Cliffs \_\_\_\_\_  
 T. Cliff House \_\_\_\_\_  
 T. Menefee \_\_\_\_\_  
 T. Point Lookout \_\_\_\_\_  
 T. Mancos \_\_\_\_\_  
 T. Gallup \_\_\_\_\_  
 Base Greenhorn \_\_\_\_\_  
 T. Dakota \_\_\_\_\_  
 T. Morrison \_\_\_\_\_  
 T. Todilto \_\_\_\_\_  
 T. Entrada \_\_\_\_\_  
 T. Wingate \_\_\_\_\_  
 T. Chinle \_\_\_\_\_  
 T. Permian \_\_\_\_\_  
 T. Penn "A" \_\_\_\_\_

T. Penn. "B" \_\_\_\_\_  
 T. Penn. "C" \_\_\_\_\_  
 T. Penn. "D" \_\_\_\_\_  
 T. Leadville \_\_\_\_\_  
 T. Madison \_\_\_\_\_  
 T. Elbert \_\_\_\_\_  
 T. McCracken \_\_\_\_\_  
 T. Ignacio Otzte \_\_\_\_\_  
 T. Granite \_\_\_\_\_  
 T. \_\_\_\_\_  
 T. \_\_\_\_\_  
 T. \_\_\_\_\_  
 T. \_\_\_\_\_  
 T. \_\_\_\_\_  
 T. \_\_\_\_\_  
 T. \_\_\_\_\_  
 T. \_\_\_\_\_

### OIL OR GAS SANDS OR ZONES

No. 1, from \_\_\_\_\_ 7485 \_\_\_\_\_ to \_\_\_\_\_ 7577 \_\_\_\_\_  
 No. 2, from \_\_\_\_\_ to \_\_\_\_\_

No. 3, from \_\_\_\_\_ to \_\_\_\_\_  
 No. 4, from \_\_\_\_\_ to \_\_\_\_\_

### IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from \_\_\_\_\_ to \_\_\_\_\_ feet \_\_\_\_\_  
 No. 2, from \_\_\_\_\_ to \_\_\_\_\_ feet \_\_\_\_\_  
 No. 3, from \_\_\_\_\_ to \_\_\_\_\_ feet \_\_\_\_\_

### LITHOLOGY RECORD ( Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
0	1376	1376	SANDSTONE, SHALE				
1376	1468	92	ANHYDRITE				
1468	2655	1187	SALT, ANHYDRITE				
2655	4026	1371	ANHY, SANDSTONE, DOLO				
4026	4701	675	DOLOMITE, SANDSTONE				
4701	5545	844	SANDSTONE, SILTSTONE				
5545	7199	1654	DOLOMITE, LIMESTONE				
7199	7625	426	DOLOMITE, SILTSTONE				