UN. (ED STATES

SUBMIT IN DUPL.

FOR APPROVED OMB NO. 1004-0137 Expires: December 31, 1991

DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

(See other Instructions on reverse side)

5. LEASE DESIGNATION AND SERIAL NO. NMLC-064194

								Pro-	- C- IV ING	M.N. a.A.L.	LOTTER OR TRIBE NAME
WELL CC	OMPLETION	1 OR)N RE	EPORT	ANDILO)GFV	# D" "I	V.EV.	Oil Cons
. TYPE OF WE	W	ELL X	WELL [DRY	o	ther	1997 JUL	15			DN 1980
TYPE OF COM		еке- []	W WA C		_		THE JUL	15 A	ቁ ሽቼ _ት	,دعوه	NM 88245
WELL X	OVER L E:		nack [DIFF. RESVR.	م لـا	ther	110		8. FARM	OR L	EASE NAME, WELL NO
NAME OF OPERA						ย	UREAU O	FLAN	MISMIT	n Fe	deral #7
Kead & St	tevens, Inc	C •	 				KOZMF	LL OFF	ILCE VE MI	ELL NO.	
	x 1518 Ros		Now Me	arico 88	202_1	510 50	5/622 27	70	30-02		872 OOL, OR WILDCAT
LOCATION OF WI	KIL (Report locat	tion clear	ly and in c	iccordance w	ith any	State requi	remente)*	70	·l		laware
At surface	660' FSL	& 990'	' FWL						11. SEC.,	T., R., M	" ON BLOCK WAL BREARA
At top prod. in	iterval reported b	elow							OR AF	EA	
At total depth									04	/	m200 p2/p
ne total depos				14. PERMI	IT NO.		DATE ISSUED		12. COUNT		T20S-R34E
						1			PARIS	Ħ	İ
DATE SPUDDED	16. DATE T.D.	REACHED	17. DATI	COMPL. (Re	ady to p	rod.) 18	. ELEVATIONS	(DF. RKB.	Lea Co		New Mexico
5-12-97	5-30-	-97		6-14-97				5' GR	,,,		
TOTAL DEPTH, MD			T.D., MD &		WULTIF	TIE COMPL.	, 23. IN	TERVALS	ROTARY 7	00L8	CABLE TOOLS
8370 '		832						<u> </u>	A11		<u> </u>
PRODUCING INTE	RVAL(S), OF THIS	8 COMPLE	TION—TOP,	, BOTTOM, NA	ME (MD	AND TVD)*	•				25. WAS DIRECTIONAL SURVEY MADE
8050'8	1196' Dala	aware								İ	
_	AND OTHER LOGS			····						1 27	NO WAS WELL CORED
GR-CNL-LD										• "	
OK CHE ED	J DEL-HE) F L	CASI	NG RECORD	(Report	t all strings	set in well)			<u> </u>	No
ASING SIZE/GRADE	WEIGHT, LB.	/FT.	DEPTH SET	r (MD)	HOLE	SIZE	TOP OF C	EMENT, CE	ENTING RECO	RD	AMOUNT PULLED
13 3/8"	<u>54.5#</u>		155		17 1	/2"	300 sx +	- add			Circ 50 sx-su
8 5/8"	32#		500	<u>4'</u>	11"		1st stg		Neat		
5 1/2"	17# & 15					7011	2nd stg		x + ado	1	¢irc 20 sx-su
<u> </u>	11/1/ 0/ 13		837 RECORD	0 1	_/_/	/8"	700 sx + 30.		UBING RE	CORT	
8122	TOP (MD)	·		SACKS CEME	NTº E	SCREEN (MI			DEPTH BET		PACKER SET (MD)
						-	2 7/		7955		7955'
									- 1775	· -	
PERFORATION REC	cond (Interval, e	ize and n	iumber)		1_1	82.	ACID, SHO	Γ, FRACT	URE, CEME	NT SQI	UEEZE, ETC.
							ERVAL (MD)	_			MATERIAL USED
00501 0	10/1 100		(1) E () ()	RHD	RO	050'	01061	115000	7 1/29	NEF	e HCl
8050'8	196' 128	holes	0.34	EIID	<u> </u>		0190				
8050'8	196' 128	holes	0.34	EIID	- -		-0190	38,50	0g 30#	x-11	nked gel
8050'8	196' 128	holes	0.54"	LIID	- -		-0190	38,50	0g 30#	x-11	nked gel ttawa sand
				1	PRODUC	CTION		38,50 124,0	0g 30#	x-11	
				1	PRODUC	CTION	and type of pu	38,50 124,0	00g 30# 000# 16/	x-11 30 0	
● FIRST PRODUCTS 6-14-97	ION PROD	uction m	IETHOD (FI	lowing, gas li	PRODUC	CTION ping—size o	and type of pu	38,50 124,0 mp)	00g 30# 000# 16/	x-li '30 0	ttawa sand
6-14-97	ION PROD	uction m	ETHOD (FI	1	PRODUC	CTION	and type of pu	38,50 124,0 mp)	00g 30# 000# 16/	x-11/30 0	ttawa sand
6-14-97 6-19-97	ION PROD	ECTION M Flowin	ISTHOD (FI	PROD'N. FO	PRODUC	CTION bing—size of	GAS—31	38,50 124,0 mp)	00g 30# 100# 16; Water = B 135	x-11/30 0	US (Producing or ing UAS-OIL BATIO
6-14-97 6-19-97 6-19-97	HOURS TESTED 24 CASING PRESSUI	Flowing CHO	IETHOD (FI	PROD'N. FO	PRODUC	CTION ping—size of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of th	GAS—N 20	38,50 124,0 mp)	00g 30# 000# 16; WEI Pr WATER-B 135	x-11/30 0	US (Producing or ing GAS-OIL RATIO 1515/1 GRAVITY-API (CORR.)
6-14-97 6-19-97 6-19-97 7. TUBING PROSE.	HOURS TESTED 24 CASING PRESSUR	Flowing Cho	IETHOD (FI	PROD'N. FC TEST PERI.	PRODUC	CTION Ding—size of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of th	GAS—M GAS—M 20 4CF.	38,50 124,0 mp) CCF. O WATER	00g 30# 000# 16, 000# 16, Pr WATER—B 135	x-li /30 0	UB (Producing or ing GAS-OIL RATIO 1515/1 GRAVITY-API (CORR.) 38.0
6-14-97 FOR THE T PRODUCTS 6-14-97 FOR THE T 6-19-97 FURING PROBE. 130	HOURS TESTED 24 CASING PRESSUR	Flowing Cho	IETHOD (FI	PROD'N. FO	PRODUC	CTION Ding—size of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of th	GAS—N GAS—N 20 CF. 0	38,50 124,0 mp) CCF. 0 WATER	WEI WEI WATER BBL. 35 WITN	x-li 30 0 L STATI had-in) Oduc BL.	US (Producing or ing GAS-OIL RATIO 1515/1 GRAVITY-API (CORR.) 38.0
6-14-97 of test 6-19-97 TUBING PRESS. 130 DISPOSITION OF GA	HOURS TESTED 24 CASING PRESSUE 0 AS (Sold, used for	Flowing Cho	IETHOD (FI	PROD'N. FO	PRODUC	CTION Ding—size of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of th	GAS—N GAS—N 20 CEPTED FO G. SGD.)	38,50 124,0 mp) CF. 0 WATER	00g 30# 000# 16, 000# 16, Pr WATER—B 135	x-li 30 0 L STATI had-in) Oduc BL.	US (Producing or ing GAS-OIL RATIO 1515/1 GRAVITY-API (CORR.) 38.0
6-14-97 FOR THE TRODUCTO 6-14-97 FOR THE T 6-19-97 W. TUBING PRES. 130 DISPOSITION OF GA Sold LIST OF ATTACHM	HOURS TESTED 24 CASING PRESSUI 0 AS (Sold, weed for	Flowing Cho	CULATED HOUR RATE	PROD'N. FOR TEST PERI. OIL.—BBL. 13	PRODUCIFIE, pump	CTION Ding—size of the line of	GAS—N GAS—N 20 CCF. CEPTED FO G. SGD.)	38,50 124,0 (CF. 0 WATER-12 RECU DAVID	WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI	X-li 30 0 L STATI suf-in) oduc BL. OIL C	US (Producing or ing GAS-OIL RATIO 1515/1 GRAVITY-API (CORR.) 38.0
6-14-97 FOR TEST 6-19-97 TUBING PRISS. 130 DISPOSITION OF GA Sold LIST OF ATTACHS	HOURS TESTED 24 CASING PRESSUI 0 AS (Sold, weed for	Flowing Cho	CULATED HOUR RATE	PROD'N. FOR TEST PERI. OIL.—BBL. 13	PRODUCIFIE, pump	CTION Ding—size of the line of	GAS—N GAS—N 20 CCF. CEPTED FO G. SGD.)	38,50 124,0 (CF. 0 WATER-12 RECU DAVID	WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI	X-li 30 0 L STATI suf-in) oduc BL. OIL C	US (Producing or ing GAS-OIL RATIO 1515/1 GRAVITY-API (CORR.) 38.0
6-14-97 6-19-97 6-19-97 7. TUBING PRIME. 130 DISPOSITION OF GA Sold LIST OF ATTACHM	HOURS TESTED 24 CASING PRESSUI 0 AS (Sold, weed for	Flowing Cho	CULATED HOUR RATE	PROD'N. FOR TEST PERI. OIL.—BBL. 13	PRODUCIFE, pump	CTION Ding—size of the size of	GAS—N GAS—N 20 CCF. CEPTED FO G. SGD.)	38,50 124,0 (mp) (CF. 0 WATER————————————————————————————————————	WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI WEI	X-li 30 0 L STATI sust-in oduc BL. OIL 0 records	US (Producing or ing GAS-OIL RATIO 1515/1 GRAVITY-API (CORR.) 38.0

SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries): FORMATION TOP BOTTOM DESCRIPTION, CONTENTS, ETC. elaware 8050' 8196' Sand
1 - 6
NAME Yates 7 Rivers Delaware Bone Spri
Yates 7 Rivers Reef 3720' Delaware 5485' Bone Spring 8262'

TIME OFFICE: 1001-574-226



DRILLING CO., INC. - OIL WELL DRILLING CONTRACTORS

P. D. Box 1498 ROSWELL, NEW MEXICO 88202-1498 505/623-5070 505/746-2719 ROSWELL, NM ARTESIA, NM

June 2, 1997

Read & Stevens, Inc. P.O. Box 1518 Roswell, New MExico 88202-1518

RE: Truman Federal #7

Gentlemen:

The following is a Deviation Survey on the above referenced well located in Lea County, New Mexico.

458' - 1/	4 ⁰ 1982' - 1/	2 ^o 4160' - 1 ^o	6438' - 1 ⁰
893' - 1/	4 ^o 2255' - 1/	2 ^o 4638' - 1 ^o	6908' - 1 ⁰
1176' - 1/	2 ^o 2702' - 1 1/	4 ⁰ 5008' - 2 1/	'4 ⁰ 7380' - 1 1/4 ⁰
1284' - 1 1/	2 ^o 3170' - 2 ^o	5495' - 2 1/	'2° 7850' – 1 1/4°
1550' - 1/	2 ^o 3669' - 3/	4 ⁰ 5966' - 2 ⁰	8370' - 1/2°

Sincerely

Gary W. Chappell Contracts Manager

STATE OF NEW MEXICO)

COUNTY OF CHAVES

The foregoing was acknowledged before me this 2nd day of June 1397 by Gary W. Chappell.

MY COMMISSION EXPIRES

JUNE 20, 2000

NOTARY PUBLIC