

District I
PO Box 1980, Hobbs, NM 88241-1980
District II
PO Drawer DD, Artesia, NM 88211-0719
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
PO Box 2088, Santa Fe, NM 87504-2088

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, NM 87504-2088

☐ AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

¹ Operator name and Address Amerada Hess Corporation P.O. Box 2040 Houston, TX 77252-2040		² OGRID Number 000495
		³ API Number 30-0 25-33982
⁴ Property Code 000135	⁵ Property Name NORTH MONUMENT GRAYBURG SAN ANDRES UNIT	⁶ Well Number 291

⁷ Surface Location									
UL or lot no.	Section	Township	Range	Lot. Idn	Feet from the	North/South Line	Feet from the	East/West line	County
H	31	19 S	37 E		1330	NORTH	1220	EAST	LEA

⁸ Proposed Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot. Idn	Feet from the	North/South Line	Feet from the	East/West line	County

⁹ Proposed Pool 1 EUNICE-MONUMENT/GRAYBURG-SAN ANDRES	¹⁰ Proposed Pool 2
---	-------------------------------

¹¹ Work Type Code N	¹² Well Type Code O	¹³ Cable/Rotary R	¹⁴ Lease Type Code P	¹⁵ Ground Level Elevation 3581'
¹⁶ Multiple NO	¹⁷ Proposed Depth 4100'	¹⁸ Formations GRYBRG-S. ANDRES	¹⁹ Contractor PATTERSON	²⁰ Spud Date 5-22-97

²¹ Proposed Casing and Cement Program					
Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
12-1/4"	9-5/8"	36#	1200'	650	SURFACE
8-3/4"	7"	20#	3900'	920	SURFACE

Permit Expires 1 Year From Approval Date Unless Drilling Underway

²² Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary

1. DRILL AN 12-1/4" HOLE TO 1200' AND SET 1200' OF 36#, 9-5/8" SURFACE CASING. CEMENT W/ 650 SX. OF 65/35 POZ AND CIRCULATE TO SURFACE.
2. DRILL AN 8-3/4" HOLE TO 3900' AND SET 3900' OF 20#, 7" PRODUCTION CASING. CEMENT W/ 920 SX. OF CLASS 'C' AND CIRCULATE TO SURFACE.
3. DRILL AN 6-1/4" HOLE FROM 3900' TO TD AT 4100'. OPEN HOLE COMPLETION FROM 3900' TO 4100'.

²³ I hereby certify that the information given above is true and complete to the best of my knowledge and belief.

Signature: *Mike Jumper*

Printed name: MIKE JUMPER

Title: ADM. SUPERVISOR DRILLING SERVICES

Date: 05-20-97

Phone: (713) 609-4846

OIL CONSERVATION DIVISION

Approved by: Orig. Signed by
Paul Kautz
Geologist

Approval Date: MAY 22 1997 Expiration Date:

Conditions of Approval:
Attached ☐