

Submit to Appropriate
District Office
State Lease - 6 copies
Fee Lease - 5 copies

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-105
Revised 1-1-89

DISTRICT I

P.O. Box 1980, Hobbs, NM 88240

DISTRICT II

P.O. Drawer DD, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

2040 Pacheco St.
Santa Fe, NM 87505

WELL API NO.

30-025-34310

5. Indicate Type Of Lease

STATE ☒

FEE ☐

6. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

OIL WELL ☒

GAS WELL ☐

DRY ☐

OTHER _____

b. Type of Completion:

NEW
WELL ☒

WORK
OVER ☐

DEEPEN ☐

PLUG
BACK ☐

DIFF
RESVR ☐

OTHER _____

7. Lease Name or Unit Agreement Name

MONUMENT "1" STATE

2. Name of Operator

Chevron U.S.A. Inc.

8. Well No.

20

3. Address of Operator

P.O. Box 1150, Midland, TX 79702

9. Pool name or Wildcat

MONUMENT; ABO, NORTH

4. Well Location

Unit Letter N : 651 Feet From The SOUTH Line and 1815 Feet From The WEST Line

Section 1 Township 19S Range 36E NMPM LEA County

10. Date Spudded

5/8/98

11. Date T.D. Reached

5/23/98

12. Date Compl.(Ready to Prod.)

7/1/98

13. Elevations(DF & RKB, RT, GR, etc.)

3744'

14. Elev. Casinghead

15. Total Depth

7513'

16. Plug Back T.D.

7513'

17. If Multiple Compl. How
Many Zones?

18. Intervals
Drilled By

Rotary Tools

Cable Tools

X

19. Producing Interval(s), of this completion - Top, Bottom, Name

7232' - 7513' OH

20. Was Directional Survey Made

NO

21. Type Electric and Other Logs Run

CNL/LDT/DLL/GR/BHC SONIC/NGT

22. Was Well Cored

NO

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24	1519'	11"	550 SX - SURF	
5-1/2"	15.5	7232'	7-7/8"	1075 SX - TOC @ 750'	

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2-7/8"	7180'	

26. Perforation record (interval, size, and number)

NONE

27. ACID, SHOT, FRACTURE, CEMENT, SOEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
7232' - 7513'	6000 GALS 28% HCL

28. PRODUCTION

Date First Production 7/1/98		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING				Well Status (Prod. or Shut-in) PROD	
Date of Test 8/9/98	Hours Tested 24	Choke Size 18/64	Prod'n For Test Period	Oil - Bbl. 279	Gas - MCF 393	Water - Bbl. 7	Gas - Oil Ratio 1409
Flow Tubing Press. 470	Casing Pressure 0	Calculated 24- Hour Rate	Oil - Bbl. 279	Gas - MCF 393	Water - Bbl. 7	Oil Gravity - API (Corr.) 40.8	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

SOLD

Test Witnessed By

30. List Attachments

DEVITION SURVEY

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature

J. K. Ripley

Printed
Name

J. K. RIPLEY

Title

TECH ASSISTANT

Date 8/26/98

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy	1478	T. Canyon	
T. Salt	1582	T. Strawn	
B. Salt	2676	T. Atoka	
T. Yates	2826	T. Miss	
T. 7 Rivers	3122	T. Devonian	
T. Queen	3775	T. Silurian	
T. Grayburg	4136	T. Montoya	
T. San Andres	4577	T. Simpson	
T. Glorieta		T. McKee	
T. Paddock		T. Ellenburger	
T. Blinbry		T. Gr. Wash	
T. Tubb		T. Delaware Sand	4890
T. Drinkard		T. Bone Springs	5516
T. Abo	7244	T.	
T. Wolfcamp		T.	
T. Penn		T.	
T. Cisco (Bough C)		T.	

Northeastern New Mexico

T. Ojo Alamo	T. Penn. "B"
T. Kirtland-Fruitland	T. Penn. "C"
T. Pictured Cliffs	T. Penn. "D"
T. Cliff House	T. Leadville
T. Menefee	T. Madison
T. Point Lookout	T. Elbert
T. Mancos	T. McCracken
T. Gallup	T. Ignacio Otzte
Base Greenhorn	T. Granite
T. Dakota	T.
T. Morrison	T.
T. Todilto	T.
T. Entrada	T.
T. Wingate	T.
T. Chinle	T.
T. Permian	T.
T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, fromto No. 3, fromto
 No. 2, fromto No. 4, fromto

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, fromto feet
 No. 2, fromto feet
 No. 3, fromto feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
1478	1582	104	ANHYDRITE				
1582	2676	1094	SALT				
2676	2826	150	ANHYDRITE				
2926	3122	296	SAND, DOLOMITE, ANHYDRITE				
3122	3775	653	ANHYDRITE				
3775	4136	361	SAND, ANHYDRITE, DOLOMITE				
4136	4890	754	DOLOMITE				
4890	5516	626	SAND				
5516	6070	554	LIME				
6270	7513	1443	DOLOMITE				