

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

(See other in-
structions on
reverse side)

FORM APPROVED
OMB NO. 1004-0137
Expires: February 28, 1995

5. LEASE DESIGNATION AND SERIAL NO.

NM17238

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL:

OIL
WELL ☒

GAS
WELL ☐

DRY ☐

Other

b. TYPE OF COMPLETION:

NEW
WELL ☒

WORK
OVER ☐

DEEP-
EN ☐

PLUG
BACK ☐

DIFF.
RESVR. ☐

N.M. Oil Cons. Division
1625 N. French Dr.
Hobbs, NM 88240

UNIT AGREEMENT NAME

2. NAME OF OPERATOR

Nearburg Producing Company

3. ADDRESS AND TELEPHONE NO.

3300 N A St., Bldg 2, Suite 120, Midland, TX 79705

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface

1650' FNL & 1650' FWL

At top prod. interval reported below

At total depth

14. PERMIT NO.

DATE ISSUED

8. FARM OR LEASE NAME, WELL NO.

Anaconda 11 Federal #2

9. API WELL NO.

30-025-34934

10. FIELD AND POOL, OR WILDCAT

Teas, Delaware

11. SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA

Sec. 11, T20S, R33E

12. COUNTY OR PARISH

Lea

13. STATE

NM

15. DATE SPUDDED

06/14/00

16. DATE T.D. REACHED

07/06/00

17. DATE COMPL. (Ready to prod.)

08/30/00

18. ELEVATIONS (DF, RKB, RT, GE, ETC.)*

3585' GR

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD

10,450'

21. PLUG, BACK T.D., MD & TVD

10,152'

22. IF MULTIPLE COMPL,
HOW MANY*

23. INTERVALS
DRILLED BY

ROTARY TOOLS

X

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD)*

6582' - 6594' - Delaware

25. WAS DIRECTIONAL
SURVEY MADE

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

DLL/LDT/CNL/GR/CAL

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT	CEMENTING RECORD	AMOUNT PULLED
11-3/4"	60# & 65#	1308'	14-3/4"	Surface - 560 sx		
8-5/8"	24# & 32#	3318'	10-5/8"	Surface - 1000 sx		
5-1/2"	17#	10,450'	7-7/8"	Surface - 1363 sx		

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-7/8"	6,498'	None

30. TUBING RECORD

31. PERFORATION RECORD (Interval, size and number)

6582' - 6594' - .4" - 4 JSPF (52 holes)

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
6582' - 6594'	Acidize w/500 gals 7-1/2% HCL acid. Frac w/26,080# 16/30 resin coated sand

33. * PRODUCTION

DATE FIRST PRODUCTION 08/30/00		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Pumping				WELL STATUS (Producing or shut-in) Producing	
DATE OF TEST 09/17/00	HOURS TESTED 24	CHOKE SIZE —	PROD'N FOR TEST PERIOD →	OIL—BBL. 68	GAS—MCF. 40	WATER—BBL. 162	GAS-OIL RATIO 588:1
FLOW. TUBING PRESS. —	CASING PRESSURE —	CALCULATED 24-HOUR RATE →	OIL—BBL. 68	GAS—MCF. 40	WATER—BBL. 162	OIL GRAVITY-API (CORR.) 37.4	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Sold

35. LIST OF ATTACHMENTS

C-104, Deviation Report and Logs

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

Kim Stewart

TITLE Regulatory Analyst

DATE 09/25/00

ACCEPTED FOR RECORD

ORIG. SGD.) DAVID F. GLASS

09/25/00

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

37. SUMMARY OF POROUS ZONES: (State all important zones of porosity and contents from top of cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
Delaware	6447'	8242'	Rotary Sidewall Cores
Bone Spring	9397'	10,122'	Rotary Sidewall Cores

38. GEOLOGICAL MARKERS			38. GEOLOGICAL MARKERS		
NAME	TOP		NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH		MEAS. DEPTH	TRUE VERT. DEPTH
T/Rustler	1354'				
B/Salt	3200'				
T/Yates	3434'				
T/Delaware	5222'				
T/Bone Spring	8292'				
T/1st Bone Spring Sd.	9318'				