

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
811 South First, Artesia, NM 87210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

WELL API NO. 30-025-35606
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. N/A
7. Lease Name or Unit Agreement Name: NORTH MONUMENT / GRAYBURG SAN ANDRES UNIT BLK 16, NO. 28
8. Well No. 326
9. Pool name or Wildcat EUNICE-MONUMENT G/S ANDRES

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
Amerada Hess Corporation

3. Address of Operator
P.O. Box 2040 Houston, TX 77252-2040

4. Well Location
Unit Letter **L** : **2630** feet from the **SOUTH** line and **130** feet from the **WEST** line
Section **32** Township **19 S** Range **37 E** NMPM County **LEA**
10. Elevation (Show whether DR, RKB, RT, GR, etc.)
3576' GR.

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☒ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☒

OTHER: Running Surface Casing ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

10-22-01 thru 10-24-01

MI & RU Patterson Rig #65. Spud well @ 13:00 hrs 10-22-01. (40' of 14" Conductor + 13' To KB = 53'). Drill from 53' to 530'. Survey @ 489' = 3/4 (Deg.). Drill from 530' to 1035'. Survey @ 994' = 1/2 (Deg.). Drill from 1035' to 1242'. Survey @ 1207' = 3/4 (Deg). Circ and cond. RU Bull Rogers Csg Crew & run 27 jts of 8-5/8", 24#, J55, 8RD, ST&C, 'A' csg set @ 1242', Shoe @ 1241', FC @ 1195' & ran 10 centralizers. Circ Csg. Cmt w/ BJ: Pump 250 sx of class 'C' + 2% Cacl2 + 4% gel + 1/4#/sx CF (13.7#-1.68). Tailed w/ 200 sx class 'C' + 2% Cacl2 + 1/4#/sx CF (14.8#-1.35). Displace w/ 76 bbl brine water @ 5 bbl/min. Final circ w/400 psi. Bump plug w/ 800 psi @ 17:00 hrs 10/23/01 w/ good returns. Circ 50 sx cmt to pit. WOC. Test pipe rams & casing w/ 1000 psi, OK. Drill cmt from 1190' - 1241'.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Ann Williams TITLE Sr. Staff Associate DATE 10/25/01

Type or print name Ann Williams Telephone No. 713-609-4838

(This space for State use)

APPROVED BY PAUL F. KAUTZ TITLE PETROLEUM ENGINEER DATE OCT 30 2001