State of New Mexico Submit 3 Copies To Appropriate District Form C-103 Office Energy, Minerals and Natural Resources Revised March 25, 1999 District I WELL API NO. 1625 N. French Dr., Hobbs, NM 87240 District II 30-025-35741 OIL CONSERVATION DIVISION 811 South First, Artesia, NM 87210 5. Indicate Type of Lease 2040 South Pacheco District III 1000 Rio Brazos Rd., Aztec, NM 87410 STATE x FEE Santa Fe, NM 87505 District IV 6. State Oil & Gas Lease No. 2040 South Pacheco, Santa Fe, NM 87505 SUNDRY NOTICES AND REPORTS ON WELLS 7. Lease Name or Unit Agreement Name: (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) NORTH MONUMENT / GRAYBURG 1. Type of Well: SAN ANDRES UNIT BLK 21, NO. 20 Oil Well X Gas Well Name of Operator 8. Well No. Amerada Hess Corporation 332 3. Address of Operator 9. Pool name or Wildcat P.O. Box 2040 Houston, TX 77252-2040 EUNICE-MONUMENT G/S ANDRES 4. Well Location 65 feet from the NORTH line and 1360 \_ feet from the\_ Township 20 s Section Range 37 E NMPM County LEA 10. Elevation (Show whether DR, RKB, RT, GR, etc.) 3559' GR. 11. Check Appropriate Box to Indicate, Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING PLUG AND **TEMPORARILY ABANDON CHANGE PLANS** COMMENCE DRILLING OPNS. ABANDONMENT **PULL OR ALTER CASING MULTIPLE** CASING TEST AND **CEMENT JOB** COMPLETION OTHER: Running Surface Casing \ OTHER: 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, helding estimated dates) of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completions or recompilation. 12-06-01 thru 12-08-01 MI & RU Patterson Rig #65. Spud well @ 14:00 hrs 12-06-01. (40' of 14" Conductor + 13' To KB = 53'). Drill from 53' to 529'. Survey @ 487' = 1/2 (Deg.). Drill from 529' to 1001'. Survey @ 961' = 1/2 (Deg). Drill from 1001' to 1143'. Survey @ 1114' = 3/4 (Deg). Circ and cond. RU Bull Rogers Csg Crew & run 25 jts of 8-5/8", 24#, J55, 8RD, ST&C, 'A' csg set @ 1143', Shoe @ 1142', FC @ 1096' & ran 10 centralizers. Circ Csg. Cmt w/ BJ: Pump 250 sx of class 'C' + 2% Cacl2 + 4% gel + 1/4#/sx CF (13.7#-1.68). Tailed w/ 200 sx class 'C' + 2% Cacl2 + 1/4#/sx CF (14.8#-1.35). Displace w/ 74 bbl brine water @ 5 bbl/min. Final circ w/ 500 psi. Bump plug w/ 1100 psi @ 17:00 hrs 12/07/01 w/ good returns. Circ 117 sx cmt to pit. WOC. Test pipe rams & casing w/ 1000 psi, OK. Drill cmt from 1092' - 1130'.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. Mams TITLE Sr. Staff Associate Type or print name Ann Williams Telephone No. 713-609-4838 (This space for State use)

APPROVED BY\_ Conditions of approval, if any: