


(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYLand Office **Las Cruces**
Lease No. **00420 (b)**
Unit **E.L.P.U.**

SUNDRY NOTICES AND REPORTS ON WELLS



NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

S-110-J. L. Stagg 3-13 No. 2**El Paso, New Mexico February 29**, 19 **52**

Well No. **2** is located **3700** ft. from **N** line and **440** ft. from **E** line of sec. **13**
S-110 Section **13** **200** **700** **E.L.P.U.**
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Stagg **Las** **New Mexico**
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is our intention to drill a well at the above location to a depth of approximately 3700' with rotary tools and then 3700' to a total depth of approximately 3900' with reverse circulation tools. All casing points will be cemented in accordance with approved methods of the U. S. Geological Survey and any other special requirements will be complied with.

It is proposed to use the following casing program: 10 3/4" casing to be set at approximately 230' with 230 joints cement, cement to be circulated; 5 1/2" casing to be set at approximately 3700' with approximately 34 joints cement or sufficient cement to cover the well bottom. If necessary, the pay section will be shot.

Approval to produce the well upon completion is also requested.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Continental Oil Company**Address **Box 427****El Paso, New Mexico**By *Charles*Title **District Superintendent**

Lead Office

Office (a)

E.I.P.U.

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO ABANDON WELL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO FULL OR ALTER CASING	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO CHANGE PLANS	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO DRILL	

(Indicate about what portion of the well is to be abandoned)

Well No. 12345 is located in the State of Texas, County of Harris, Township 12N, Range 10E, Section 15.

Well No.	12345
County or Division	Harris
Township	12N
Range	10E
Section	15
State or Territory	Texas

The elevation of the derrick floor above sea level is 100 feet.

DETAILS OF WORK

(State nature and extent of proposed work; show size, weight, and length of proposed casing; indicate mudding job, cementing, etc., and all other important proposed work)

It is our intention to drill a well at the above location to a depth of approximately 3000 feet. The well is to be drilled with a 12 1/2 inch diameter bit. The well is to be cased with 12 inch diameter casing. The well is to be cemented with 100 lb. cement. The well is to be mudded with 10 lb. mud. The well is to be drilled with a 12 1/2 inch diameter bit. The well is to be cased with 12 inch diameter casing. The well is to be cemented with 100 lb. cement. The well is to be mudded with 10 lb. mud.

It is proposed to use the following casing program: 10 3/4" casing to be set at approximately 250' with 20 lb. cement, casing to be cemented at 2 1/2". It is proposed to use the following casing program: 10 3/4" casing to be set at approximately 250' with 20 lb. cement, casing to be cemented at 2 1/2". It is proposed to use the following casing program: 10 3/4" casing to be set at approximately 250' with 20 lb. cement, casing to be cemented at 2 1/2".

Approval to produce the well upon completion is also requested.

I recommend that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Continental Oil Company

Company

Box 147

Address

Houston, Texas

Respectfully,
By _____
Title _____