

Submit 3 Copies  
to Appropriate  
District Office

State of New Mexico  
Energy, Minerals and Natural Resources Department

Form C-103  
Revised 1-1-89

DISTRICT I  
P.O. Box 1980, Hobbs NM 88241-1980

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

2040 Pacheco St.  
Santa Fe, NM 87505

WELL API NO.	30-025-06117
5. Indicate Type of Lease	STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.	B-1469
7. Lease Name or Unit Agreement Name	State "Q"
8. Well No.	2
9. Pool name or Wildcat	Eumont Yates 7RQ
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3548' DF	

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER	2. Name of Operator Amerada Hess Corporation
3. Address of Operator P. O. Box 840, Seminole, Texas 79360	4. Well Location Unit Letter <u>I</u> : <u>1980</u> Feet From The <u>South</u> Line and <u>990</u> Feet From The <u>East</u> Line Section <u>16</u> Township <u>20S</u> Range <u>37E</u> NMPM Lea County
11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☒ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐  
CASING TEST AND CEMENT JOB ☐  
OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Plan to MIRU pulling unit & TOH w/prod. eqpt. TIH w/gauge ring & junk basket to 3330' & TOH. TIH w/5-1/2" CIBP & set at 3320'. Press. test CIBP to 500 PSI. TIH w/4" Hags perf. guns & perf. 5-1/2" csg. at following intervals: 3088' (3 holes), 3177' (2 holes), 3216' - 3217' (5 holes), 3235' (4 holes), 3251 - 3252' (6 holes), 3271' - 3273' (9 holes), 3279' - 3281' (8 holes) & 3292' - 3304' (48 holes). Acidize perfs. fr. 3088' - 3304' w/1500 gal. 70 CO2 quality 15% FE DI HCL acid mixed w/4 gal./1000 gals. of surfactant. Flow & evaluate production.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Roy L. Wheeler, Jr. TITLE Admin. Svc. Coord. DATE 4-17-98

TYPE OR PRINT NAME Roy L. Wheeler, Jr. TELEPHONE NO. 915 758-6700

(This space for State Use)

Orig. Signed by  
Paul Kautz  
Geologist

APR 21 1998

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

