

DC-211

Ans 7/8/55

OCC.
Hobbs

314 Commerce Building
Abilene, Texas
June 27, 1955

New Mexico Oil Conservation Commission
P. O. Box 871
Santa Fe, New Mexico

Re: Application to Dually Complete
General Crude Oil Company
No. 1 State "G", Monument Pool
Lea County, New Mexico

Gentlemen:

Application is made herewith for permission to dually complete the subject well in compliance with Rule 112-A, revised April 30, 1953, of the Rules and Regulations of the New Mexico Oil Conservation Commission. The following facts are submitted:

1. The General Crude Oil Company No. 1 State "G", located 4620 feet from the east line and 660 feet from the north line of Section 16, T-20-S, R-37-E, was completed March 9, 1937 as an oil well in the Monument Pool. The attached Exhibit "A" illustrates the location of this well and the locations of all offset wells.
2. The subject well has 7 inch casing set at 3774 feet, which casing was cemented with 300 sacks of cement. The well is presently being pumped from the open hole interval 3774 feet to 3850 feet and is producing approximately 97% salt water.
3. It is proposed that the well be dually completed in the following manner:
 - (a) It is intended to first attempt to eliminate water production from the oil zone completion by plugging back with neat cement and recompleting either higher in the open hole or through perforations in the interval 3703 feet to 3774 feet in the Monument Pool. (Form C-102 has been forwarded to the N.M.O.C.C. District Office at Hobbs, New Mexico).
 - (b) Perforate the 7 inch casing within the approximate interval 3178 feet to 3378 feet in the Eumont Gas Pool.

what zone
is this?

Oil Conservation Commission
 Mexico City, Mexico
 June 27, 1952

Oil Conservation Commission
 Mexico City, Mexico
 June 27, 1952

Re: Application for drilling Company
 General Grade Oil Company
 No. 1 State Road, General Grade
 Los Angeles, New Mexico

Dear Sir:

Application is made herewith for permission to drill a well in the General Grade Oil Conservation Commission with title L-1-A, revised April 30, 1952, of the Rules and Regulations of the New Mexico Oil Conservation Commission. The following facts are submitted:

1. The General Grade Oil Company No. 1 State Road, located about 100 feet from the east line and 600 feet from the north line of Section 16, T-20-S, R-37-E, was completed March 8, 1952, as an oil well. The standard depth is 100 feet. The standard depth is 100 feet. The location of this well and the location of all other wells.

2. The casing was cemented with 800 sacks of cement. The well is presently being pumped from the open hole interval 374 feet to 375 feet and is producing approximately 250 barrels of water.

3. It is proposed that the well be drilled completed in the following manner:

(a) It is intended to first attempt to eliminate water production from the oil zone completion by changing back with next cement and re-completing either 374 or 375 feet or through perforations in the interval 374 to 375 feet in the cemented hole. (Form O-102 has been forwarded to the U.S.O.C. District Office at Hobbs, New Mexico).

(b) Perforate the 7 inch casing within the approximately interval 374 feet to 375 feet in the Cement Gas Pool.