TW MEXICO OIL CONSERVATION (IMISSION

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or its agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

indicate nature of notice by checking below:

NOTICE (OF INTENTION TO TEST	CASING SHUT-O	FF	NOTICE CH	OF INTENTION EMICALLY TR	N TO SHOOT EAT WELL	OR X
NOTICE OF INTENTION TO CHANGE PLANS NOTICE OF INTENTION TO REPAIR WELL NOTICE OF INTENTION TO DEEPEN WELL				NOTICE	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING		
				NOTICE O	NOTICE OF INTENTION TO PLUG WE		ELL
		Mid	land, T		-	19, 1937	
	•			Place	.,,		Date
	SERVATION COMMISS , New Mexico. n:	SION,					
Following	; is a notice of intentio	n to do certain v	vork as de	scribed below at the	e		
Humble	011 & Refining	Company	N.	M. State "F"	Well No	3 i	n Center of
COII	npany or Operator	1	⊿ease			L	NW/4 of SW,
Le		, R.		, N. M. P. M.,			Field,
	י זמן	III DEMATE	OE DD	OPOSED PLAN	OH WORK		
	FOLLOW INS	TRUCTIONS IN T	HE RULE	S AND REGULATION	NS OF THE CO	MMISSION	
3810 to pre	at well with 200 to 3860°. 5-1/2 vmnt damage to c o make a better	" casing set . taes gnias	t at 57	30'. Will flu	sh acid or	it of hole	
3810 to pre	to 3860'. 5-1/2	" casing set . taes gnias	t at 57	30'. Will flu	sh acid or	it of hole	
3810 to pre	to 3860'. 5-1/2	" casing set . taes gnias	t at 57: New w	30'. Will flu	sh acid or	it of hole	
3810° to premade t	to 3860'. 5-1/2 vant damage to c o make a better	" casing seit. asing seit. producer.	New West	30°. Will flu	sh acid or	t of hole	A STATE OF THE STA
3810° to premade t	to 3860'. 5-1/2 vant damage to c o make a better	" casing set . taes gnias	New West	30°. Will flu	sh acid or	nt of hole	A STATE OF THE STA
3810° to premade t	to 3860'. 5-1/2 vant damage to c o make a better	" casing seit. asing seit. producer.	New West	30°. Will flu	ch acid or cod. Effor	nt of hole	A STATE OF THE STA
3810 to pre	to 3860'. 5-1/2 vant damage to c o make a better	" casing seit. asing seit. producer.	New West	Humble	ch acid or cod. Effor	ining Comp	A STATE OF THE STA
3810° to premade t	to 3860'. 5-1/2 vant damage to c o make a better	" casing seit. asing seit. producer.	New West	Humble By Position Plant Position	oil & Roff	ining Comp Operator Clerk	any W
3810° to premade t	to 3860'. 5-1/2 vant damage to c make a better follows:	" casing seat. asing seat. producer.	New West	Humble By Position Send co	Oil & Refi	ining Comp Operator Clerk	any W
3810° to premade t	to 3860'. 5-1/2 vant damage to c o make a better	" casing seat. asing seat. producer.	New West	Humble By Position Send of Name W. T	Oil & Refi	ining Comp Operator Clerk regarding we	eny oll to