

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-06148
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B-935
7. Lease Name or Unit Agreement Name New Mexico "F" State
8. Well No. 4
9. Pool name or Wildcat Eunice Monument G/SA
10. Elevation (Show whether DF, RKB, RT, GR, etc.)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>
2. Name of Operator Amerada Hess Corporation
3. Address of Operator Drawer D, Monument, New Mexico 88265
4. Well Location Unit Letter <u>M</u> : <u>660</u> Feet From The <u>South</u> Line and <u>660</u> Feet From The <u>West</u> Line Section <u>17</u> Township <u>20S</u> Range <u>37E</u> NMPM <u>Lea</u> County <u></u>

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

3-8 thru 3-16-95
MIRU Tyler Well Svc. pulling Unit & TOH w/rods & pump. Removed wellhead, installed BOP, & TOH w/tbg. MIRU Star Tool. TIH w/4-3/4" bit & tagged fill in 5-1/2" csg. at 3661'. Cleaned out fill fr. 3661' - 3676'. Pumped 3 sks. of LCM. Est. circ. & drld. out fill fr. 3676' - 3690'. Drld. on CIBP at 3690'. Pushed plug fr. 3690' - 3821'. Pumped 4 sks. LCM. Tagged fill at 3813' & cleaned out fill fr. 3813' - 3821'. Drld. approx. 6". Dumped 4 sks. LCM. TIH w/5-1/2" Baker fullbore pkr. set at 3440'. Knox Svc. acid. csg. perfs. & O.H. w/3000 gal. 15% NEFE acid mixed w/3% Micellar solvent. Dropped 1500# rock salt as diverter. Swabbed well. TOH w/tbg. & pkr. TIH w/5-1/2" Baker retrievable BP set at 3508'. Loaded & press. RBP w/500 PSI. Held OK. Schlumberger ran CBL. TIH w/retrieving tool, latched onto RBP & TOH. TIH w/2-3/8" tbg. bull plugged at 3784' w/tbg. perfs. fr. 3744' - 3748'. Removed BOP & installed wellhead. TIH w/pump & rods. RDPU, cleaned location & resumed pumping well. Test of 3-22-95: Prod. 0 BOPD, 65 BWPd, & 26 MCFGPD in 24 hrs.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.
SIGNATURE R. L. Wheeler, Jr. TITLE Admin. Svc. Coord. DATE 3-24-95
TYPE OR PRINT NAME R. L. Wheeler, Jr. TELEPHONE NO. 505 393-2144

(This space for State Use) ORIGINAL SIGNED BY GARY WINK DATE APR 05 1995
APPROVED BY FIELD REP. II TITLE DATE
CONDITIONS OF APPROVAL, IF ANY: