

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico.

## NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Fort Worth, Texas

October 5, 1939

Place

Date

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico.  
Gentlemen:

DUPLICATE

You are hereby notified that it is our intention to commence the drilling of a well to be known as The Texas  
Company State of New Mexico "C" University Well No. 7 in SW 1/4 NE 1/4  
Company or Operator Lease  
of Sec. 19, T. 20 S, R. 37 E, N. M. P.M., Eunice Field, Lea County.  
N. The well is 1980 feet (E.) (S.) of the N line and 1980 feet


AREA 640 ACRES  
LOCATE WELL CORRECTLY

The well is 1980 feet (E.) (S.) of the N line and 1980 feet  
(E.) (W.) of the E line of said Section 19

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. B-159, Assignment No. \_\_\_\_\_

If patented land the owner is \_\_\_\_\_


Address \_\_\_\_\_

If government land the permittee is \_\_\_\_\_

Address \_\_\_\_\_

The lessee is The Texas Company

Address Box 2332, Houston, Texas



We propose to drill well with drilling equipment as follows:

Rotary

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: \$10,000 blanket surety bond of Maryland Casualty Company has been filed with State Geologist.  
We propose to use the following strings of casing and to land or cement them approximately as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
12-1/4"	10-3/4"OD	32.75#	New	125'	Cemented	To Surface
10"	8-5/8"OD	28#	Secondhand	1125'	"	225
6-3/4"	5-1/2"OD	17#	New	3675'	"	150

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3700 feet.

Additional information:

Drilling Contractor:  
Parker Drilling Company,  
Tulsa, Oklahoma.

## FORMATIONS EXPECTED

Top of Salt 1150'  
Base of Salt 2400'  
Top of Main Brown Line 2700'

Approved \_\_\_\_\_, 19\_\_\_\_  
except as follows:

OCT 7 - 1939

Sincerely yours,

THE TEXAS COMPANY

Company or Operator

By \_\_\_\_\_

Position Asst. Division Manager

Send communication regarding well to

Name The Texas CompanyAddress Box 1720, Fort Worth, Texas

OIL CONSERVATION COMMISSION.

By Ray YarboroughTitle OIL & GAS INSPECTOR