


NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico



WELL RECORD

RECEIVED  
MAY 14 1937  
DUPLICATE

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

AREA 640 ACRES  
LOCATE WELL CORRECTLY

The Texas Company,

Drawer K, Wink, Texas.

State Lieu Land Company or Operator Well No. 7 NE 1/4 of NW 1/4 Sec. 20 T. 20 S

R. 37 E, N. M. P. M., Monument Field, Lea County.

Well is 660 feet south of the North line and 3500 feet west of the East line of Said Section 20

If State land the oil and gas lease is No. B-160 Assignment No.

If patented land the owner is Address

If Government land the permittee is Address

The Lessee is The Texas Company Address Box 2332, Houston, Texas.

Drilling commenced 4-3-1937 Drilling was completed 5-1-1937

Name of drilling contractor Gardner Bros. Address Dallas, Texas.

Elevation above sea level 3536 feet. Derrick Floor.

The information given is to be kept confidential until 19

OIL SANDS OR ZONES GAS ZONE

No. 1, from 3710 to 3830 No. 4, from 2987 to 3015  
No. 2, from 3830 to 3864 No. 5, from 3382 to 3396  
No. 3, from to No. 6, from 3429 to 3452

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.  
No. 2, from to feet.  
No. 3, from to feet.  
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
13"	40#	8	LW	115	Texas Pattern			
9-5/8"	40#	8	Sales	1140	Larkin Guide			
7"	25#	10	"	3713	Baker Guide			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
16"	13"	133	125	Halliburton		
12 1/4"	9-5/8"	1150	600	Halliburton		
8-5/8"	7"	3700	375	Halliburton		

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set  
Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		Dowell XX	2000 G	4-29-37	3864	
		"	4000 G	4-30-37	"	

Results of shooting or chemical treatment. Flowed 65 Bbl. in 6 Hrs. before Acid. After first treatment flowed 200 Bbl. in 15 Hrs. Flowed 245 Bbl. 9 Hrs. After second treatment.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 3864 feet, and from feet to feet  
Cable toops were used from feet to feet, and from feet to feet

PRODUCTION

Put to producing 4-30-1937 On Test.  
The production of the first 24 hours was 245 barrels of fluid of which 100% was oil; ---% emulsion; ---% water; and ---% sediment. Gravity, Be 32.0  
If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas  
Rock pressure, lbs. per sq. in.

EMPLOYEES

W. N. Hanks Driller Gas/Oil Ratio 935  
A. A. Williams Driller  
H. N. Ingram Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 12 day of May, 1937

Wink, Texas, May 12 1937

Notary Public

Name

Position District Supt.,

Representing The Texas Company

## FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	58	58	Sand
58	157	99	Red Beds
157	642	485	Red Beds & Shells
642	790	148	Red Rock
790	1090	300	Red Rock & Shells
1090	1201	111	Anhydrite
1201	2395	1194	Salt
2395	2500	105	Salt & Anhydrite
2500	2660	160	Anhydrite
2660	2868	208	Brown Line & Anhydrite
2868	2971	103	Hard Grey Line
2971	3015	44	Brown Line
3015	3390	375	Grayish Brown Line
3390	3429	39	Hard White Line
3429	3452	23	Sandy White Line
3452	3710	258	Hard White Line
3710	3830	120	Medium Line
3830	3864	34	Broken Line
			Total Depth 3864'