

DUPLICATE

(SUBMIT IN TRIPLICATE)
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Las Cruces
Lease No. 031620 (a)
Unit N.E.F.U.

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	X
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

S20-Skaggs A-24 R. 3 Hobbs, New Mexico May 29, 1951

Well No. 3 is located 1900 ft. from N line and 660 ft. from E line of sec. 24

N 1/4 Sec. 24 203 773 N.E.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Skaggs La New Mexico
(Field) (County or Subdivision) (State or Territory)


The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Set 9 5/8" casing at 250' with 250 sacks cement. Cement circulated to surface. Plug down 12:00 Midnight 5-26-51.

On 5-27-51, after 24 hrs. WOC, tested casing with 200# for 30 mins. before drilling plug; final pressure 195#. Drilled out cement and tested casing with 200# for 30 mins; final pressure 190#.



I understand that this plan of work must receive approval in writing by the Geological Survey before work is commenced.

Company Continental Oil Company

Address Box 66

Hobbs, New Mexico
MAY 31 1951

By _____

Title District Superintendent

