NOTICE OF INTENTION TO DRILL. NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO TEST WATER SHUT-OFF NOTICE OF INTENTION TO TEST WATER SHUT-OFF NOTICE OF INTENTION TO REDRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Well No. 32 is located 1930 ft. from Shi line and 930 ft. from Shi line of sec. 25. NE/4 SE/4 Sec. 25 T-208 R-372 NAPH (Kange) (Meridian) Wildcat Les New Mexico (Field) (County or Subdivision) The elevation of the derrick floor above sea level is 3531 ft. DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemen the points, and all other important proposed work) Set 50 sack cement plue from 5455-0370 and squeezed w/1500 psi. Loaded remainder of nole w/9.5# mud. Well shut-in at surface with well head.	Form 9-331a APPROVIDECT 3 1903 DECT 3 1903 E. G. HUBBLE E. G. HUBBLE DEPA	(SUBMIT IN TRIPLICATE)	Budget Bureau No. 42-R358.4. Form Approved. Land Office Lass Cruces Lease No. 031696 a Unit Lease
NOTICE OF INTENTION TO CHANGE PLANS NOTICE OF INTENTION TO TEST WATER SHUT-OFF NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO PULL OR ALTER CASING NOTICE OF INTENTION TO PULL OR ALTER CASING NOTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) **SUBSEQUENT REPORT OF ALTERING CASING SUBSEQUENT RE	SUNDRY NOTI	CES AND REPORTS ON	WELLS
Well No. 32 is located 1930 ft. from Siline and 990 ft. from Siline of sec. 25 NE/4 SE/4 Sec. 25 T-208 R-372 N-12M (M Sec. and Sec. No.) (Twp.) (Range) (Meridian) Wildcat Les New New Nexico (Field) (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is 3531 ft. DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemen ing points, and all other important proposed work) Set 50 sack cement plus from 5459-0870 and squeezed w/1500 psi. Loaded remainder of noise w/9.54 mad. well shut-in at supplementations.	NOTICE OF INTENTION TO CHANGE PLANS NOTICE OF INTENTION TO TEST WATER SHUT-OFF NOTICE OF INTENTION TO RE-DRILL OR REPAIR INTEREST OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO PULL OR ALTER CASING	SUBSEQUENT REPORT OF SHOOTII SUBSEQUENT REPORT OF ALTERIN WELL SUBSEQUENT REPORT OF RE-DRIL SUBSEQUENT REPORT OF ABANDO	NG OR ACIDIZING NG CASING LLING OR REPAIR DIMENT TOMP . X
Well No. 32 is located 1980 ft. from the line and 990 ft. from the line of sec. 25 NE/4 SE/4 Sec. 25 T-208 R-372 Wilderdian Wildcat Lea (County or Subdivision) The elevation of the derrick floor above sea level is 3531 ft. DETAILS OF WORK (State or and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemen ing points, and all other important proposed work) Set 50 sack cement plus from 5459-0870 and squeezed w/1500 psi. Loaded remainder of hole w/2.5# mud. well sputting at sunface.	(INDICATE ABOVE BY	CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER	DATA)
Well No. 32 is located 1900 ft. from Sk line and 990 ft. from Sk line of sec. 25 NE/4 Sec. 25 T-205 R-372 NiPM (4 Sec. and Sec. No.) (Twp.) (Range) (Meridian) Wildcat Lea New Mexico (Field) (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is 3531 ft. DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemen ing points, and all other important proposed work) Set 30 sack cement plus from 5453-6870 and squeezed w/1500 psi. Loaded remainder of hole w/2.5# mud. Well shut-ip at suppage	SEMU	November 1	. 19 62
DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemen ing points, and all other important proposed work) Set 50 sack cement plus from 5459-6870' and squeezed w/1500 psi. Loaded remainder of noise w/9.5# mud. Well shut-ip at sunface.	NE/4 SE/4 Sec. 25 T-2 (% Sec. and Sec. No.) (Twi Wildcat (Field)	c) (Range) (Meridian) Les (County or Subdivision)	ew Mexico
(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemen ing points, and all other important proposed work) Set 50 sack cement plus from 5459-6870! and squeezed w/1500 psi. Loaded remainder of noise w/9.5# mud. Well shut-ip at sunface.	The elevation of the derrick floor abo		
moder remainier of noie w/g.bs man, wall shirt in at confort	(State names of and expected depths to objective sar ing poin	ids; show sizes, weights, and lengths of proposed	ngs; indicate mudding jobs, cement-
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.	with well head.	w/y.b# mua. well shut-i	n at surface