

DUPLICATE

NEW MEXICO OIL CONSERVATION COMMISSION  
Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK	X	NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE	X	NOTICE OF INTENTION to use (OTHER) Dolofrac Treat-		NOTICE OF INTENTION (OTHER)	

ment (Acid, Jel, and Sand)

OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO

Hobbs, New Mexico  
(Place)

April 26, 1953  
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the Phillips-Hooper

MORRIS R. ANTWEIL, OIL OPERATOR  
(Company or Operator)

Well No. 1 in O  
(Unit)

SW 1/4 SE 1/4 of Sec. 27, T. 20 S., R. 37 E., NMPM, Undesignated Pool  
(40-acre Subdivision)

Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK  
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

Operator intends to plug back in casing by setting Lane Wells cast iron bridging plug at 3677' and will dump one sack of cement on top of the plug with a dump bailer. The Operator then intends to gun perforate with Lane Wells 15/32" bullets in the following zones in the following density:

Depth Interval	Holes per Foot
3502'-3540'	3
3540'-3570'	2
3570'-3606'	3

Operator then intends to treat the section from 3502'-3606' with 2000 gals. of Dolofrac (ratio of 3 gal. acid to 1 gal. kerosene plus breaker fluid plus 3/4 lb. per gallon of sand).

Approved....., 19.....  
Except as follows:

MORRIS R. ANTWEIL, OIL OPERATOR  
Company or Operator

By J. W. Adams

Position J. W. Adams, Agent  
Send Communications regarding well to:

Approved  
OIL CONSERVATION COMMISSION

By May 4, 1953

Name J. W. Adams

Title

Address Box 1058, Hobbs, New Mexico