

N.

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

AREA 640 ACRES  
LOCATE WELL CORRECTLY

Phillips Petroleum Company

Mex

Company or Operator

Well No. one in NE/4 of Sec. 30 Lease 20-SR. 37-E N. M. P. M. Kunice Field. Lea County.Well is 660 feet south of the North line and 660 feet west of the East line of Sec. 30If State land the oil and gas lease is No. B-2422 Assignment No. 147195

If patented land the owner is \_\_\_\_\_ Address \_\_\_\_\_

If Government land the permittee is \_\_\_\_\_ Address \_\_\_\_\_

The Lessee is \_\_\_\_\_ Address \_\_\_\_\_

Drilling commenced March 8 37 Drilling was completed April 12 37Name of drilling contractor Oil Well Drilling Co., Address Hobbs, N. M.Elevation above sea level at top of casing 3532.5 feet.The information given is to be kept confidential until Not confidential 19\_\_\_\_

## OIL SANDS OR ZONES

No. 1. from 3683 to 3843 No. 4. from \_\_\_\_\_ to \_\_\_\_\_

No. 2. from \_\_\_\_\_ to \_\_\_\_\_ No. 5. from \_\_\_\_\_ to \_\_\_\_\_

No. 3. from \_\_\_\_\_ to \_\_\_\_\_ No. 6. from \_\_\_\_\_ to \_\_\_\_\_

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1. from (Drilled w/rotary - none logged) to \_\_\_\_\_ feet.

No. 2. from \_\_\_\_\_ to \_\_\_\_\_ feet.

No. 2. from \_\_\_\_\_ to \_\_\_\_\_ feet.

No. 4. from \_\_\_\_\_ to \_\_\_\_\_ feet.

## CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
13"OD	35	Welded	Armco	193	0			
9-5/8OD	36	8	SS	1114	Halliburton			
7"OD	24	10	SS	3683	do			

## MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
17 1/2"	13 1/2"	193	175	Halliburton		
12 1/2"	9-5/8"	1114	400	"		
6 3/4"	7"	3683	300	"		

## PLUGS AND ADAPTERS

Heaving plug—Material \_\_\_\_\_ Length \_\_\_\_\_ Depth Set \_\_\_\_\_

Adapters—Material \_\_\_\_\_ Size \_\_\_\_\_

## RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
1000 gal		Dowell XX	1000 gal	4-15-37	3683-3843	3843
2000 "		" "	2000 "	4-19-37	do	do
1000 "		" "	1000 "	4-24-37	do	do
7000 "		" "	7000 "	5-10-37	do	do
10000 "		" "	10000 "	5-20-37	do	do

Results of shooting or chemical treatment

Had no production prior to acidizing. Completed for 2 286 bbls oil, 0 water, in 24 hrs

## RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

## TOOLS USED

Rotary tools were used from 0 feet to 3843 feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

Cable tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

## PRODUCTION

Put to producing May 23 1937The production of the first 24 hours was 286 barrels of fluid of which 100 % was oil: 0 %emulsion; 0 % water; and 0 % sediment. Gravity. Be. 34.7If gas well, cu. ft. per 24 hours 2,400,000 Gallons gasoline per 1,000 cu. ft. of gas \_\_\_\_\_

Rock pressure, lbs. per sq. in. \_\_\_\_\_

## EMPLOYEES

\_\_\_\_\_, Driller \_\_\_\_\_, Driller

\_\_\_\_\_, Driller \_\_\_\_\_, Driller

## FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 31st May, 1937

day of \_\_\_\_\_ 19\_\_\_\_ Name \_\_\_\_\_

## FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	60	60	Surface rock and sand
60	210	150	Red Bed and Sand
210	553	343	Brown Shale And Sand
553	768	215	Red Shale and Shells
768	945	177	Red Rock, Sand, And Red Bed
945	1068	113	Red Rock and Sand
1068	1185	127	Andy Drite
1185	1255	60	Andy Drite & streaks of salt
1255	1500	245	Andy Drite, Salt And Shells
1500	1910	410	Salt, Andy Drite
1910	2269	359	Salt, Andy Drite And Shells
2269	2306	37	Andy Drite
2306	2385	79	Andy Drite, Salt, And Shells
2385	2446	61	Salt streaks and Andy Drite
2446	2477	31	Andy Drite
2477	2510	33	Andy Drite and Lime Shells
2510	2525	15	Broken Lime
2525	2553	28	Andy Drite And Gyp
2553	2739	186	Andy Drite
2739	2768	29	Broken Andy Drite and Broken Lime
2768	2826	58	Lime
2826	2862	36	Lime And Andy Drite
2862	3309	447	Lime
3309	3352	23	Lime and Gyp
3352	3380	48	Lime
3380	3400	20	Lime And Gyp
3400	3431	31	Lime
3431	3453	22	Lime And Gyp
3453	3744	291	Lime
3744	3807	63	Lime hard
3807	3843	36	Lime sandy