FORM C-105



AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Gulf Oil Corporation (Company or Operator) Sunshine (Lease)

Well No. 1 in Lot 4 of Sec. 30, T. 20S R. 37E, N. M. P. M., Eunice Field, Lea County.

Well is ____ feet south of the North line and ____ feet west of the East line of Center of Lot 4

If State land the oil and gas lease is No. B-2194 Assignment No. ____

If patented land the owner is - Address ____

If Government land the permittee is - Address ____

The Lessee is Gulf Oil Corporation Address Tulsa, Oklahoma.

Drilling commenced 9-17-36 19__ Drilling was completed 10-24-36 19__

Name of drilling contractor Gulf Tools - R. D. #1 Address Tulsa, Oklahoma.

Elevation above sea level at top of casing 3541' feet

The information given is to be kept confidential until ? 19__.

OIL SANDS OR ZONES

No. 1, from 5725 to 5858 No. 4, from ____ to ____

No. 2, from Pay at 5735' to ____ No. 5, from ____ to ____

No. 3, from ____ to ____ No. 6, from ____ to ____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from Rotary hole to ____ feet.

No. 2, from ____ to ____ feet.

No. 3, from ____ to ____ feet.

No. 4, from ____ to ____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM	PERFORATED TO	PURPOSE
10-3/4	32	8	Lapw.	546'					
7-5/8	22	8	Lapw.	1072'					
5-1/2	17	10	Lapw.	5714'					

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
15-3/4	10-3/4	546'	250	Halliburton		
9-7/8	7-5/8	1072'	250	"		
6-3/4	5-1/2	5714'	200	"		

PLUGS AND ADAPTERS

Heaving plug—Material ____ Length ____ Depth Set ____

Adapters—Material ____ Size ____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		Hydro-Chloric Acid	2000	10-23-36		

Results of shooting or chemical treatment ____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 5858' feet, and from ____ feet to ____ feet

Cable toops were used from ____ feet to - feet, and from ____ feet to ____ feet

PRODUCTION

Put to producing Nov. 1st, 19 36

The production of the first 24 hours was 840 barrels of fluid of which ____ % was oil: ____ % emulsion; ____ % water; and ____ % sediment. Gravity, Be. ____

If gas well, cu. ft. per 24 hours 1,404,000 Gallons gasoline per 1,000 cu. ft. of gas ____

Rock pressure, lbs. per sq. in. ____

EMPLOYEES

?, Driller ____, Driller

____, Driller ____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this ____ day of November, 19 36

Tulsa, Oklahoma. November 25th, 1936
Date

Name ____

Position General Superintendent

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0'	245'		Sand
	306		Sand and shells
	550		Red shale and sand
	546		Red bed
	550		Lime
	660		Red shale
	765		Red shale and sand
	975		Red bed and lime shells
	1040		Red shale and lime
	1085		Anhydrite
	1115		Blue shale and lime
	1950		Anhydrite and salt
	2297		Salt and anhydrite
	2514		Anhydrite
	2504		Anhydrite and salt
	2570		Anhydrite
	2596		Lime
	3172		Anhydrite
	3198		Lime
	3225		Brown lime
	3388		Lime
	3390		Hard lime
	3435		Soft lime
	3534		Hard lime
	3838		Lime