


**NEW MEXICO OIL CONSERVATION COMMISSION**  
**NOTICE OF INTENTION TO DRILL**

Santa Fe, New Mexico



Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Jal, New Mexico  
 Place

June 30, 1949  
 Date

**OIL CONSERVATION COMMISSION,**  
 Santa Fe, New Mexico,

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as \_\_\_\_\_

R. Olsen Oil Company  
 Company or Operator

Sarkeys  
 Lease

Well No. 1 in C Nw Se

of Sec. 26, T 21S, R 37E, N. M., P. M., Eunice Field, Lea County.

The well is 1980 feet (N.) (S) of the South line and 1980 feet (E) (W.) of the East line of Sec. 26-21S-37E

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. \_\_\_\_\_ Assignment No. \_\_\_\_\_

If patented land the owner is S. J. Sarkeys

Address Hobbs, New Mexico

If government land the permittee is \_\_\_\_\_

Address \_\_\_\_\_

The lessee is Gulf Oil Corp. Leased to R. Olsen Oil Co.

Address \_\_\_\_\_

AREA 640 ACRES

LOCATE WELL CORRECTLY

from zero to T.D.

We propose to drill well with drilling equipment as follows: Rotary tools

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: \_\_\_\_\_

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
17"	15 3/8"	36	New	300'	Cemented	300
10 3/4	8 5/8	40	New	2700	Cemented	<del>300</del> 500
8 7/8	5 1/2	15	New	6400	Cemented	200

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 5400 to 5500 feet.

Additional information:

This test will be drilled as a Drinkard prospect but in the event the Drinkard is found to be dry the well will most likely be completed in the Blinbry Zone.

Approved JUL 1 1949, 19\_\_\_\_

except as follows:

Sincerely yours,

R. Olsen Oil Company  
 Company or Operator

By [Signature]

Position Geologist

Send communications regarding well to

Name \_\_\_\_\_

Address \_\_\_\_\_

**OIL CONSERVATION COMMISSION,**

By [Signature]  
 Title Oil & Gas Inspector