


## OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## MISCELLANEOUS REPORTS ON WELLS



DUPLICATE

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	<input checked="" type="checkbox"/>
REPORT ON RESULT OF <del>SHOOTING</del> CHEMICAL TREATMENT OF WELL	<input checked="" type="checkbox"/>	REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL		PERFORATE CASING	<input checked="" type="checkbox"/>

March 15, 1947

Hobbs, N. Mex.

Date

Place

OIL CONSERVATION COMMISSION,  
SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the \_\_\_\_\_  
REPOLLO OIL COMPANY J. R. Co. "B" Well No. 1 in the \_\_\_\_\_  
 Company or Operator Lease  
SESW of Sec. 26, T. 21S, R. 37E, N. M. P. M.,  
Drilled Field, Los County.

The dates of this work were as follows: 2/7 to 3/13/47  
 Notice of intention to do the work was (~~submitted~~) submitted on Form C-102 on 3/13/47 19\_\_\_\_  
 and approval of the proposed plan was ~~obtained~~ obtained. (Cross out incorrect words.)

## DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

AS PER ATTACHED LIST

Witnessed by Mr. Ben Litteral Sawyer Drilling Co., Toolpusher  
 Name Company Title  
 Subscribed and sworn before me this 20th  
 day of March, 19 47  
[Signature] Notary Public  
 My commission expires 2-4-50  
 I hereby swear or affirm that the information given above is true and correct.  
 Name [Signature]  
 Position Dist. Supt.  
 Representing Repelle Oil Co.  
 Company or Operator  
 Address Hobbs, New Mexico.

Remarks:

APPROVED  
MAR 25 1947

Date: \_\_\_\_\_

[Signature]  
 Name  
Oil & Gas Inspector  
 Title

LIST OF OPERATIONS ON J. R. COLE "B" WELL # 1- Attached to Form C-103

- 2/9- Acidized w/ 1000 Gal. Dowell "XXW9" Acid thru perforations f/ 6573 to 6599 Ft.  
Max. Csg. Press. 1925#, Max. Tubing Press. 1900 #. Cleaned up hole and
- 2/11- Acidized w/ 2500 Gal. Dowell "XXW9" Acid, Max. Csg. Press. 1600#, Max. Tbg. Press. 1500#.
- 2/13- Flowed 6 Bbl. fluid per hour out 20% salty water.
- 2/14- Cemented Perforations @ 6573 to 6599 with 50 Sacks Cement. WOC
- 2/16- Perforated 7"OD Casing from 6503 to 6554 Ft. w/ 306- 1/2" holes.
- 2/18- Acidized w/ 2000 Gal. Dowell "XXW9" acid thru perforations.  
Max. Max. Csg. Press. 1800#, Max. Tbg. Press. 1700#.
- 2/19- Flowing steadily in pits- cutting very badly, Est. 1250 MCF gas.
- 2/21- Set 20 sack cement plug @ 4000 Ft. WOC 24 Hrs. Found top cement @ 3904 Ft.
- 2/23- Cement 7"OD Casing w/ 200 Sacks, Circulated @ 1000#, plug stopped @ 2539 Ft. lay away  
press. 1400#. WOC set 48 Hrs. ( to repair leak in 7"OD Casing @ 3060').
- 2/25- Found top cement outside 7"OD Casing @ 1669 Ft. and cement plug inside of 7"OD Casing  
@ 2507 Ft. Drilled cement to 3904 Ft. Tested 7"OD Casing w/ 1500# Pump Pressure for  
1 Hr. tested OK.
- 2/26- Drilled Cement to 6541 Ft.
- 2/27- Set Packer @ 6399 Ft. and cemented w/ 75 Sacks cement Max. Press. 2200#. WOC
- 3/1 - Top cement inside casing @ 6415 Ft. Drilled cement to 6504 Ft. No cement from 6504 Ft.  
to 6554 Ft.
- 3/4- Squeezed perforations from 6503 to 6554 Ft. w/ 50 Sacks cement w/ 3500# Press. on Tubing  
2400# Formation Press. Comp. Midnite- WOC. will set 36 hours.
- 3/6- Top cement @ 6356. Cement hard to 6544 Ft. Preparing to perforate.
- 3/7- Perforated 7"OD Casing from 6503 to 6544 Ft. w/ 246- 1/2" holes. Swabbed dry.
- 3/9- Acidized w/ 2000 Gal. Dowell "XXF16" Acid thru perforations.  
Max. Press. on Csg. 1900#, Max. on Tubing 1500#, pulled swab once well started flowing,
- 3/10- Flowed 165 Bbl. Fluid 21 hours. 1/3 salt water
- 3/11- " 95 " " 24 " 20% do
- 3/12- " 87 " " 24 " 18% do
- 3/13- Acidized w/ 4000 Gal. Dowell "XX" acid thru perforations  
Max. Press. 1350# on Csg., Max. Press. on Tbg. 1400#, swabbed & flowed into pits.
- 3/14- Flowed 242 Bbl. fluid 15 hours 50% Acid water
- 3/15- " 152 " " 24 " 30% Water
- 3/16- " 112 " " 24 " 24% do
- 3/17- " 110 " " 24 " 16% do
- 3/18- " 110 " " 24 " 16% do
- 3/19- " 102 " " 24 " 9% do

1. The purpose of this document is to provide information regarding the security of the information system.

2. The information system is designed to provide information regarding the security of the information system.

3. The information system is designed to provide information regarding the security of the information system.

4. The information system is designed to provide information regarding the security of the information system.

5. The information system is designed to provide information regarding the security of the information system.

6. The information system is designed to provide information regarding the security of the information system.

7. The information system is designed to provide information regarding the security of the information system.

8. The information system is designed to provide information regarding the security of the information system.

9. The information system is designed to provide information regarding the security of the information system.

10. The information system is designed to provide information regarding the security of the information system.

11. The information system is designed to provide information regarding the security of the information system.

12. The information system is designed to provide information regarding the security of the information system.

13. The information system is designed to provide information regarding the security of the information system.

14. The information system is designed to provide information regarding the security of the information system.

15. The information system is designed to provide information regarding the security of the information system.

16. The information system is designed to provide information regarding the security of the information system.

17. The information system is designed to provide information regarding the security of the information system.

18. The information system is designed to provide information regarding the security of the information system.

19. The information system is designed to provide information regarding the security of the information system.