Submit 3 Copies to Appropriate District Office

CONDITIONS OF APPROVAL, IF ANY:

State of New Mexico Energy, Minerals and Natural Resources Department

Form C-103 Revised 1-1-89

District Office	'	
DISTRICT I P.O. Box 1980, Hobbs NM 88241-1980	OIL CONSERVATION DIVISI 2040 Pacheco St.	ION WELL API NO.
DISTRICT II	Santa Fe, NM 87505	30-025-06826 5. Indicate Type of Lease
P.O. Drawer DD, Artesia, NM 88210		STATE FEE X
DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410		6. State Oil & Gas Lease No.
SUNDRY NOTICE	S AND REPORTS ON WELLS	
DIFFERENT RESERVO	SALS TO DRILL OR TO DEEPEN OR PLUG BACK ' IR. USE "APPLICATION FOR PERMIT"	7. Lease Name of Omt Agreement Name
(FORM C-10 1. Type of Well:	1) FOR SUCH PROPOSALS.)	W.S. Marshall B
OIL GAS WELL WELL	OTHER	
2. Name of Operator		3. Well No.
Marathon 011 Company	<u> </u>	9. Pool name or Wildcat
3. Address of Operator P.O. Box 2409 Hobbs. NM 8824	o	
4. Well Location Unit Letter K: 2310	Feet From The South Line and	1650 Feet From The West Line
Section 27	Township 21-S Range 37-I	E NMPM Lea County
	10. Elevation (Show whether DF, RKB, RT,	GR, etc.)
		3425 V////////////////////////////////////
Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:		
NOTICE OF INT	ENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON REMEDIAL WO	DRK ALTERING CASING
TEMPORARILY ABANDON	CHANGE PLANS COMMENCE D	RILLING CPNS. PLUG AND ABANDONMENT
PULL OR ALTER CASING	CASING TEST	AND CEMENT JOB
отнея: Add Additional Blinebry F	Perfs/Stimulate X OTHER:	
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.		
MIRU pulling unit. POOH w/rods & pump. ND wellhead. NU BOPE. POOH w/tbg. Test BOP. RIH w/bit, tag PBTD at 7122'. RIH w/RBP & pkr, set RBP at 6200', pkr at 6190'. Test RBP. POOH w/pkr. RIH w/RBP, set at 6190'. Perforate Blinebry fomation at 5484-5512', 5518-38', 5544-50', 5558-68', 5576-86', 5592-98', 5604-14', 5643-56', 5664-80', 5690-5702', 5710-20', 5780-90', 5802-11', 5822-32", 2 JSPF, 120 degree phasing, 340 holes. RIH w/pkr, set at 5630'. Acidize 5643-5917 w/4000 gals 15% acid. Rel pkr at 5630' & RBP at 6190'. Reset RBP at 5630', reset pkr 5450'. Acidize 5484-5614' w/4500 gals 15% acid. Rel pkr & latch onto RBP at 5630'. Reset at 5950'. Swab back load. Rel RBP & POOH. RIH w/RBP & pkr. Set RBP at 5630' and pkr at 5620'. Pressure test. POOH w/pkr. RIH w/pkr, hydrotest to 8100 psi. Set pkr at 5430'. Sand fracture perfs 5484-5614 w/86,000 gals 20# crosslinked gel and 217,000 lbs 16/30 white sand. Rel pkr at 5430' & POOH w/pkr. RIH w/pkr and set at 5430'. Swab back load. Check for fill. If sand is encountered, clean out with foam air unit to RBP at 5630'. RIH, rel RBP at 5630', POOH. RIH, rel RBP at 6200'. RIH w/prod tbg. ND BOP. NU wellhead. RIH w/pump & rods. RD pulling unit. Reconnect to surface equipment.		
I hereby certify that the information above is true a	nd complete to the best of my knowledge and belief.	10/04/07
	TITLE Records P	
TYPE OR PRINT NAME Kelly Cook		TELEPHONE NO. 393-7106
(This space for State Use) ORIGINAL SIGN DISTRIC	ED BY CHRIS WILLIAMS	OCT 29 1997
APPROVED BY	тпше	DATE