



N

AREA 640 ACRES
LOCATE WELL CORRECTLYNEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

Gulf Oil Corporation Hobbs, New Mexico
Company or Operator Address
J. N. Carson "C" Well No. 6 in SW SE SE of Sec. 28, T. 21S
Lease
R. 37E, N. M. P. M. Brunson Field, Lea County.
Well is 330 feet North of the South line and 965 feet west of the East line of Section 28
If State land the oil and gas lease is No. _____ Assignment No. _____
If patented land the owner is J. N. Carson Address Dunice, New Mexico
If Government land the permittee is _____ Address _____
The Lessee is Gulf Oil Corporation - Gypsy Division Address Tulsa, Oklahoma
Drilling commenced March 1 1949 Drilling was completed April 17 1949
Name of drilling contractor Two States Drilling Company Address Dallas, Texas
Elevation above sea level at top of casing 3446 feet.
The information given is to be kept confidential until _____ 19____

OIL SANDS OR ZONES

No. 1, from 5130' to 5300' No. 4, from _____ to _____
No. 2, from 6450' to 6595' No. 5, from _____ to _____
No. 3, from 7365' to 7497' No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to (ROTARY TOOLS) feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
<u>13 3/8"</u>	<u>48#</u>	<u>8 Rd</u>	<u>SS</u>	<u>288'</u>					
<u>9 5/8"</u>	<u>36#</u>	<u>"</u>	<u>"</u>	<u>2883.90'</u>					
<u>7"</u>	<u>23#</u>	<u>"</u>	<u>"</u>	<u>7351'</u>					

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
<u>17 1/4"</u>	<u>13 3/8"</u>	<u>306'</u>	<u>300</u>	<u>ROMCO</u>		
<u>12 1/4"</u>	<u>9 5/8"</u>	<u>2900'</u>	<u>1300</u>	<u>"</u>		
<u>8 3/4"</u>	<u>7"</u>	<u>7365'</u>	<u>700</u>	<u>"</u>		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters — Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		<u>None</u>				

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0' feet to 7500' feet, and from _____ feet to _____ feet
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing April 17 1949
The production of the first 14 hours was 422 barrels of fluid of which 100 % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Two States Drilling Company Driller _____, Driller _____
_____, Driller _____, Driller _____

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 22nd Hobbs, New Mexico April 22, 1949
day of April 1949 Name Charles Jay
Notary Public Position General Foreman
Representing Gulf Oil Corporation
Company or Operator Address Box 1667, Hobbs, New Mexico
My Commission expires 10-24-49

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	69		Sand and caliche
	310		Redbeds and shells
	970		Redbeds
	1155		Redbeds and shells
	1260		Anhydrite
	1404		Salt
	1665		Salt and shells
	2018		Salt
	2405		Salt and shells
	2540		Salt and anhydrite
	2901		Anhydrite
	3095		Anhydrite
	3740		Lime
	4420		Lime and sand
	7366		Lime
	7500		Lime
			<u>FORMATION TOPS</u>
			Anhydrite 1150
			Base Salt 2400
			Brown Lime 2650
			White Lime 3830
			Oil Pay 7365 to 7497