## Santa Fe, New Mexico

## NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval begins. If changes in the proposed plan are considered advisable, a copy of this notice show returned to the sender. Submit this notice in triplicate. One copy will be returned following	no such chan	ore drilling
instructions in Rules and Regulations of the Commission.	HOBBS	OFFICE

				Mexi co	Aug	
	VATION CO		Place			Date
anta Fe, Nev	Mexico,	MINISSION,				
entlemen:						
You	are hereby no	otified that it is our	r intention to comm	nence the drilling	g of a well to be k	nown as
		n - Gypsy Divi				
	Company	or Operator		Lease		
Sec	, <b>T_21</b> S	, R 37E	, N. M., P. M.,	rinka <b>r</b> d	Field, Les	County
	N	The well is	766 feet (M	.) (S.) of the	North line and	1 554 feet
		(E.) ( <b>382</b> ) of	f the heat 1	ine of Sa	ction 28	
8 6		directions.)	ocation from section			
<b></b>			the oil and gas lea			
		If patented	land the owner is_	Gulf Oil	Corporation -	· GYPROD
	1-1-1-1	Address		Box 661	- Tulsa, Oklah	COME
		If governme	nt land the permit	tee is		
		The lessee is	Gulf Oil	Corporation	- Gypsy Divis	sion
		Address	B <b>ox</b> 66 <b>l -</b>	Tulsa, Okl	ahoma	
4-20-0-	40 ACRES	***	to drill well with dr			
	LL CORRECTL'	pany - Rotary				
				00 2 11 01-		1 - 12
			ormance with Rule			
Commission i	s as follows:					
Commission i	s as follows:					
Commission i	s as follows:					
Commission i We propose t  Size of Hole	s as follows:	owing strings of cas	ing and to land or	cement them as	indicated:	Sacks
Size of Hole  17 1/4 "	s as follows: o use the follows: Size of Casing	weight Per Foot	New or Second Hand	cement them as	indicated :  Landed or  Cemented	Sacks Cement
Commission i We propose t  Size of Hole  17 1/4"  12 1/4"	s as follows: o use the follows: Size of Casing 13 3/8*	weight Per Foot	New or Second Hand	Depth 300°	indicated:  Landed or Comented  Cement ed	Sacks Cement
Size of Hole  17 1/4"  12 1/4"  8 3/4"	s as follows: o use the follows: Size of Casing  13 3/8" 9 5/8"	weight Per Foot  48 # 36# 23#	New or Second Hand New New New New New	Depth 300* 2800*	indicated:  Landed or Comented  Cement ed  Cement ed  Cement ed	30 0 1300 700
Size of Hole  17 1/4"  12 1/4"  8 3/4"  f changes in	s as follows: o use the follows: O use the follows: O use the follows: Size of Casing  13 3/8# 9 5/8# 7# the above pla	weight Per Foot  48 #  36#  23#  n become advisable	New or Second Hand  New  New  New  New  New  New  New  Ne	Depth  300° 2800° 6500°	indicated:  Landed or Cemented  Cement ed  Cement ed  Cement ed  Cement ed	8acks Coment 30 0 1300 700
Size of Hole  17 1/4"  12 1/4"  8 3/4"  f changes in the first process.	s as follows: o use the follows: o use the follows: o use the follows: Size of Casing  13 3/8" 9 5/8" 7" the above plaductive oil or	weight Per Foot  48 # 36# 23#	New or Second Hand  New  New  New  New  New  New  New  Ne	Depth  300° 2800° 6500°	indicated:  Landed or Cemented  Cement ed  Cement ed  Cement ed  Cement ed	8acks Coment 30 0 1300 700
Size of Hole  17 1/4"  12 1/4"  8 3/4"  f changes in	s as follows: o use the follows: o use the follows: o use the follows: Size of Casing  13 3/8" 9 5/8" 7" the above plaductive oil or	weight Per Foot  48 #  36#  23#  n become advisable	New or Second Hand New	Depth  300° 2800° 6500°	indicated:  Landed or Cemented  Cement ed  Cement ed  Cement ed  Cement ed	8acks Coment 30 0 1300 700
Size of Hole  17 1/4"  12 1/4"  8 3/4"  f changes in the first process.	s as follows: o use the follows: o use the follows: o use the follows: Size of Casing  13 3/8" 9 5/8" 7" the above plaductive oil or	weight Per Foot  48 #  36#  23#  n become advisable	New or Second Hand New	Depth  300° 2800° 6500°	indicated:  Landed or Cemented  Cement ed  Cement ed  Cement ed  Cement ed	8acks Coment 30 0 1300 700
Ne propose t  Size of Hole  17 1/4"  12 1/4"  8 3/4"  f changes in he first process.	s as follows: o use the follows: o use the follows: o use the follows: Size of Casing  13 3/8" 9 5/8" 7" the above plaductive oil or	weight Per Foot  48 #  36#  23#  n become advisable	New or Second Hand  New  New  New  New  New  New  New  cur at a depth of	Depth  300° 2800° 6500° before cementin about 6500	indicated:  Landed or Cemented  Cement ed  Cement ed  Cement ed  Cement ed	8acks Coment 30 0 1300 700
Ne propose t  Size of Hole  17 1/4"  12 1/4"  8 3/4"  f changes in the first proceed.	s as follows: o use the follows:	weight Per Foot  48 #  36#  23#  n become advisable	New or Second Hand  New  New  New  New  New  New  New  accurate a depth of	Depth  300° 2800° 6500°	indicated:  Landed or Cemented  Cement ed  Cement ed  Cement ed  Cement ed	8acks Coment 30 0 1300 700
Ne propose t  Size of Hole  17 1/4"  12 1/4"  8 3/4"  f changes in the first proceed.	s as follows: o use the follows: o use the follows: o use the follows: Size of Casing  13 3/8# 9 5/8**  7**  the above plaductive oil or formation:	weight Per Foot  48 #  36#  23#  n become advisable gas sand should oc	New or Second Hand  New New New New New New New are at a depth of	Depth  300° 2800° 6500° before cementin about 6500°	indicated:  Landed or Cemented  Cement ed	Sacks Coment 300 1300 700 We estimate tha
Ne propose t  Size of Hole  17 1/4"  12 1/4"  8 3/4"  f changes in the first proceed.	s as follows: o use the follows:	weight Per Foot  48 #  36#  23#  n become advisable gas sand should oc	New or Second Hand  New New New New New New New are at a depth of	Depth  300° 2800° 6500° before cementin about 6500°	indicated:  Landed or Comented  Cement ed  Cement ed  Cement ed  Cenent ed  cenent ed  cenent ed	Sacks Coment 300 1300 700 We estimate tha
Ne propose t  Size of Hole  17 1/4"  12 1/4"  8 3/4"  f changes in the first proceed.	s as follows: o use the follows:	weight Per Foot  48 #  36#  23#  n become advisable gas sand should oc	New or Second Hand  New New New New New New New are at a depth of	Depth  300° 2800° 6500° before cementin about 6500°	indicated:  Landed or Cemented  Cement ed	Sacks Coment 300 1300 700 We estimate tha
Ne propose t  Size of Hole  17 1/4"  12 1/4"  8 3/4"  f changes in he first proceed.	s as follows: o use the follows:	weight Per Foot  48 #  36#  23#  n become advisable gas sand should oc	New or Second Hand New New New New New New New Sincer Gu	Depth  300° 2800° 6500° before cementin about 6500°	Landed or Cemented  Cemented  Cemented  Cemented  Cemented  Cemented  g or landing casing.  feet.	Sacks Coment 300 1300 700 We estimate that
Size of Hole  17 1/4"  12 1/4"  8 3/4"  f changes in the first proceed	s as follows: o use the follows: o use the follows: size of Casing 13 3/8" 9 5/8" 7" the above pladiuctive oil or formation: s follows:	weight Per Foot  48 #  36#  23#  n become advisable gas sand should oc	New or Second Hand  New New New New New Well notify you cur at a depth of By Position	Depth  300' 2800' 6500' before cementin about 6500 ely yours, li' 0il Corpu	indicated:  Landed or Cemented  Cemented  Cemented  Cemented  Cemented  g or landing casing.  feet.	Sacks Coment 300 1300 700 We estimate that
Size of Hole  17 1/4"  12 1/4"  8 3/4"  f changes in the first proceed	s as follows: o use the follows: o use the follows: size of Casing 13 3/8" 9 5/8" 7" the above pladiuctive oil or formation: s follows:	weight Per Foot  48 #  36#  23#  n become advisable gas sand should oc	New or Second Hand  New New New New New Well notify you cur at a depth of By Position	Depth  300' 2800' 6500' before cementin about 6500 ely yours, li' 0il Corpu	Landed or Cemented  Cemented  Cemented  Cemented  Cemented  Cemented  g or landing casing.  feet.	Sacks Coment 300 1300 700 We estimate that
Size of Hole  17 1/4"  12 1/4"  8 3/4"  f changes in the first proceed	s as follows: o use the follows: o use the follows: size of Casing 13 3/8" 9 5/8" 7" the above pladiuctive oil or formation: s follows:	weight Per Foot  48 #  36#  23#  n become advisable gas sand should oc	New or Second Hand  New New New New New Well notify you cur at a depth of By Position	Depth  300' 2800' 6500' before cementin about 6500' ely yours, lt' 011 Corpus	indicated:  Landed or Cemented  Cemented  Cemented  Cemented  Cemented  g or landing casing.  feet.	Sacks Coment 300 1300 700 We estimate that
Size of Hole  17 1/4"  12 1/4"  8 3/4"  f changes in the first proceed	s as follows: o use the follows: o use the follows: size of Casing 13 3/8" 9 5/8" 7" the above pladiuctive oil or formation: s follows:	weight Per Foot  48 #  36#  23#  n become advisable gas sand should oc	New or Second Hand  New New New New New Secure at a depth of Secure Secu	Depth  300° 2800° 6500° before cementin about 6500° cly yours, lf 011 Corporate Communications	Indicated:  Landed or Cemented  Cement ed  Cement ed  Cement ed  g or landing casing.  feet.  Cration - Gyps  company or Operator  Lally  Superintende  regarding well to	Sacks Coment 300 1300 700 We estimate that