



DUPLICATE

AREA 640 ACRES  
LOCATE WELL CORRECTLYNEW MEXICO OIL CONSERVATION COMMISSION  
Santa Fe, New Mexico

## WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

## Gulf Oil Corporation

Hobbs, New Mexico

Company or Operator **Eunice King** Address **Hobbs, New Mexico**  
Well No. **16** in **NE NE** of Sec. **28**, T. **21S**  
Lease **37E** N. M. P. M. **Hare** Field, **Lea** County.  
Well is **554** feet south of the North line and **766** feet west of the East line of **Section 28**  
If State land the oil and gas lease is No. Assignment No.  
If patented land the owner is **W. H. Turner**, Address **Eunice, New Mexico**  
If Government land the permittee is, Address  
The Lessee is **Gulf Oil Corporation - Gypsy Division**, Address **Tulsa, Oklahoma**  
Drilling commenced **April 24**, 19**49** Drilling was completed **June 10**, 19**49**  
Name of drilling contractor **McVay & Stafford Drilling Company**, Address **Hobbs, New Mexico**  
Elevation above sea level at top of casing **3444** feet.  
The information given is to be kept confidential until 19.

## OIL SANDS OR ZONES

No. 1, from **6490'** to **6635'** No. 4, from to  
No. 2, from **7390'** to **7550'** No. 5, from to  
No. 3, from to No. 6, from to

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to **(ROTARY TOOLS)** feet.  
No. 2, from to feet.  
No. 3, from to feet.  
No. 4, from to feet.

## CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
<b>13 3/8"</b>	<b>48#</b>	<b>8 Rd.</b>	<b>SS</b>	<b>287'</b>					
<b>9 5/8"</b>	<b>36#</b>	<b>"</b>	<b>"</b>	<b>2784'</b>					
<b>7"</b>	<b>23 &amp; 26#</b>	<b>"</b>	<b>"</b>	<b>7586'</b>					

## MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
<b>17 1/4"</b>	<b>13 3/8"</b>	<b>305'</b>	<b>300</b>	<b>HOWCO</b>		
<b>12 1/4"</b>	<b>9 5/8"</b>	<b>2800'</b>	<b>1300</b>	<b>"</b>		
<b>8 3/4"</b>	<b>7"</b>	<b>7600'</b>	<b>700</b>	<b>"</b>		

## PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set  
Adapters — Material Size

## RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		<b>None</b>				

Results of shooting or chemical treatment

## RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

## TOOLS USED

Rotary tools were used from **0'** feet to **7600'** feet, and from **PB to 7555'** feet to feet  
Cable tools were used from feet to feet, and from feet to feet

## PRODUCTION

Put to producing **June 10**, 19**49**  
The production of the first 24 hours was **490** barrels of fluid of which **100**% was oil; % emulsion; % water; and % sediment. Gravity, Be.  
If gas well, cu. ft. per 24 hours. Gallons gasoline per 1,000 cu. ft. of gas.  
Rock pressure, lbs. per sq. in.

## EMPLOYEES

**McVay & Stafford Drilling Company**, Driller, Driller  
Driller, Driller

## FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **1st**day of **July**, 19**49**

*[Signature]*  
Notary Public

My Commission expires **10-24-49**

**Hobbs, New Mexico** **July 1, 1949**  
Place Date

Name *[Signature]*Position **General Foreman**Representing **Gulf Oil Corporation**  
Company or OperatorAddress **Box 1667, Hobbs, New Mexico**

## FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	40		Caliche and shells
	309		Red bed
	1130		Red bed
	1214		Red bed and shells
	1310		Anhydrite
	1485		Anhydrite and salt
	2395		Salt and shells
	2749		Anhydrite
	2801		Lime
	3081		Anhydrite and lime
	6702		Lime
	6763		Lime and shale
	6831		Lime
	6869		Lime and shale
	7299		Lime
	7333		Lime, shale stringers
	7365		Lime
	7387		Shale and lime
7517	7442	Sand & shale	Broken McKee sand, lime, shale, sand and shale
	7556		Broken lime sand and shale
	7600		Shale

FORMATION TOPS

Anhydrite	1210'
Base salt	2420
Brown lime	2660
White lime	3870
Oil pay	7390 to 7550