

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies


AREA 640 ACRES  
LOCATE WELL CORRECTLY

SOCONY MOBIL OIL COMPANY, INC.

E. O. Carson

(Company or Operator)

(Lessee)

Well No. 22, in NW 1/4 of SW 1/4, of Sec. 28, T. 21S, R. 37E, NMPM.

v Paddock & Wantz Abo Pool, Lea County.

Well is 660' feet from West line and 1880' feet from South line

of Section 28 If State Land the Oil and Gas Lease No. is -

Drilling Commenced 9-2, 19 60 Drilling was Completed 9-26, 19 60

Name of Drilling Contractor Marcum Drilling Company

Address P. O. Box 761, Ada, Oklahoma

Elevation above sea level at Top of Tubing Head 3460' The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from 7059' to 7224' No. 4, from to

No. 2, from 5175' to 5180' No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
13-3/8"	61#&72#	New	352				Surface String
8-5/8"	24#	New	2902				Intermediate String
2-1/2"	6.5#	New	7433			7059-7224	Oil String
2-1/2"	6.5#	New	7432			5175-5180	Oil String

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
17-1/2"	13-3/8"	352	350 sks	Pump & Plug	-	-
11"	8-5/8"	2902	1100 sks	Pump & Plug	-	-
7-7/8"	2-1/2"	7433	968 sks	Pump & Plug	-	-
7-7/8"	2-1/2"	7432	for both	Pump & Plug	-	-

strings

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

See Attached Sheet

Result of Production Stimulation

Depth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 7440 feet, and from feet to feet.  
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing, 19

SEE ATTACHED SHEET

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was  
was oil; % was emulsion; % water; and % was sediment. A.P.I.  
Gravity

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of  
liquid Hydrocarbon. Shut in Pressure lbs.  
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico				Northwestern New Mexico			
T. Anhy.	1175			T. Devonian			T. Ojo Alamo
T. Salt				T. Silurian			T. Kirtland-Fruitland
B. Salt				T. Montoya	7270		T. Farmington
T. Yates	2560			T. Simpson	7345		T. Pictured Cliffs
T. 7 Rivers	2828			T. McKee			T. Menefee
T. Queen	3352			T. Ellenburger			T. Point Lookout
T. Grayburg	3622			T. Gr. Wash			T. Mancos
T. San Andres	3845			T. Granite			T. Dakota
T. Glorieta	5076			T.			T. Morrison
T. Drinkard				T.			T. Penn
T. Tubbs	6026			T.			T.
T. Abo	6618			T.			T.
T. Penn				T.			T.
T. Miss				T.			T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1190	1190	Red Bed & Sand				
1190	1310	120	Anhydrite				
1310	2560	1250	Salt & Anhydrite				
2560	3622	1062	Dolomite, Sand & Red Bed				
3622	6026	2404	Dolomite & Sand				
6026	6618	592	Dolomite, Sand & Shale				
6618	7270	652	Lime, Dolomite & Shale				
7270	7345	75	Chert & Dolomite				
7345	7440	95	Lime, Shale & Sand				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

11/1/60  
(Date)

Company or Operator SOCONY MOBIL OIL CO. INC. Address Box 2406, Hobbs, New Mexico  
Name C. H. Sampler, Jr. Position or Title Producing Superintendent