

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

APR 12 1937

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

AREA 640 ACRES
LOCATE WELL CORRECTLY

J. C. Clower Eunice, N. M.
Company or Operator Address
W. H. Turner Well No. 2 in SW SW of Sec. 19, T. 21
Lease
R. 37, N. M. P. M., Eunice Field, Lea County.
Well is 4950 feet south of the North line and 1650 feet west of the East line of S 19 T 21 R 37
If State land the oil and gas lease is No. _____ Assignment No. _____
If patented land the owner is W. H. Turner et ux, Address Eunice, N. M.
If Government land the permittee is _____, Address _____
The Lessee is J. C. Clower, Address _____
Drilling commenced 2-20-37 19____. Drilling was completed 4-3- 1937
Name of drilling contractor J. C. Clower, Address Eunice, N. M.
Elevation above sea level at top of casing 3470 ? feet.
The information given is to be kept confidential until _____ 19____.

OIL SANDS OR ZONES

No. 1, from 3713 to 3752 No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 110 to 126 feet. 20
No. 2, from 830 to 885 feet. 400
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM	TO	PURPOSE
<u>10</u>	<u>40</u>	<u>10</u>	<u>Used</u>	<u>160'</u>	<u>Reg</u>				<u>Protect shallow water</u>
<u>8 1/2</u>	<u>32</u>	<u>10</u>	<u>"</u>	<u>1193</u>	<u>"</u>				<u>Water shut off</u>
<u>7 0 D</u>	<u>20</u>	<u>10</u>	<u>Rep E W</u>	<u>3595</u>	<u>"</u>				<u>Oil String</u>

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
<u>18</u>	<u>10</u>	<u>160</u>	<u>100</u>	<u>Plug & Pressure</u>	<u>12#</u>	<u>hole full</u>
<u>10</u>	<u>8 1/2</u>	<u>1193</u>	<u>50</u>	<u>"</u>	<u>"</u>	<u>hole full</u>
<u>8</u>	<u>7 0 D</u>	<u>3595</u>	<u>200</u>	<u>"</u>	<u>"</u>	<u>"</u>

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
Cable tools were used from 0 feet to 3752 feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing 4-7- 19 37
The production of the first 24 hours was 96 barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be. 34
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

W. K. Byrom, Driller Fred Whittaker, Driller
J. D. Cravens, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 10thday of April, 19 37W. K. Byrom
Notary Public.My Commission expires Nov 21 1939Eunice, N. M. 4-10-37
Place DateName J. C. Clower

Position _____

Representing J. C. Clower
Company or OperatorAddress Eunice, N. M.

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	30	30	Caliche
30	110	80	Sandy Red Shale
110	126	16	Water sand
126	830	704	Red Bed
830	885	55	Water Sand
885	1190	305	Red Bed
1190	1290	100	Anhydrite
1290	2408	1118	Salt & Anhydrite
2408	2858	450	Salt & Anhydrite
2858	3100	242	Brown lime
3100	3713	613	White Lime
3713	3752	37	Brown Lime oil