

DISTRICT I

P.O. Box 1980, Hobbs, NM 88240

DISTRICT II

P.O. Box Drawer DD, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION


P.O. Box 2088

Santa Fe, New Mexico 87504-2088

WELL API NO.	30-025-06885
5. Indicate Type of Lease	STATE ☐ FEE ☒
6. State Oil / Gas Lease	
7. Lease Name or Unit Agreement Name	CENTRAL DRINKARD UNIT
8. Well No.	165
9. Pool Name or Wildcat	DRINKARD

WELL COMPLETION OR RECOMPLETION REPORT AND LOG									
1a. Type of Well OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER ☐					7. Lease Name or Unit Agreement Name CENTRAL DRINKARD UNIT				
b. Type of Completion: NEW WELL ☐ WORKOVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF RES. ☐ OTHER HORIZONTAL ☐									
2. Name of Operator CHEVRON USA INC					8. Well No. 165				
3. Address of Operator 15 SMITH ROAD, MIDLAND, TX 79705					9. Pool Name or Wildcat DRINKARD				
4. Well Location <i>BHL: A, Sec 31, 839 FNL, 25 FEL</i> Unit Letter <u>N</u> Feet From The <u>SOUTH</u> Line and <u>1980'</u> Feet From The <u>WEST</u> Line Section <u>29</u> Township <u>21-S</u> Range <u>37-E</u> NMPM LEA COUNTY									
10. Date Spudded 1/8/2003		11. Date T.D. Reached 1/14/2003		12. Date Compl. (Ready to Prod.) 1/24/2003		13. Elevations (DF & RKB, RT, GR, etc.)		14. Elev. Csghead	
15. Total Depth 9120'		16. Plug Back T.D. 6628'		17. If Mult. Compl. How Many Zones?		18. Intervals Drilled By		19. Producing Interval(s), of this completion - Top, Bottom, Name O H. 6502-9120' DRINKARD (WINDOW 6492-6502)	
21. Type Electric and Other Logs Run TDT					20. Was Directional Survey Made YES				
22. Was Well Cored NO									
23. CASING RECORD (Report all Strings set in well)									
CASING SIZE		WEIGHT LB /FT.		DEPTH SET		HOLE SIZE		CEMENT RECORD	
						NO CHANGE		AMOUNT PULLED	
24. LINER RECORD									
SIZE		TOP		BOTTOM		SACKS CEMENT		SCREEN	
								2 7/8"	
25. TUBING RECORD									
SIZE		TOP		BOTTOM		SACKS CEMENT		SCREEN	
								2 7/8"	
26. Perforation record (interval, size, and number) O H. 6502-9120'									
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.									
DEPTH INTERVAL					AMOUNT AND KIND MATERIAL USED				
6659-9100'					ACIDIZE W/50,000 GALS 20% HCL				
6630-9100					FLUSH W/5000 GALS WF110				
28. PRODUCTION									
Date First Production 1/27/2003		Production Method (Flowing, gas lift, pumping - size and type pump) PUMPING - SUB PUMP					Well Status (Prod. or Shut-in) PROD		
Date of Test 1-27-03		Hours tested 24 HRS		Choke Size		Prod'n For Test Period		Oil - Bbl. 93	
Flow Tubing Press.		Casing Pressure		Calculated 24-Hour Rate		Gas - MCF 362		Water - Bbl. 895	
						Oil - Bbl.		Gas - Oil Ratio	
						Water - Bbl.		Oil Gravity - API -(Corr.)	
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD									
30. List Attachments NOTARIZED DEVIATIONS									
31. I hereby certify that the information on both sides of this form is true and complete to the best of my knowledge and belief.									
SIGNATURE <i>Denise Leake</i>					TITLE Regulatory Specialist			DATE 2/19/2003	
TYPE OR PRINT NAME Denise Leake								Telephone No. 915-687-7375	

K2




Scientific Drilling

SUR: N-29-21s-37e, 660/S & 1980/W
BHL: A-31-21s-37e, 839/N & 25/E
API # 30-025-06885


CHEVRONTEXACO


Field: Drinkard
Site: Lea County, NM
Well: Central Drinkard #165
Wellpath: HH - Job #32D1202473
Survey: 12/31/02-01/14/03

This survey is correct to the best of my knowledge
and is supported by actual field data.

.....Company Representative

Notorized this date 11th of February, 2003.


Notary Signature
County of Midland
State of Texas



Scientific Drilling International

Survey Report

Company: CHEVRONTEXACO				Date: 2/11/2003	Time: 11:43:30	Page: 1				
Field: Drinkard				Co-ordinate(NE) Reference:	Site: Lea County, NM, Grid North					
Site: Lea County, NM				Vertical (TVD) Reference:	SITE 0.0 above Mean Sea Level					
Well: Central Drinkard #165				Section (VS) Reference:	Well (0.0E, 0.0N, 233.3Azi)					
Wellpath: VH - Job #32K0103016				Survey Calculation Method:	Minimum Curvature					
Survey: 01/08/03				Start Date:	2/11/2003					
KSRG 0'-6490'										
Company: Scientific Drilling Internatio				Engineer:	Jeff Cossey					
Tool: Keeper										
Survey										
MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	ClsD ft	ClsA deg	DLS deg/100ft	
0.0	0.00	0.62	0.0	0.0	0.0	0.0	0.0	0.00	0.00	
100.0	0.38	106.07	100.0	-0.2	-0.1	0.3	0.3	106.07	0.38	
200.0	0.56	72.84	200.0	-0.9	0.0	1.1	1.1	92.04	0.32	
300.0	0.28	65.29	300.0	-1.6	0.2	1.8	1.8	83.42	0.28	
400.0	0.17	108.40	400.0	-1.9	0.3	2.2	2.2	83.06	0.19	
500.0	0.22	127.63	500.0	-2.0	0.1	2.4	2.5	87.70	0.08	
600.0	0.12	173.67	600.0	-2.0	-0.1	2.6	2.6	92.70	0.16	
700.0	0.10	192.71	700.0	-1.9	-0.3	2.6	2.6	96.84	0.04	
800.0	0.10	193.69	800.0	-1.8	-0.5	2.6	2.6	100.65	0.00	
900.0	0.12	210.72	900.0	-1.5	-0.7	2.5	2.6	104.78	0.04	
1000.0	0.22	199.34	1000.0	-1.3	-0.9	2.4	2.5	111.36	0.11	
1100.0	0.22	193.47	1100.0	-1.0	-1.3	2.3	2.5	119.78	0.02	
1200.0	0.23	179.61	1200.0	-0.8	-1.7	2.2	2.8	127.15	0.06	
1300.0	0.16	171.97	1300.0	-0.6	-2.0	2.2	3.0	132.04	0.07	
1400.0	0.19	154.91	1400.0	-0.5	-2.3	2.3	3.3	134.73	0.06	
1500.0	0.23	153.67	1500.0	-0.4	-2.6	2.5	3.6	136.66	0.04	
1600.0	0.27	141.85	1600.0	-0.4	-3.0	2.7	4.1	137.79	0.07	
1700.0	0.24	149.61	1700.0	-0.4	-3.4	3.0	4.5	138.55	0.05	
1800.0	0.37	134.54	1800.0	-0.4	-3.8	3.3	5.0	138.75	0.15	
1900.0	0.37	131.61	1900.0	-0.5	-4.2	3.8	5.7	138.11	0.02	
2000.0	0.63	102.12	2000.0	-0.9	-4.5	4.6	6.4	134.91	0.36	
2100.0	0.79	104.66	2100.0	-1.7	-4.8	5.8	7.5	129.99	0.16	
2200.0	0.81	97.01	2200.0	-2.7	-5.1	7.1	8.8	125.55	0.11	
2300.0	1.00	85.27	2299.9	-3.9	-5.1	8.7	10.1	120.43	0.26	
2400.0	1.02	90.27	2399.9	-5.4	-5.0	10.5	11.6	115.74	0.09	
2500.0	1.11	82.86	2499.9	-6.9	-4.9	12.3	13.3	111.81	0.16	
2600.0	1.13	90.34	2599.9	-8.6	-4.8	14.3	15.1	108.65	0.15	
2700.0	1.23	94.74	2699.9	-10.1	-4.9	16.3	17.0	106.74	0.13	
2800.0	1.31	102.65	2799.9	-11.7	-5.2	18.5	19.2	105.84	0.19	
2900.0	1.35	105.05	2899.8	-13.2	-5.8	20.8	21.6	105.63	0.07	
3000.0	1.38	106.23	2999.8	-14.6	-6.4	23.1	23.9	105.63	0.04	
3100.0	1.34	104.05	3099.8	-16.1	-7.1	25.3	26.3	105.58	0.07	
3200.0	1.21	103.10	3199.7	-17.5	-7.6	27.5	28.5	105.43	0.13	
3300.0	1.11	102.12	3299.7	-18.8	-8.0	29.5	30.6	105.24	0.10	
3400.0	1.20	100.64	3399.7	-20.2	-8.4	31.5	32.6	105.00	0.09	
3500.0	1.14	99.99	3499.7	-21.6	-8.8	33.5	34.6	104.73	0.06	
3600.0	0.95	99.33	3599.7	-22.8	-9.1	35.3	36.4	104.48	0.19	
3700.0	0.79	100.89	3699.7	-23.9	-9.4	36.8	37.9	104.30	0.16	
3800.0	0.71	106.54	3799.6	-24.7	-9.7	38.0	39.2	104.27	0.11	
3900.0	0.67	110.27	3899.6	-25.4	-10.1	39.2	40.4	104.40	0.06	
4000.0	0.60	118.32	3999.6	-25.9	-10.5	40.2	41.5	104.65	0.11	
4100.0	0.70	124.22	4099.6	-26.3	-11.1	41.1	42.6	105.09	0.12	
4200.0	0.52	126.83	4199.6	-26.7	-11.7	42.0	43.6	105.58	0.18	
4300.0	0.34	122.22	4299.6	-26.9	-12.1	42.6	44.3	105.90	0.18	
4400.0	0.33	136.51	4399.6	-27.0	-12.5	43.1	44.9	106.19	0.06	
4500.0	0.54	115.47	4499.6	-27.3	-12.9	43.7	45.6	106.47	0.26	
4600.0	0.86	111.58	4599.6	-27.9	-13.4	44.8	46.8	106.64	0.32	
4700.0	1.06	93.22	4699.6	-29.0	-13.7	46.4	48.4	106.47	0.36	

Scientific Drilling International

Survey Report

Company: CHEVRONTEXACO
 Field: Drinkard
 Site: Lea County, NM
 Well: Central Drinkard #165
 Wellpath: VH - Job #32K0103016

Date: 2/11/2003 Time: 11:43:30 Page: 2
 Co-ordinate(NE) Reference: Site: Lea County, NM, Grid North
 Vertical (TVD) Reference: SITE 0.0 above Mean Sea Level
 Section (VS) Reference: Well (0.0E,0.0N,233.3Azi)
 Survey Calculation Method: Minimum Curvature

Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	ClsD ft	ClsA deg	DLS deg/100ft
4800.0	1.03	87.96	4799.6	-30.5	-13.7	48.3	50.2	105.90	0.10
4900.0	1.06	88.85	4899.6	-31.9	-13.7	50.1	51.9	105.29	0.03
5000.0	1.02	84.83	4999.5	-33.5	-13.6	51.9	53.7	104.68	0.08
5100.0	1.06	85.88	5099.5	-35.0	-13.5	53.7	55.4	104.06	0.04
5200.0	1.09	82.06	5199.5	-36.6	-13.3	55.6	57.1	103.41	0.08
5300.0	0.85	91.40	5299.5	-38.0	-13.1	57.3	58.8	102.93	0.29
5400.0	0.67	100.18	5399.5	-39.0	-13.3	58.6	60.1	102.76	0.21
5500.0	0.73	97.85	5499.5	-39.9	-13.5	59.8	61.3	102.68	0.07
5600.0	0.68	100.24	5599.5	-40.7	-13.6	61.0	62.5	102.61	0.06
5700.0	0.65	94.25	5699.5	-41.6	-13.8	62.2	63.7	102.51	0.08
5800.0	0.51	83.06	5799.5	-42.4	-13.8	63.2	64.5	102.31	0.18
5900.0	0.21	98.49	5899.5	-42.9	-13.8	63.8	65.2	102.17	0.31
6000.0	0.11	102.26	5999.5	-43.1	-13.8	64.1	65.5	102.16	0.10
6100.0	0.11	73.52	6099.5	-43.2	-13.8	64.2	65.7	102.12	0.05
6200.0	0.18	97.61	6199.5	-43.4	-13.8	64.5	65.9	102.07	0.09
6300.0	0.14	96.55	6299.5	-43.6	-13.8	64.8	66.2	102.05	0.04
6400.0	0.04	194.30	6399.5	-43.7	-13.9	64.9	66.3	102.07	0.15
6490.0	0.62	303.93	6489.4	-43.5	-13.6	64.5	65.9	101.94	0.71

Scientific Drilling International

Survey Report

Company: CHEVRONTEXACO				Date: 2/11/2003	Time: 11:44:36	Page: 1			
Field: Drinkard				Co-ordinate(NE) Reference:	Site: Lea County, NM, Grid North				
Site: Lea County, NM				Vertical (TVD) Reference:	SITE 0.0 above Mean Sea Level				
Well: Central Drinkard #165				Section (VS) Reference:	Well (0.0E,0.0N,233.3Azi)				
Wellpath: HH - Job #32D1202473				Survey Calculation Method:	Minimum Curvature				
Survey: 12/31/02-01/14/03				Start Date:	2/11/2003				
MWD 6492'-9120'									
Company: Scientific Drilling Internatio				Engineer:	Lamb/Hendrix				
Tool: MWD									
Survey									
MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	ClsD ft	ClsA deg	DLS deg/100ft
6490.0	0.52	303.93	6489.4	-43.5	-13.6	64.5	65.9	101.94	0.00
6492.0	0.52	303.92	6491.4	-43.5	-13.6	64.5	65.9	101.93	5.00
6557.0	28.80	246.80	6553.7	-27.9	-19.7	49.5	53.3	111.75	43.88
6590.0	44.10	251.10	6580.2	-9.1	-26.6	31.2	41.0	130.47	46.98
6600.0	48.30	247.50	6587.1	-2.1	-29.2	24.5	38.1	140.03	49.38
6610.0	54.60	246.80	6593.3	5.4	-32.2	17.3	36.6	151.81	63.24
6620.0	61.60	247.10	6598.6	13.7	-35.6	9.5	36.8	165.09	70.05
6630.0	67.90	246.70	6602.9	22.5	-39.1	1.2	39.1	178.31	63.10
6651.0	80.10	240.00	6608.7	42.3	-48.2	-16.8	51.0	199.25	65.66
6682.0	91.50	233.50	6610.9	73.1	-65.1	-42.6	77.8	213.21	42.29
6714.0	95.80	232.30	6608.9	105.0	-84.4	-68.1	108.4	218.91	13.95
6745.0	97.80	233.50	6605.2	135.8	-102.9	-92.6	138.5	221.99	7.51
6777.0	97.80	232.80	6600.9	167.5	-121.9	-118.0	169.7	224.06	2.17
6808.0	98.00	232.30	6596.6	198.2	-140.6	-142.4	200.1	225.36	1.72
6840.0	96.90	235.80	6592.5	229.9	-159.2	-168.1	231.5	226.55	11.38
6871.0	97.30	235.60	6588.6	260.7	-176.6	-193.5	261.9	227.62	1.44
6903.0	97.80	235.40	6584.4	292.4	-194.5	-219.6	293.4	228.47	1.68
6934.0	98.20	235.00	6580.1	323.0	-212.1	-244.8	323.9	229.10	1.82
6966.0	97.30	237.50	6575.8	354.7	-229.7	-271.2	355.4	229.74	8.24
6997.0	97.30	236.80	6571.9	385.4	-246.3	-297.0	385.9	230.33	2.24
7028.0	98.20	236.20	6567.7	416.0	-263.3	-322.6	416.4	230.78	3.48
7059.0	97.60	238.70	6563.4	446.7	-279.8	-348.5	446.9	231.24	8.22
7091.0	98.10	238.30	6559.1	478.2	-296.4	-375.5	478.4	231.72	1.99
7122.0	98.90	238.60	6554.5	508.8	-312.4	-401.7	508.9	232.12	2.75
7154.0	93.60	236.70	6551.0	540.5	-329.4	-428.5	540.5	232.45	17.58
7186.0	92.60	236.50	6549.3	572.4	-347.0	-455.2	572.4	232.68	3.19
7217.0	90.20	235.90	6548.5	603.3	-364.3	-481.0	603.3	232.86	7.98
7249.0	90.20	236.50	6548.4	635.3	-382.1	-507.5	635.3	233.03	1.87
7280.0	88.80	236.30	6548.7	666.2	-399.2	-533.4	666.2	233.19	4.56
7311.0	87.90	233.70	6549.6	697.2	-417.0	-558.7	697.2	233.27	8.87
7343.0	88.20	234.10	6550.6	729.2	-435.8	-584.6	729.2	233.29	1.56
7375.0	90.60	234.50	6551.0	761.2	-454.5	-610.6	761.2	233.34	7.60
7406.0	89.70	233.80	6550.9	792.2	-472.7	-635.7	792.2	233.37	3.68
7438.0	89.30	232.20	6551.2	824.2	-491.9	-661.3	824.2	233.35	5.15
7469.0	88.20	230.80	6551.9	855.1	-511.2	-685.5	855.1	233.29	5.74
7501.0	88.70	230.20	6552.7	887.1	-531.6	-710.2	887.1	233.19	2.44
7532.0	91.00	233.70	6552.8	918.1	-550.7	-734.6	918.1	233.14	13.51
7564.0	89.60	233.90	6552.6	950.1	-569.6	-760.4	950.1	233.17	4.42
7595.0	88.50	233.20	6553.1	981.1	-588.0	-785.3	981.1	233.18	4.21
7626.0	88.40	233.60	6554.0	1012.1	-606.5	-810.2	1012.1	233.19	1.33
7658.0	88.10	233.80	6555.0	1044.0	-625.4	-836.0	1044.0	233.20	1.13
7689.0	88.90	233.90	6555.8	1075.0	-643.7	-861.0	1075.0	233.22	2.60
7721.0	87.90	233.60	6556.7	1107.0	-662.6	-886.8	1107.0	233.24	3.26
7753.0	87.50	233.00	6558.0	1139.0	-681.7	-912.5	1139.0	233.24	2.25
7788.0	87.20	233.00	6559.6	1173.9	-702.7	-940.4	1173.9	233.23	0.86
7816.0	87.80	233.80	6560.8	1201.9	-719.4	-962.8	1201.9	233.23	3.57
7847.0	87.10	233.30	6562.2	1232.9	-737.8	-987.7	1232.9	233.24	2.77
7878.0	86.90	233.10	6563.8	1263.8	-756.4	-1012.5	1263.8	233.24	0.91

Scientific Drilling International

Survey Report

Company: CHEVRONTEXACO
Field: Drinkard
Site: Lea County, NM
Well: Central Drinkard #165
Wellpath: HH - Job #32D1202473

Date: 2/11/2003 **Time:** 11:44:36 **Page:** 2
Co-ordinate(NE) Reference: Site: Lea County, NM, Grid North
Vertical (TVD) Reference: SITE 0.0 above Mean Sea Level
Section (VS) Reference: Well (0.0E,0.0N,233.3Azi)
Survey Calculation Method: Minimum Curvature


Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	ClsD ft	ClsA deg	DLS deg/100ft
7910.0	86.70	233.20	6565.6	1295.8	-775.5	-1038.1	1295.8	233.24	0.70
7940.0	87.20	233.00	6567.2	1325.8	-793.5	-1062.1	1325.8	233.24	1.79
7971.0	87.40	232.90	6568.6	1356.7	-812.2	-1086.8	1356.7	233.23	0.72
8003.0	88.00	233.00	6569.9	1388.7	-831.4	-1112.3	1388.7	233.22	1.90
8035.0	87.40	233.30	6571.2	1420.7	-850.6	-1137.9	1420.7	233.22	2.10
8066.0	87.10	233.90	6572.7	1451.6	-869.0	-1162.8	1451.6	233.23	2.16
8098.0	86.70	234.30	6574.4	1483.6	-887.7	-1188.7	1483.6	233.25	1.77
8129.0	86.40	234.80	6576.3	1514.5	-905.7	-1213.9	1514.5	233.27	1.88
8161.0	86.10	235.50	6578.4	1546.4	-923.9	-1240.1	1546.4	233.31	2.38
8193.0	86.40	235.50	6580.5	1578.3	-942.0	-1266.4	1578.3	233.36	0.94
8224.0	86.60	233.00	6582.4	1609.3	-960.1	-1291.5	1609.3	233.37	8.08
8256.0	86.70	233.00	6584.2	1641.2	-979.3	-1317.0	1641.2	233.37	0.31
8287.0	87.20	232.40	6585.9	1672.2	-998.0	-1341.7	1672.2	233.35	2.52
8319.0	88.30	231.60	6587.1	1704.1	-1017.7	-1366.9	1704.1	233.33	4.25
8350.0	88.30	231.30	6588.1	1735.1	-1037.0	-1391.1	1735.1	233.30	0.97
8382.0	88.60	231.90	6588.9	1767.1	-1056.9	-1416.2	1767.1	233.27	2.10
8413.0	86.40	233.70	6590.3	1798.0	-1075.6	-1440.8	1798.0	233.26	9.17
8445.0	86.80	233.80	6592.2	1830.0	-1094.5	-1466.6	1830.0	233.27	1.29
8476.0	87.20	234.10	6593.8	1860.9	-1112.7	-1491.6	1860.9	233.28	1.61
8508.0	87.90	233.70	6595.2	1892.9	-1131.6	-1517.4	1892.9	233.29	2.52
8539.0	88.70	233.80	6596.1	1923.9	-1149.9	-1542.4	1923.9	233.30	2.60
8571.0	89.40	233.80	6596.6	1955.9	-1168.8	-1568.3	1955.9	233.30	2.19
8602.0	87.10	232.40	6597.6	1986.9	-1187.4	-1593.0	1986.9	233.30	8.68
8633.0	87.50	232.30	6599.0	2017.3	-1206.3	-1617.5	2017.8	233.29	1.33
8665.0	88.70	232.60	6600.1	2049.3	-1225.8	-1642.9	2049.8	233.27	3.87
8696.0	86.70	232.60	6601.3	2080.8	-1244.6	-1667.5	2080.8	233.26	6.45
8728.0	87.10	232.60	6603.1	2112.7	-1264.0	-1692.9	2112.7	233.25	1.25
8759.0	85.70	232.70	6605.0	2143.7	-1282.8	-1717.5	2143.7	233.24	4.53
8791.0	85.80	232.20	6607.4	2175.6	-1302.2	-1742.8	2175.6	233.23	1.59
8821.0	86.10	232.70	6609.5	2205.5	-1320.5	-1766.5	2205.5	233.22	1.94
8853.0	86.20	232.80	6611.6	2237.4	-1339.8	-1791.9	2237.4	233.21	0.44
8884.0	86.30	232.80	6613.7	2268.4	-1358.5	-1816.6	2268.4	233.21	0.32
8916.0	86.50	232.30	6615.7	2300.3	-1377.9	-1841.9	2300.3	233.20	1.68
8947.0	87.70	233.40	6617.3	2331.3	-1396.6	-1866.6	2331.3	233.20	5.25
8979.0	86.50	234.40	6618.9	2363.2	-1415.5	-1892.4	2363.2	233.20	4.88
9015.0	87.70	234.30	6620.7	2399.2	-1436.4	-1921.6	2399.2	233.22	3.34
9042.0	86.50	233.50	6622.1	2426.1	-1452.3	-1943.4	2426.1	233.23	5.34
9073.0	85.60	232.50	6624.2	2457.0	-1470.9	-1968.1	2457.0	233.23	4.33
9120.0	85.60	232.50	6627.8	2503.9	-1499.4	-2005.3	2503.9	233.21	0.00



Scientific
Drilling


Site: Lea County, NM
Well: Central Drinkard #165
Wellpath: HH - Job #32D1202473
Survey: 12/31/02-01/14/03



10 Grid North

Grid North: 0.00
True North: 0.00
Magnetic North: 0.00

South(-)/North(+) [500ft/in]



West(-)/East(+) [500ft/in]

