

NO. OF COPIES RECEIVED			
DISTRIBUTION			
SANTA FE			
FILE			
U.S.G.S			
LAND	FICE		
OPER	OR		

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

<p align="center">SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)</p>		<p>6a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/></p>
<p>1. Name of Operator TEXACO Inc.</p>		<p>5. State Oil & Gas Lease No.</p>
<p>3. Address of Operator P. O. Box 728 - Hobbs, New Mexico 88240</p>		<p>7. Unit Agreement Name</p>
<p>4. Location of Well UNIT LETTER C 760 FEET FROM THE North LINE AND 1980 FEET FROM THE West LINE, SECTION 30 TOWNSHIP 21S RANGE 37E NMPM.</p>		<p>8. Form or Lease Name V. M. Henderson</p>
<p>15. Elevation (Show whether DF, RT, GR, etc.) 3504 DF</p>		<p>9. Well No. 6</p>
<p>12. County Lea</p>		<p>10. Field and Pool, or Wildcat Blinebry Drinkard, Paddock</p>

<p>16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data</p>	
<p>NOTICE OF INTENTION TO:</p> <p>PERFORM REMEDIAL WORK <input type="checkbox"/></p> <p>TEMPORARILY ABANDON <input type="checkbox"/></p> <p>PULL OR ALTER CASING <input type="checkbox"/></p> <p>OTHER <input type="checkbox"/></p>	<p>SUBSEQUENT REPORT OF:</p> <p>REMEDIAL WORK <input checked="" type="checkbox"/></p> <p>COMMENCE DRILLING OPER. <input type="checkbox"/></p> <p>CASING TEST AND CEMENT JOB <input type="checkbox"/></p> <p>OTHER <input type="checkbox"/></p> <p>ALTERING CASING <input type="checkbox"/></p> <p>PLUG AND ABANDONMENT <input type="checkbox"/></p> <p>Abandon Drinkard <input checked="" type="checkbox"/></p>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, from time operations began to time operations completed, and propose work) SEE RULE 1103.
1. Pulled Blinebry, Drinkard and Paddock tubing.
 2. Ran and set CIBP @ 5980', dumped 35' of cement on plug. 5945 PBTD. Abandoned Drinkard 3-7-75.
 3. Acidized Blinebry perforations 5539-5654 w/1000 gal. 15% NEA. Flushed w/17 bbls. treated water.
 4. Acidized Paddock perforations 5158-5168 w/300 gal Xylene, followed w/1000 gals 15% NEA. Flushed w/17 bbls. treated water.
 5. Ran 2-1/16 tubing w/packer and set @ 5465 w/parallel anchor @ 5312.
 6. Ran 2-1/16 tubing and latch into parallel anchor @ 5325.
 7. Abandoned Drinkard on 3-7-75.
 8. Tested Paddock perforations 5158-5168'. On 24 hr OPT end 2:00 P.M. 4-2-75 P/38 BO, 30 BW. 35° Gravity GOR 620.
 9. Tested Blinebry perforations 5539-5654. On 24 hr OPT end 3:00 P.M. 4-2-75 F/20 BO, 2 BSW. Gravity 43°. GOR 14950.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED *Joe D. Rump* TITLE Asst. Dist. Supt. DATE 4-7-75

APPROVED BY Joe D. Rump TITLE Asst. Dist. Supt. DATE 4-7-75

CONDITIONS OF APPROVAL, IF ANY:

71

RECEIVED

APR 1 1975
U.S. CONSERVATION COMMISSION
WASHINGTON, D. C.