



AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico
HOBBS OFFICE OCC

1962 APR 6 PM 1:37WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

TEXACO Inc. V. M. Henderson
(Company or Operator) (Lease)
Well No. 7, in SE 1/4 of NW 1/4, of Sec. 30, T. 21-S, R. 37-E, NMPM.
Penrose-Skelly, Paddock, Drinkard Pool, Lea County.
Well is 1980 feet from North line and 1980 feet from West line
of Section 30. If State Land the Oil and Gas Lease No. is Patented.
Drilling Commenced January 5, 1962. Drilling was Completed February 5, 1962.
Name of Drilling Contractor Cactus Drilling Company
Address P. O. Box 32, Midland, Texas
Elevation above sea level at Top of Tubing Head 3499' (D. F.) The information given is to be kept confidential until July, 1962.
See attached sheet.

OIL SANDS OR ZONES

No. 1, from to No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

Drilled with rotary tools and no water sands tested.
IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SEAM	OUT AND PULLED FROM	PERFORATIONS	PURPOSE
11 3/4"	31.20	New	300'	Howco	None	None	Surface
8 5/8"	24.00	New	2990'	Howco	None	None	Intermediate
2 3/8"	4.60	New	5302'	Howco	None	See attached	Production
2 3/8"	4.60	New	6736'	Howco	None	See attached	Production
2 3/8"	4.60	New	6736'	Howco	None	See attached	Production

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
15"	11 3/4"	310'	300	Howco		
10 5/8"	8 5/8"	3000'	1370	Howco		
7 5/8"	2 3/8"	5310'	*1050	Howco		
7 5/8"	2 3/8"	6744'	*1050	Howco		
7 5/8"	2 3/8"	6744'	*1050	Howco		

RECORD OF PRODUCTION AND STIMULATION * 3 strings required 1050 Sx Cement.

(Record the Process used, No. of Qts. or Gals. used, Interval treated or shot.)

See attached
Result of Production Stimulation See attached.
Depth Cleaned Out 6745'

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 6745 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing March 1, 19 62

OIL WELL: The production during the first 24 hours was 54 barrels of liquid of which 98 % was
was oil; % was emulsion; 2 % water; and % was sediment. A.P.I.
Gravity 38°

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy 1182'	T. Devonian	T. Ojo Alamo
T. Salt 1358'	T. Silurian	T. Kirtland-Fruitland
B. Salt 2455'	T. Montoya	T. Farmington
T. Yates 2608'	T. Simpson	T. Pictured Cliffs
T. 7 Rivers	T. McKee	T. Menefee
T. Queen 3375'	T. Ellenburger	T. Point Lookout
T. Grayburg 3650'	T. Gr. Wash	T. Mancos
T. San Andres 3950'	T. Granite	T. Dakota
T. Glorieta 5112'	T.	T. Morrison
T. Blinberry 5562'	T.	T. Penn
T. Tubbs 6240'	T.	T.
T. Drinkard 6615'	T.	T.
T. Penn	T.	T.
T. Miss	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	313	313	Caliche				Deviation Record
313	963	650	Redbed			Depth	Degrees off
963	1358	395	Redbed & Anhy			950'	1/2
1358	2455	1097	Top of Salt			1280'	3/4
2455	2650	195	Anhy & Salt			1900'	1 1/2
2650	3375	725	Anhy & Gyp			2500'	1 1/2
3375	3950	575	Anhy & Lime			2890'	1 1/4
3950	5112	1162	Lime			3400'	1 1/4
5112	6240	1128	Lime & Sand			3750'	1 1/4
6240	6615	375	Lime			4834'	1
6615	6745	130	Lime & Sand			4992'	1 1/4
Total Depth	6745					5477'	1
						5760'	1 1/4
						6449'	1
						6745'	1

All measurements from rotary
table or 9' above ground level.

Estimate No. 7539

5-NMOOC
1-Division
1-Field
1-File

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far
as can be determined from available records.

Company or Operator TEXACO Inc.

Name H. N. Wade

Address P. O. Box 728, Hobbs, New Mexico

Position or Title Assistant District Superintendent

April 6, 1962
(Date)