


OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

Miscellaneous Reports on Wells



Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL		REPORT ON SETTING CASING	X

July 24, 1950

Monument, New Mexico

Date

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO.
Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

Amerada Petroleum Corporation

Joyce-Pruitt

Well No. 1

in the

Company or Operator

Lease

NE/4 SE/4

of Sec. 31

T. 21-S

R. 37-E

N. M. P. M.

Drinkard

Field

Lee

County.

The dates of this work were as follows: July 23, 1950

Notice of intention to do the work was ~~submitted~~ submitted on Form C-102 on July 23, 1950

and approval of the proposed plan was ~~obtained~~ obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

2830' - Total Depth - Line. Ran 70 fts. of 7-5/8" O.D., 26.40#, Range 3, Grade J-55, S. S. New Casing - set at 2826' and cemented with 1000 sacks of Regular cement mixed 3% Jell, 450 sacks Regular cement and 50 sacks Incer cement - Total of 1500 sacks. Plug to 2742' at 1:00 P.M., 7-23-50. Maximum pump pressure 1250#.

Witnessed by D. W. Gordon

Amerada Petroleum Corporation

Farm Boss

Name

Company

Title

Subscribed and sworn before me this

24th day of July, 1950

Notary Public

I hereby swear or affirm that the information given above is true and correct.

Name

Position Assistant District Superintendent

Representing Amerada Petroleum Corporation

Company or Operator

My commission expires 10-24-53

Address Drawer D, Monument, New Mexico

Remarks:

APPROVED

Date

Oil & Gas Inspector

Title

DUPLICATE

NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES

RECEIVED
JUL 26 1950

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF		NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL		NOTICE OF INTENTION TO SET CASING	X

Monument, New Mexico

July 23, 1950

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the _____
Amerada Petroleum Corporation Joyce-Pruitt Well No. 1 in NE/4 SE/4
 Company or Operator Lease
 of Sec. 31, T. 21-S, R. 37-E, N. M. P. M., Drinkard Field.
Las County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

2830' - Total Depth - Lime. Finished drilling 9-7/8" hole to 2830' at 4:45 A.M.,
 7-23-50. We intend to set 7-5/8" O.D. Casing at approximately 2826' and
 cement with 1500 sacks of cement.

Approved JOHN F. [Signature], 19____
 except as follows:

OIL CONSERVATION COMMISSION,
 By Ray [Signature]
 Title Asst. Dir. Inspection

Amerada Petroleum Corporation
 Company or Operator
 By [Signature]
 Position Assistant District Superintendent
 Send communications regarding well to
 Name Amerada Petroleum Corporation
 Address Drawer D, Monument, New Mexico

— 10 —