	and the second se			
Santa Fe				
Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling oper- ations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission. Indicate nature of report by checking below:				
REPORT ON BEGINNING DRILLING OPERA- TIONS	REPORT ON REPAIRING WELL			
REPORT ON RESULT OF SHOOTING OR CHEM- ICAL TREATMENT OF WELL	REPORT ON PULLING OR OTHERWISE ALTERING CASING			
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	REPORT ON DEEPENING WELL			
REPORT ON RESULT OF PLUGGING OF WELL	Installing Flow Valves and connecting outside gas.	XX		

Hobbs,	New	Mexico
	Plac	e

November 5, 1945

Title

OIL CONSERVATION COMMISSION, SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the __________ Gulf 011 Corporation ___________ W. T. McCormack Well No. 1 ________ in the

 Company or Operator
 Lease

 C. NE2NE1
 of Sec. 32
 T. 21 S.
 , R. 37 E.
 , N. M. P. M.,

 Penrose - Skelly
 Field, Lease
 County.

The dates of this work were as follows: October 5th to 30th 1945 Notice of intention to do the work was (was a submitted on Form C-102 on September 29, 1945

and approval of the proposed plan was (generated obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

The 2 3/8" O.D. Tubing was pulled and reran with Standing Valve at 3,788', 3" Collecting Chamber from 3,786' to 3,697', 2" KUE 10 Thd. Lane Wells Production Type A Quinta Seal Hook Wall Packer for 5 1/2" O.D. 17-20 Casing set at 3,682', 1" perforated coupling at 3,687', 224' of 1" Tubing 3,567' to 3,791', 375# Valve at e,558', 425# Valve at 2,902', and Olsco Type K Gas Lift System. (Tallies over all 3,789' - Cellar 5'.)

Production before -- Well pumped 6 barrels of oil per day.

Production after -- In 24 hours well flowed 7 barrels of 011 and 1/4 barrel of Witnessed by ______

Name	Company Titl	e
Subscribed and sworn before me this	I hereby swear or affirm that the information give is true and correct.	n above
5th day ofNovember, 1945	Name 6. J. Dallagher	
& W. Game	PositionDistrict SuperIntendent	
Notary Public	Representing Gulf Oil Corporation Company or Operator	
My commission expires February 25, 1946	Address Hobbs, New Mexico	
Remarks:	Oll fas Inspector	ug.
	B11 & Gas/Inspector	- (i

•

n. Na zavatna na selenci na selenci na zavatna jezika jezika na selenci na selenci na selenci na selenci na selenc

(a) Provide the state of the providence of the state o

. .

: (

 $(x_{i}) = -\frac{1}{2} \left(\frac{1}{2} \left(x_{i} - \frac{1}{2} \left(\frac{1}{2} \left(x_{i} - \frac{1}{2} \left(x_{i}$

•

and and a second sec In the second second