FORM C-105

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Gulf Oil Corporation _____ Company or Operator _____ Wm T. McCormack _____ Lease

_____ Well No. 1 in NE NE of Sec. 32 , T. 21S

R. 37E , N. M. P. M., Eunice Field, Lea _____ County.

Well is 660 feet south of the North line and 660 feet west of the East line of NE NE

If State land the oil and gas lease is No._____ Assignment No._____

If patented land the owner is_____ Address_____

If Government land the permittee is_____ Address_____

The Lessee is Gulf Oil Corporation , Address Tulsa, Okla.

Drilling commenced 4-23-36 19_____ Drilling was completed 6-27-36 19_____

Name of drilling contractor Carl King , Address Dallas, Okla.

Elevation above sea level at top of casing 3464 feet.

The information given is to be kept confidential until _____ 19_____

OIL SANDS OR ZONES

No. 1, from 3695 to 3802   No. 4, from_____ to_____

No. 2, from_____ to_____   No. 5, from_____ to_____

No. 3, from_____ to_____   No. 6, from_____ to_____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from Rotary Hole to_____ feet. _____

No. 2, from_____ to_____ feet. _____

No. 2, from_____ to_____ feet. _____

No. 4, from_____ to_____ feet. _____

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM	TO	PURPOSE
10-3/4	32.75	8	Lapw.	315'					
7-5/8	26.4	8	Lapw.	1290					
5½	17	10	Lapw.	3644					

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
13-3/4	10-3/4	315'	250	Halliburton		
9-7/8	7-5/8	1290	250	"		
6-3/4	5½	3644	250	"		

PLUGS AND ADAPTERS

Heaving plug—Material_____ Length_____ Depth Set_____

Adapters—Material_____ Size_____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		Nitro-Glyc.	200 qt.	6-16-36		
		Hydro-Chloric A.	1500 gal	6-5-36		
		"	3000	6-9-36		
		"	5000	6-23-36		

Results of shooting or chemical treatment_____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 3802 feet, and from_____ feet to_____ feet

Cable tools were used from_____ feet to_____ feet, and from_____ feet to_____ feet

PRODUCTION

Put to producing 6-12-36 , 19_____

The production of the first 24 hours was 174 barrels of fluid of which_____% was oil;_____%

emulsion; _____% water; and_____% sediment. Gravity, Be_____

If gas well, cu. ft. per 24 hours_____ Gallons gasoline per 1,000 cu. ft. of gas_____

Rock pressure, lbs. per sq. in._____

EMPLOYEES

_____ ? , Driller _____ , Driller

_____ , Driller _____ , Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 31st _____ Tulsa, Okla. July 31, 1936

day of July , 19 36 Name _____

FROM	TO	THICKNESS IN FEET	FORMATION
0'	35'		Surface
	175		Sand
	292		Red bed and sand
	375		Red bed
	408		Hard sand
	687		Red bed
	820		Red bed and shells
	900		Red bed
	951		Red rock
	980		Red bed
	990		Red rock
	1060		Red bed and shells
	1076		Red rock
	1207		Red bed
	1214		Anhydrite and red rock
	1305		Anhydrite
	1407		Salt
	1420		Anhydrite
	1500		Salt
	1520		Anhydrite
	1640		Salt and anhydrite
	1655		Anhydrite
	1723		Salt
	1914		Salt and anhydrite
	2030		Salt
	2068		Anhydrite
	2245		Salt
	2260		Anhydrite
	2425		Salt
	2438		Anhydrite and lime
	2462		Lime
	2716		Anhydrite
	3302		Lime