| ю | o | R | м | c. | 105 |
|----|---|----|---|----------|-----|
| ÷. | v | ** | | <u> </u> | 100 |

| ORM C-1 | N. | | | na waana a sa s | NEW ME | | | ATION | OMMISSI | ON |
|-----------|---------------------|------------|---------------------|---------------------------------------|-----------------------------|--|---|------------------------------|---------------|----------|
| | | | | s gata daga j | | | Santa Fe, New | Mexico | UPL | 10-1- |
| | | _[_ | | | | | | | -10:5 | THE |
| | | | | | | i dan in i | | - 11 | | 0000 |
| | | | | | € erst Ngr | | | ן וי | U MAR | 281933 |
| | | | | | | 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1 | WELL RECO | KD | | ST BI |
| | | | | | | ÷ | | | HOBB | s oppice |
| | I | | | М | ail to Oil Co | nservation Co | ommission, Santa I | Fe, New Ma | exico, or its | oroper |
| | | | | ag in | ent not more the Rules a | than twenty (nd Regulation | days after completi is of the Commissi | ion of well. ion. Indicat | Follow instru | ctions |
| LOCAT | AREA 640 FE WELL | ACR COR | ES RECTLY | by | following it | with (?). SI | JBMIT IN TRIPLI | ICATE. | | |
| Gul | f 011 | Co | rporat | ion | | | Tuls | a, Okl | ahoma | |
| | oCorma | Ca | mpany or O | perator | 3 | SE 1 | | 32 ^{ddress} | | 215 |
| 37 | E Lease | | | _Well No Eun | 100 | in | | - | , T | |
| | | _, N. | М. Р. М., | | | Field. | | | | County. |
| ell is | | | | he North lin | | | vest of the East | | or or | •• |
| | | | | | | • | ent No | | | |
| | | | | <u> </u> | 10 C | | , Address | | | |
| | | id th | e permitte Gulf | of is Oil Co | rporati | •n. | , Address | Tuls | a, Okla | homa |
| | ee is | | 2-7-3 | 8 | | | , Address | s | | |
| illing o | commence | əd | - | parkman | 19. & Reus | . Drilling | , Address | Tulan | Oklah | 19 |
| me of | drilling | contr | actor | · · · · · · · · · · · · · · · · · · · | 21.67 | | ., Address | | | ······ |
| evation | above se | a, lov | vel at top o | of casing | 3467 | feet. | • | | | |
| he infor | mation g | iven | is to be ke | pt confidenti | al until | <u> </u> | .7 | | | |
| | Pa | 7 3 | 710' | | OIL SAN | DS OR ZON | TES | | | |
|). 1, fro | | | | _to | | No. 4, f | rom | | _to | |
| o. 2, fro |)m | | | to | | No. 5, f | `rom | | _to | |
|). 3, fro | m | | | _to | | | rom | | _to | |
| | | | | I | MPORTAN' | r water | SANDS | | | |
| clude d | | | | low and ele | vation to w | hich water | rose in hole. | | | |
| . 1, fro | om | 10 6 | ary ho | 76 | _to | | fe | et | · | |
|). 2, fro | 0 m | | | | _to | ······ | fe | et | | |
|). 3, fra | 0 m | | | | _to | | fe | et | | |
|). 4, fra | 0 m | | | | _to | | fe | et | | |
| | | | | | CASI | G RECORI |) | | | |
| SIZE | WEIGH PER FO | T OT | THREADS PER INCH | S I MAKE | AMOUNT | KIND OF SHOE | CUT & FILLED FROM | | FORATED | PURPOSE |
| 3" | LO1 | | 8 | ** | 251'1 | 0" | · · · · · · · · · · · · · · · · · · · | FROM | то | |
| 6 | 16 | | 10 | Smls. | 3605' | | | | | |
| - | | 1 | | | | | · · · · · · · · · · · · · · · · · · · | | | |
| 38'1 | o" SO | LW | , 13' | Bethleh | em Spec | ial Lar | weld. | | 1 | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | <u></u> | | | | <u> </u> | | | |
| | | | | MUDI | DING AND | CEMENTIN | G RECORD | | | |
| IZE OF | SIZE OF | | 1 | NO. SACKS OF CEMEN | | | | | | |
| HOLE | CASING | ₩Ħ | BRR SET | OF CEMEN | T MET | HOD USED | MUD GRA | VITY | AMOUNT OF | MUD USED |

1<u>7-1/4</u> 13" 251'10" 6 7-7/8 6 3605' 300 Halliburton Used 500# of calcium chloride 310 Halliburton

| | | I | PLUGS AND A | DAPTERS | | ····· |
|--------------|--------------------|-------------------------------|-----------------|-------------------|--|--------------------------|
| Heaving | plug—Material_ | ····· | Length | <u></u> | | 9t |
| Adapters- | —Materiai | | Size | | | |
| | | RECORD OF SHO | DOTING OR | CHEMICAL TI | REATMENT | |
| SIZE | SHEEL USED | EXPLOSIVE OR CHEMICAL USED | QUANTITY | DATE | DEPTH SHOT OR TREATED | DEPTH CLEANED OUT |
| | Hydrochl | oric Acid | 1000 | 3-13-38 | 3762' | - |
| | | | | | | |
| | | | | | | |
| Results of | shooting or ch | emical treatment | | | | |
| | | | | | | |
| | | | | | | |
| • | | hecope of | | | | |
| | - | RECORD OF | DRILL-STEM | AND SPECIAI | TESTS | |
| If drill-ste | em or other spec | cial tests or deviation | surveys were | made, submit r | eport on separate | sheet and attach hereto. |
| | | | TOOLS U | SED | | |
| Rotary to | ols were used | from O' feet | t to 3762' | feet, and fi | om | feet tofeet |
| | | | | | | feet tofeet |
| Cable 100 | ns were usen | | | leet, and h | ·om | |
| | _ | | PRODUC! | FION | | |
| Put to pr | oducing | -10- | <u>19</u> 38 | 18 hours | | |
| The produ | action of the firs | t 24 hours was | ba | rrels of fluid of | which | _% was oil;% |
| emulsion; | % | water; and | % sedim | ent. Gravity, I | Be | |
| If gas wel | il, cu, ft. per 24 | hours 248,000 | Ga | ullons gasoline | per 1,000 cu. ft. (| of gas |
| Rock pres | sure, lbs. per so | (. in | | | | |
| | | | | | | |
| | | | EMPLOY | EES | | |
| | | | , Driller _ | | ··· ·· · · · · · · · · · · · · · · · · | , Drillør |
| | | | , Driller _ | | | , Drillør |
| | | FORMAT | ION RECORD | ON OTHER S | SIDE | |
| | | | | | . , | |
| | | | | | e and correct red | cord of the well and all |
| work don | e on it so far as | s can be determined f | rom available : | recoras. | | |
| | | 8- 7 | | 8 | | Manah Ol. 2020 |
| Subscribe | d and swora to | before me this 🥂 🥍 | <i>4</i> - | Tul sa, Place | Oklahoma | March 24, 1938 Date |
| day of | 22110 | h | 1938 | Name | V7./20 | nden |
| uaj UI | · / · · | h. E.vans | , ⊥Vándester | | (tenenal | Superintendent |
| | - +/ (.C | C.1.A.M.S | | Position | ~ 91101.01 | -aber Turendenr |

| Position | General | Super | inten | lent |
|----------|---------|-------|-------|------|
| | | | | |

FORMATION RECORD

| FROM | TO | THICKNESS IN FEET | FORMATION |
|------------------|--|---|--|
| | | finite con all and | |
| 01 | 0.01 | | |
| 0. | 85' 215 | | Surface |
| | 256 | CARAGES I | Sand & shells |
| | 284 | 1997 (FB 7) K | Red bed & shells |
| | 398 | | Shale & shells |
| | 556 | | Red bed & sand |
| | 556 754 | | Red rock & shells |
| | 841 | | Red rock |
| | 1015 | | Red rock & shells |
| | 1215 | | Red rock |
| | 1271 | | Anhydrite |
| | 1285 | | Сур |
| - | 1292 | | Anhydrite & gyp Salt & anhydrite |
| | 1482 | i de la companya de l | Salt & anhydrite |
| | 1530 | ÷ | Anhydrite Salt & anhydrite |
| | 1621 | | Salt & anhydrite |
| | 1657 | | Anhydrite |
| | 1824 | | Salt & anhydrite Salt, anhydrite & shells |
| | 1872 1975 | and the second second | Salt, annyarite & shells and a second |
| | 2131 | | Salt & anhydrite Salt |
| ł | 2209 | | Cat + A shat + A |
| | 2350 | and the second se | Salt & anhydrite Salt & shells Anhydrite & gyp Anhydrite & gyp |
| | 2/10 - | e et par e | Salt & shalls |
| | 2679 | | Anhydrite & gyn |
| | 2710 | к. : . | Anhvdrite |
| | 2843 | | Anhydrite & gyp |
| | 3105 | | |
| | 3762 | | Line to be a set of the set of th |
| | | | |
| | | | |
| | | | 1 |
| | | | |
| | | | |
| | | | |
| | | | and the second |
| | | | |
| | | | |
| - | | - | |
| | | | |
| ri rindari 4.08 | | | |
| deser de e entre | | | |
| - 114 M | | | |
| | and a second | | |
| | • • • • | | |
| | | | |
| | | | |
| | | | • |
| | | | |
| | | • | |
| | | | |
| | | | |
| | | - · · · | |
| | ······································ | | na na serie de la companya de la com No |
| | | | 14 Constant Const Constant Constant Const Constant Constant Const Consta |
| | | | |
| | the second | | |
| | | 1 | |
| | | | |
| | · · · · · · · · · · · · | | |
| | · · · · · · · · · · · · · · · · · · · | | |



The REPORT OF THE REPORT OF

. 2.

and the second secon Second The second se

1 Contraction of the second sec second sec t in the second se

and the second sec And And Andreas and Andreas

and the standard states of the 14 10 1 1 1 1 an an ann an Arranna. Ann an Arrainn Ann an Arrainn an A Arrainn an A

1.25 million and a specific product of the specif , |