Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approve begins. If changes in the proposed plan are considered advisable, a copy of this notice show returned to the sender. Submit this notice in triplicate. One copy will be returned following	obtained before drilling
begins. If changes in the proposed plan are considered advisable, a copy of this notice show	ing such changes will be
returned to the sender. Submit this notice in triplicate. One copy will be returned following	appo BB Secla dilitionali
instructions in Rules and Regulations of the Commission.	

instructions i			99 a a 97	X		
			Hobbs, Ne	w Mexico	January	27, 1948
OIL CONSE		OMMISSION,	£ 10	.ce		Date
Santa Fe, Ne	w Mexico,					
Gentlemen:						_
	-	notified that it is o				
Gulf 011		Gypsy Division or Operator	McCorms	Leane V	Vell No. 12	in NW NE
g 32	•	21S R 375	NWDW		Field Le	. Commt-
	, 1 N	•	•		North line a	_
	A .		``		Section 32	
	0 18				al subdivision lines	
		directions.)	location from Sect	on or other leg	ar subulvision imes	. Cross out wrong
		If state lane	d the oil and gas le	ease is No.	Assignmen	t No
		If patented	land the owner is	Mrs. W.	T. McCormack	
	1 1 1 1 1	Address		Eunice.	New Mexico	
		If governme	ent land the perm	ittee is		
					sy Division	
AREA 6	40 ACRES	Address	Box 661.	Tulsa, Okla	h oma	
LOCATE WEI	L COBRECTI	We propose	to drill well with d	rilling equipmer	t as follows:	
Rota	y Tools					
The status of	f a bond fo	r this well in con	formance with Ru	le 39 of the G	eneral Rules and	Regulations of the
	follows					
Commission i	8 82 TOHOMS					
		owing strings of cas				
		owing strings of cas	sing and to land or	cement them a		Sacks
We propose t	o use the foll		sing and to land or		s indicated:	Sacks Coment
We propose t	Size of Casing	owing strings of cas	sing and to land or	cement them a	s indicated:	
Size of Hole 17-1/4" 12-1/4"	Size of Casing 13-3/8" 9-5/8"	weight Per Foot 48 36	New or Second Hand New New	Depth 300 * 2850 *	Landed or Cemented Cemented Cemented	300 1300
Size of Hele	Size of Casing	owing strings of car Weight Per Foot	New or Second Hand	Depth 300°	Landed or Cemented	Coment
Size of Hole 17-1/4" 12-1/4"	Size of Casing 13-3/8" 9-5/8"	weight Per Foot 48 36	New or Second Hand New New	Depth 300 * 2850 *	Landed or Cemented Cemented Cemented	300 1300
Size of Hele 17-1/4" 12-1/4" 8-3/4"	Size of Casing 13-3/8" 9-5/8" 7"	weight Per Foot 48# 36# 23#	New or Second Hand New New New New New	Depth 300' 2850' 7150'	Landed or Cemented Cemented Cemented Cemented Cemented	300 1300 800
Size of Hole 17-1/4" 12-1/4" 8-3/4" If changes in	Size of Casing 13-3/8" 9-5/8" 7"	weight Per Foot 48# 36# 23#	New or Second Hand New New New New New New	Depth 300° 2850° 7150°	Landed or Cemented Cement ed Cement ed Cement ed Cement ed	300 1300 800
Size of Hole 17-1/4" 12-1/4" 8-3/4" If changes in the first products	Size of Casing 13-3/8" 9-5/8" 7" the above planetive oil or	weight Per Foot 48# 36# 23#	New or Second Hand New New New New New New	Depth 300° 2850° 7150°	Landed or Cemented Cement ed Cement ed Cement ed Cement ed	300 1300 800
Size of Hole 17-1/4" 12-1/4" 8-3/4" If changes in the first products	Size of Casing 13-3/8" 9-5/8" 7" the above planetive oil or	weight Per Foot 48# 36# 23#	New or Second Hand New New New New New New	Depth 300° 2850° 7150°	Landed or Cemented Cement ed Cement ed Cement ed Cement ed	300 1300 800
Size of Hole 17-1/4" 12-1/4" 8-3/4" If changes in the first products	Size of Casing 13-3/8" 9-5/8" 7" the above plauctive oil or formation:	Weight Per Foot 48# 35# 23# an become advisable gas sand should of	New or Second Hand New New New New New New	Depth 300° 2850° 7150°	Landed or Cemented Cement ed Cement ed Cement ed Cement ed	300 1300 800
Size of Hole 17-1/4" 12-1/4" 8-3/4" If changes in the first prod	Size of Casing 13-3/8" 9-5/8" 7" the above plauctive oil or formation:	Weight Per Foot 48% 36% 23% an become advisable gas sand should of	New or Second Hand New New New New we will notify you ccur at a depth or	Depth 300' 2850' 7150'	Landed or Cemented Cement ed Cement ed Cement ed Cement ed	300 1300 800
Size of Hole 17-1/4" 12-1/4" 8-3/4" If changes in the first prod Additional int	Size of Casing 13-3/8" 9-5/8" 7" the above plauctive oil or formation:	Weight Per Foot 48% 36% 23% an become advisable gas sand should of	New or Second Hand New New New New are will notify you cour at a depth or	Depth 300 * 2850 * 7150 * before cementif about 715	Landed or Cemented Cemented Cemented Cemented Cemented Cemented In a content of the conten	300 1300 800
Size of Hole 17-1/4" 12-1/4" 8-3/4" If changes in the first prod Additional int	Size of Casing 13-3/8" 9-5/8" 7" the above placetive oil or cormation:	Weight Per Foot 48% 36% 23% an become advisable gas sand should of	New or Second Hand New New New New are will notify you cour at a depth or	Depth 300 * 2850 * 7150 * before cementif about 715	Landed or Cemented Cement ed Cement ed Cement ed Cement ed	300 1300 800
Size of Hole 17-1/4" 12-1/4" 8-3/4" If changes in the first prod Additional int	Size of Casing 13-3/8" 9-5/8" 7" the above placetive oil or cormation:	Weight Per Foot 48% 36% 23% an become advisable gas sand should of	New or Second Hand New New New New The West of the Second Hand New New The West of the Second Hand New The West of the Second Han	Depth 300 * 2850 * 7150 * before cementif about 715	Landed or Cemented Cemented Cemented Cemented Cemented Cemented In a content of the conten	300 1300 800
Size of Hole 17-1/4" 12-1/4" 8-3/4" If changes in the first prod Additional int	Size of Casing 13-3/8" 9-5/8" 7" the above placetive oil or cormation:	Weight Per Foot 48% 36% 23% an become advisable gas sand should of	New or Second Hand New New New New Secur at a depth of Gull By	Depth 300' 2850' 7150' before cementif about 715	Landed or Cemented Cemented Cemented Cemented Cemented Cemented In gor landing casing of feet.	300 1300 800 We estimate that
Size of Hole 17-1/4" 12-1/4" 8-3/4" If changes in the first prod Additional into	Size of Casing 13-3/8" 9-5/8" 7" the above plauctive oil or formation:	Weight Per Foot 48# 36# 23# an become advisable gas sand should of	New or Second Hand New New New New Secur at a depth of Gull By	Depth 300' 2850' 7150' before cementif about 715	Landed or Cemented Cemented Cemented Cemented Cemented Cemented In a content of the conten	300 1300 800 We estimate that
Size of Hole 17-1/4" 12-1/4" 8-3/4" If changes in the first prod Additional into	Size of Casing 13-3/8" 9-5/8" 7" the above plauctive oil or formation:	Weight Per Foot 48% 36% 23% an become advisable gas sand should of	New or Second Hand New New New New New Since Gul By Positi	Depth 300' 2850' 7150' before cementif about 715 rely yours, foil Corp.	Landed or Cemented Cemented Cemented Cemented Cemented Cemented In gor landing casing of feet.	300 1300 800 We estimate that
Size of Hole 17-1/4" 12-1/4" 8-3/4" If changes in the first prod Additional into	Size of Casing 13-3/8" 9-5/8" 7" the above plauctive oil or formation:	Weight Per Foot 48# 36# 23# an become advisable gas sand should of	New or Second Hand New New New New New New New Since Gull By Position Send	Depth 300' 2850' 7150' before cementif about 715 rely yours, foil Corp.	Landed or Comented Comented Comented Comented Comented Comented In gor landing casing or landing casing feet. Company or Operator	300 1300 800 We estimate that

May youth wary for