


OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

DUPLICATE

MISCELLANEOUS REPORTS OF WELLS



Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL		REPORT ON TESTING OF WELL	X

Monument, New Mexico
PlaceOctober 28, 1946
DateOIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

Amerada Petroleum Corporation J. G. Hare Well No. 1-A in the
Company or Operator Lease
SE 1/4 SW 1/4 of Sec. 33, T. 21S, R. 37E, N. M. P. M.,
Drinkard Field, Lea County.

The dates of this work were as follows: October 23rd to October 23th, 1946

Notice of intention to do the work ~~was~~ (was not) submitted on Form C-102 on 19and approval of the proposed plan ~~was~~ (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

6599' Drilled out depth, Swabbed well dry and gun perforated 4 shots per foot from 6534-56 and 6565-75 with a total of 128 Shots. Set 2" Tubing at 6575 with packer set at 6530' and acidized with 500 gallons of Dowell Mud Acid, flushed with 25 1/2 barrels oil Minimum Tubing Pressure 1800#, Maximum 2000#, Swabbed from 6PM to 10PM into pits 40 bbls of fluid and would not flow. On October 25th., 1946 Acidized with 1500 Gallons of Dowell 20% XX Acid, Minimum Tubing Pressure 900#, Maximum 1200#, pulled swab 3 times and well started flowing, flowed into pits 1 1/2 hrs and turned into tanks and in 14 hours made 28.87 bbls oil 7.01 bbls water, volume 816M GOR 16,475 on 2" Choke

Witnessed by K. V. Stephenson Amerada Pet. Corp. Foreman
Name Company Title

Subscribed and sworn before me this

I hereby swear or affirm that the information given above is true and correct.

28th day of October, 1946

Name *Dowd, J. P.*

Will Hails Taylor
Notary Public

Position Asst. Dist. Supt.

Representing Amerada Pet. Corp.,
Company or Operator

My commission expires

Address Drawer D, Monument, New Mexico.

Remarks:

APPROVED

Date OCT 31 1946

W. J. Hails
Oil & Gas Inspector
Name Title