


OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS OF WELLS



DUPLICATE

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL		Report on Gun Perforating well	X

Mormont, New Mexico

Place

October 15th, 1946

Date

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

Amerada Petroleum Corporation J. G. Hare Well No. 1-A in the
Company or Operator Lease
SE 1/4 SE 1/4 of Sec. 33, T. 21S, R. 37E, N. M. P. M.,
Drinkard Field, Lea County.

The dates of this work were as follows: October 7th through October 14thNotice of intention to do the work was ~~submitted~~ submitted on Form C-102 on August 19 1946and approval of the proposed plan was ~~obtained~~ obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Gun perforated 5" OD Csg. w/ 18 shots 6505' to 6508' & squeezed with plastic with 3000#. Drilled out plastic to cement plug @ 6520' & drilled cement to 6595'. Gun perforated 6510' to 6526' w/ 64 shots & treated w/ 1500 gallons acid. Gun perforated 6534' to 6556' w/ 88 shots & treated w/ 2000 gallons acid. Gun perforated 6565' to 6575' w/ 40 shots. and treated w/ 1000 gallons. Set 2" tubing @ 6576' w/ perforations @ 6570'. Swabbed well in & flowed 24 hrs. on 1/2" choke. Oil Production 103.24 bbls., & 32.85 bbls water. Gas volume 199,820 C F. G O R 1,940. Casing pressure 425#. Tubing pressure 175#.

Witnessed by Don Topper Amerada Petroleum Corporation Assistant Supt.
Name Company Title

Subscribed and sworn before me this

I hereby swear or affirm that the information given above is true and correct.

16th day of Oct., 1946Name Don TopperPosition Assistant District SuperintendentRepresenting Amerada Petroleum Corporation
Company or OperatorMy commission expires Oct. 24, 1949Address Drawer D, Mormont, New Mexico

Remarks:

APPROVED

Date OCT 16 1946

Roy Yarbrough
Name
Oil & Gas Inspector
Title