


OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS OF WELLS



HOBBS OFFICE

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL		REPORT ON SETTING CASING	<input checked="" type="checkbox"/>

Monument, New Mexico

Place

December 3, 1946

Date

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the _____
 Ameraca Petroleum Corporation J. G. Hare Well No. 3 in the _____
 Company or Operator Lease

NE 1/4 SW 1/4 of Sec. 33, T. 21S, R. 37E, N. M. P. M.,
 Drinkard Field, Lea County.

The dates of this work were as follows: December 2, 1946

Notice of intention to do the work was (~~submitted~~) submitted on Form C-102 on December 2, 1946
 and approval of the proposed plan was (~~submitted~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

2735' Total Depth, Ran Steel Line Measurement and was OK. Ran Total of 101 Joints of 8 5/8" OD 32#, 10 V Thd, Range 2, Seamless Steel Casing Second Hand and set at 2729' and cemented with 1000 sacks El Toro Regular Cement 2% Howcogel and 200 Pounds of Calcium Chloride added to last 100 sacks of cement, Plug pumped to 2673' at 7:15PM with final pressure of 700 pounds.

Witnessed by K. V. Stephenson Name Ameraca Pet. Corp., Foreman
 Company Title

Subscribed and sworn before me this _____

I hereby swear or affirm that the information given above is true and correct.

3 day of December, 1946

Name Don TippPosition Asst. Dist. Supt.Representing Ameraca Pet. Corp.,
 Company or Operator

My commission expires _____

Address Drawer D, Monument, New Mexico.

Remarks:

Roy Yarbrough
 Name
 Title

RECEIVED
 1946