


NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

Gulf Oil Corporation Box 661 **Tulsa, Oklahoma**
Company or Operator Address
J. N. Carson Well No. **3** in **NE** of Sec. **33**, T. **21S**
Lease
R. **37E**, N. M. P. M., **Eunice** Field, **Lea** County.
Well is **660** feet south of the North line and **460** feet west of the East line of **NE 1/4**
If State land the oil and gas lease is No. **---** Assignment No. **---**
If patented land the owner is **---** Address **---**
If Government land the permittee is **---** Address **---**
The Lessee is **Gulf Oil Corporation** Address **Tulsa, Oklahoma**
Drilling commenced **4-29** 19 **47** Drilling was completed **6-9** 19 **47**
Name of drilling contractor **Olsen Drilling Co.** Address **Tulsa, Oklahoma**
Elevation above sea level at top of casing **3456** feet. **Derrick Floor**
The information given is to be kept confidential until **---** 19 **---**

OIL SANDS OR ZONES

No. 1, from **6495'** to **---** No. 4, from **---** to **---**
No. 2, from **---** to **---** No. 5, from **---** to **---**
No. 3, from **---** to **---** No. 6, from **---** to **---**

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from **---** to **---** feet.
No. 2, from **---** to **---** feet.
No. 3, from **---** to **---** feet.
No. 4, from **---** to **---** feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
13-3/8	54.5	SR	Smls	303'					
9-5/8	36	SR	Smls	2850'					
7	23	SR	FW & Smls	6495'					

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
17-1/4	13-3/8	303	300	Howco		
12-1/4	9-5/8	2850	1300	Howco		
8-3/4	7	6495	700	Howco		

PLUGS AND ADAPTERS

Heaving plug—Material **---** Length **---** Depth Set **---**
Adapters—Material **---** Size **---**

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		15% Acid	1000 gals.	6-17-47	6515'-6603'	

Results of shooting or chemical treatment **---**

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from **0** feet to **6603** feet, and from **---** feet to **---** feet
Cable tools were used from **---** feet to **---** feet, and from **---** feet to **---** feet

PRODUCTION

Put to producing **6-14** 19 **47**
The production of the first 24 hours was **272** barrels of fluid of which **100** % was oil; **---** % emulsion; **---** % water; and **---** % sediment. Gravity, Be **---**
If gas well, cu. ft. per 24 hours **---** Gallons gasoline per 1,000 cu. ft. of gas **---**
Rock pressure, lbs. per sq. in. **---**

EMPLOYEES

---, Driller **---**, Driller
---, Driller **---**, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **30** day of **July**, 19 **47**
John E. Evans Notary Public
My Commission expires **March 16, 1948**
Tulsa, Oklahoma **July 23, 1947**
Name **A. M. Bell, Jr.**
Position **General Superintendent**
Representing **Gulf Oil Corporation**
Address **Box 661, Tulsa, Oklahoma**

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	125		Red rock
	306		Red beds
	621		Red bed and red rock
	1005		Red bed, shale and shells
	1260		Anhydrite and gyp
	1695		Anhydrite and red rock
	1945		Salt and anhydrite shells
	2123		Salt, anhydrite and gyp
	2450		Salt and anhydrite
	2852		Anhydrite and gyp
	2955		Anhydrite
	3044		Anhydrite and gyp
	3110		Anhydrite and lime
	3453		Anhydrite and gyp
	3611		Lime and anhydrite
	3657		Lime and gyp
	3714		Lime and anhydrite
	3769		Lime and gyp
	4965		Lime
	4969		(Steel line correction)
	6080		Lime
	6190		Lime, cored
	6495		Lime
	6603		Lime (Total Depth)
			FORMATION TOPS:
			Rustler 1150'
			Base Salt 2390'
			Yates 2590'
			San Andres 3044'
			Olerietta 5075'
			Tubb 6060'
			Vivan 6495'