## **DUPLICATE**

## XICO OIL CONSERVATION CO

Santa Fe, New Mexico

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing associated to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional

			Hobbs, No	w Mexico	June 1:	2, 1946	
OIL CONSEI Santa Fe, Ne	RVATION CO		Pla			<b>Dat</b> e	
entlemen:							
Vou	ı are herehy no	otified that it is our	intention to cor	nmence the drillin	ng of a well to be k	nown as	
100 1 110 Paris	Coro Gvo	sy Prod. Div.	Mark Ow	en w	ell No. 4	in NW SE	
	Company	z ar Omerstor		Lease			
f Sec. 34	, т. 21.	S , R 37E	_, N. M., P. M.,.	Drinkard	Field, Lea	County.	
	N	The well is	2068 feet (	(N.) (S.) of the	South line an	d also feet	
		(W.) of the East line of Section 34-21S-37E					
		directions.)	(Give location from section or other legal subdivision lines. Cross out wrong directions.)  If state land the oil and gas lease is No				
		If state land	the oil and gas l	ease is No	Assignment	No	
		If patented 1	and the owner i	s Mark Owe	<u>n</u>		
		Address		Eunice.	New Mexico		
		If governmen	nt land the perm	nittee is			
		Address		<u> </u>			
		The lessee is	Gulf Oil Co	rp., Gypsy P	rod. Division		
		Address	Box 661, Tu	lsa 2. Oklah	oma		
	640 ACRES ELL CORRECTL	***			t as follows:		
		No. 1					
		r this well in conf					
		None					
	to use the follo	owing strings of cas	ing and to land o	r cement them as	s indicated:		
We propose							
We propose  Size of  Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement	
Size of Hole	Casing		New or	Depth 300	Landed or		
Size of Hole	1	Weight Per Foot 48# 36#	New or Second Hand		Landed or Cemented	300 Sx. 1200 Sx. 2% Aq	
Size of Hole	Casing 13 3/8*	48#	New or Second Hand New	300° 3000°	Cemented Cemented Cemented	300 Sx. 1200 Sx. 2% Aq 100 Sx. Neat	
8ize of Hole 7 1/4* 2 1/4*	Casing 13 3/8*	48#	New or Second Hand New	3001	Landed or Cemented Cemented	300 Sx. 1200 Sx. 2% Aq 100 Sx. Neat 575 Sx. 2% Aqu	
Size of	Casing 13 3/8° 9 5/8°	48# 36#	New or Second Hand New New	300° 3000°	Cemented Cemented Cemented	Cement  300 Sx. 1200 Sx. 2% A 100 Sx. Neat 575 Sx. 2% Aq	
8ize of Hole 17 1/4* 12 1/4* 8 3/4* If changes in	Casing 13 3/8* 9 5/8* 7*  The the above place of the cabove place	48# 36# 23# an become advisable	New or Second Hand New New New we will notify yo	300° 3000° 6450°	Cemented Cemented Cemented Cemented	300 Sx. 1200 Sx. 2% Aq 100 Sx. Neat 575 Sx. 2% Aqu 125 Sx. Neat	
8ize of Hole  17 1/4* 12 1/4* 18 3/4*  If changes in the first pro-	Casing 13 3/8* 9 5/8* 7*  In the above played address to t	48# 36# 23#	New or Second Hand New New New we will notify yo	300° 3000° 6450°	Cemented Cemented Cemented Cemented	300 Sx. 1200 Sx. 2% Aq 100 Sx. Neat 575 Sx. 2% Aqu 125 Sx. Neat	
8ize of Hole 17 1/4* 12 1/4* 8 3/4*  If changes in	Casing 13 3/8* 9 5/8* 7*  In the above played address to t	48# 36# 23# an become advisable	New or Second Hand New New New we will notify yo	300° 3000° 6450°	Cemented Cemented Cemented Cemented	300 Sx. 1200 Sx. 2% Aq 100 Sx. Neat 575 Sx. 2% Aqu 125 Sx. Neat	
81ze of Hole  17 1/4* 12 1/4* 8 3/4*  If changes in the first pro-	Casing 13 3/8* 9 5/8* 7*  In the above played address to t	48# 36# 23# an become advisable	New or Second Hand New New New we will notify yo	300° 3000° 6450°	Cemented Cemented Cemented Cemented	300 Sx. 1200 Sx. 2% Aq 100 Sx. Neat 575 Sx. 2% Aqu 125 Sx. Neat	
8ize of Hole  7 1/4* 2 1/4* 8 3/4*  If changes in the first pro-	Casing 13 3/8* 9 5/8* 7*  In the above played and the control or t	48# 36# 23# an become advisable gas sand should oc	New or Second Hand  New  New  New  we will notify you can at a depth	300° 3000° 6450°	Cemented Cemented Cemented Cemented	300 Sx. 1200 Sx. 2% Aq 100 Sx. Neat 575 Sx. 2% Aqu 125 Sx. Neat	
8ize of Hole  7 1/4* 2 1/4* 8 3/4*  If changes in the first pro-	Casing 13 3/8* 9 5/8* 7*  The the above play oductive oil or information:	48# 36# 23# an become advisable gas sand should oc	New or Second Hand  New  New  New  we will notify you can at a depth	300° 3000° 6450°	Cemented Cemented Cemented Cemented	300 Sx. 1200 Sx. 2% Aq 100 Sx. Neat 575 Sx. 2% Aqu 125 Sx. Neat	
81ze of Hole  17 1/4" 12 1/4" 8 3/4"  If changes in the first pro Additional in	Casing 13 3/8* 9 5/8* 7*  The the above play oductive oil or information:	48# 36# 23# an become advisable gas sand should oc	New or Second Hand  New	300° 3000° 6450° ou before cementing about 6450°	Cemented Cemented Cemented Cemented Cemented	300 Sx. 1200 Sx. 2% Aq 100 Sx. Neat 575 Sx. 2% Aqu 125 Sx. Neat	
81ze of Hole  17 1/4" 12 1/4" 8 3/4"  If changes in the first pro Additional in	Casing 13 3/8* 9 5/8* 7*  The the above played address of the control of the cont	48# 36# 23# an become advisable gas sand should oc	New or Second Hand  New	300° 3000° 6450° ou before cementing about 6450° cerely yours,	Cemented Cemented Cemented Cemented	300 Sx. 1200 Sx. 2% Aq 100 Sx. Neat 575 Sx. 2% Aqu 125 Sx. Neat	
81ze of Hole  17 1/4" 12 1/4" 8 3/4"  If changes in the first pro Additional in	Casing 13 3/8* 9 5/8* 7*  The the above played address of the control of the cont	48# 36# 23# an become advisable gas sand should oc	New or Second Hand  New	300° 3000° 6450° ou before cementing about 6450° cerely yours,	Landed or Cemented  Cemented  Cemented  Cemented  Cemented  ng or landing casing  feet.	300 Sx. 1200 Sx. 2% Aq 100 Sx. Neat 575 Sx. 2% Aqu 125 Sx. Neat	
81ze of Hole  17 1/4" 12 1/4" 8 3/4"  If changes in the first pro Additional in	Casing 13 3/8* 9 5/8* 7*  The the above played address of the control of the cont	48# 36# 23# an become advisable gas sand should oc	New or Second Hand  New	300° 3000° 6450° ou before cementing about 6450° cerely yours,	Landed or Cemented  Cemented  Cemented  Cemented  Cemented  ng or landing casing  feet.	300 Sx. 1200 Sx. 2% Aq 100 Sx. Neat 575 Sx. 2% Aqu 125 Sx. Neat	
81ze of Hole  17 1/4" 12 1/4" 8 3/4"  If changes in the first pro Additional in	Casing 13 3/8* 9 5/8* 7*  The the above played address of the control of the cont	48# 36# 23# an become advisable gas sand should oc	New or Second Hand  New New  New  We will notify you can at a depth  19 Since	300° 3000° 6450°  ou before cementing about 6450°  erely yours, 11 011 Corp.	Landed or Cemented  Cemented  Cemented  Cemented  Cemented  ng or landing casing  feet.	Cement  300 Sx. 1200 Sx. 2% Aq 100 Sx. Neat 575 Sx. 2% Aqu 125 Sx. Neat  We estimate that	
8ize of Hole  17 1/4* 2 1/4* 8 3/4*  If changes in the first pro Additional in Approved	Casing 13 3/8* 9 5/8* 7*  The the above play oductive oil or information:	48# 36# 23#  an become advisable gas sand should oc	New or Second Hand  New New New New Second Hand  New Hand  New Second Hand	300° 3000° 6450° ou before cementing about 6450° cerely yours, 1f 011 Corp.	Cemented Cemented Cemented Cemented Cemented  Cemented  Cemented  Cemented  Cemented  Cemented  Cemented  Cemented  Cemented  Cemented	Cement  300 Sx. 1200 Sx. 2% Aq 100 Sx. Neat 575 Sx. 2% Aqu 125 Sx. Neat  We estimate that	
8ize of Hole  17 1/4* 12 1/4*  8 3/4*  If changes in the first pro Additional in Approved	Casing 13 3/8* 9 5/8* 7*  The the above play oductive oil or information:	48# 36# 23# an become advisable gas sand should oc	New or Second Hand  New New New New Second Hand  New Hand  New Second Hand	300° 3000° 6450° ou before cementing about 6450° cerely yours, 1f 011 Corp. dition District d communications	Cemented Cemented Cemented Cemented Cemented Cemented  Cemented  Company or landing casing Company or Operator	Cement  300 Sx. 1200 Sx. 2% Aq 100 Sx. Neat 575 Sx. 2% Aqu 125 Sx. Neat  We estimate that	

Address Box 1667, Hobbs, New Mexico

And the Park they have the analysis of the year.

and the state of t

The second secon

and the state of the second second

The second secon 

 $(x_1, \dots, x_{n-1}, \dots, x_{n-1}, \dots, x_n) = (x_1, \dots, x_n) \in \mathbb{R}^n \times \mathbb{R}^n \times \mathbb{R}^n$ 

at the transfer each world, he moved for a

the contract of the second of the contract of the second o

The contains the parameter of x , and the contains the contains  $x \in \{x,y\}$ 

An elikar ar de elikar periode elikar elikar elikar erende erende erende erende erende elikar elikar

் நிருந்தின் அனிது சென்ற நிருந்தின் நிருந்தின் நிருந்தின் நிருந்தின் நிருந்தின் நிருந்தின் நிருந்தின் நிருந்தின் நிருந்தின் அனிது சென்ற நிருந்தின் நிருந்தின் நிருந்தின் நிருந்தின் நிருந்தின் நிருந்தின் நிருந்தின் நிருந்தின்

entrigente de la companya de la comp La entrigación de la companya de la