Form C-108		
	EW LEXICO OIL CONSERVATION COMMISSI	dN
	Santa Fe, New Mexico	N 442 M 346
	MISCELLANEOUS REPORTS ON WELL	UBBBTTEU

Submit this report in triplicate to the Oil Conservation Commission or its proper agent mithing in days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning Gening operations, results of shooting well, results of test of casing shut-offs, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILL OPERATIONS	JING	x	REPORT ON RE	PAIRING WELL				
REPORT ON RESULT OF SHOO CHEMICAL TREATMENT O			REPORT ON PU ALTERING	LLING OR OTHE CASING	RWISE			
REPORT ON RESULT OF TEST OF CASING SHUT-OFF								
REPORT ON RESULT OF PLUGO	ING OF WELL						:	
		E•	bbs, New Mexi	30	June	27,	1945	
OIL CONSERVATION COMMISSI Santa Fe, New Mexico.	ION,		Place			Date	•	
Gentlemen:								
Following is a report on the wor Cities Service	k done and the Dil Company	results of	btained under the l Owen	eading noted abov Well No.	ve at the 1	÷	in the	
Company or	operator		Lease					
SE SE	of Sec.	55	, <b>21s</b>	, R. <b>37</b> •		, N	. М. Р. М.,	
Paddeck	Field,			Lea			County	
The dates of this work were as f	ollows:	June 2	6, 1946					
Notice of intention to do the wor	k was <b>FAR</b>	) submitt	ed on Form C-102	on June 21			19 46	
and approval of the proposed plan	n was (President)	obtained	l. (Cross out incor	rect words)				

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

## This well was spudded at 4:00 A M, June 26, 1946 and 13 3/8" OD 27.3# Armce Spiral Weld Slip Joint casing was set at 293' and comented with 250 sax which circulated.

Witnessed by	D. D. Bedie Name	Cities Service Oil Cempany Company	Division Superintendent Title
27th	ad sworn to before me this day of June Atel Notary Put ion expires March 12, 1947	, 19 Name Position Divisien Super	intendent vice Oil Company Company or Operator
Remarks:	APPROVED DelUN 291946	R	oy yurbrough. Title

••• • • • • • • • • . . .

a shara a kare

· · · · · · t t 

1. 1999年代,在1997年代中国中国人

an state water a Martine

17 C.

(a) Some set of the set of t r -

 A state of the sta 

terse in the second 

> 33 •

e i ma . . .

• <sup>4</sup>1

Form C-101 NAW EXICO OIL CONSERVATION COMMISS Santa Fe, New Mexico	PPEC	
NOTICE OF INTENTION TO DRILL	N JU	L1 1946

Notice must be given to the Oil Conservation Commission or its proper agent and approved obtained before dulling begins. If changes in the proposed plan are considered advisable a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned to the sender of the sender of the sender. Submit this notice in triplicate. One copy will be returned to the sender of the sender of the sender. Submit this notice in triplicate. One copy will be returned to the sender. Submit this notice in triplicate. One copy will be returned to the sender. Submit this notice in triplicate. One copy will be returned to the sender of the sender.

	Hobbs, New Mexico	June 25, 1946
OIL CONSERVATION COMMISSION. Santa Fe, New Mexico.	Place	Date
Gentlemen:		
You are hereby notified that it is our i	intention to commence the drilling of a well to	be known as
	Owne Well No. 1	in <b>SE 1/4</b>
	Lease N. M. P. M., Paddeck Field,	Lea County
N. The	well is 660 feet (N.) (\$/ of the	S line and 660 feet
Image: Constraint of the state of the st	vernment land the permittee is	lines. Cross out wrong directions)
The 1	essee is	
	ropose to drill well with drilling equipment as f	

## the way.

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows:

We propose to use the following strings of casing	g and to land or cement them a	as indicated:
Ring of Ring of 1	NT	

	Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
	172"	13 3/8*	27.3#	New	3001	Cemented	To surface
	121	9 5/8*	36#	New	28001	Cemented	TO 13 3/8"
8	374"	<b>7</b> *	23#	New	52001	Cemented	250 SAX
	-						

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil and gas sand should occur at a depth of about <u>5000</u> feet. Additional information:

Approved JUL 1 1946, 19	Sincerely yours,
except as follows:	Cities Service Oil Company
	By By Bart
OIL CONSERVATION COMMISSION	Position <u>Chief Clerk</u> Send communications regarding well to
By Old . Muchandry	Name Cities Service Oil Company
Title	Address Drawer "G" Hebbs, New Mexice

## 

र से समय के साथ के साथ के स

## STATE OF POITS, THE SECONDOM

(A be predicted to the fact that the second states of a second distribution of a straight prime multiple bounds of the basis of a present plan test states are added and the second states with the prime with be received to the second distribution by the test of a time way, with the second distribution and the prime received to the second distribution by the test of a time way, with the second distribution and the prime distribution is the states and a first second distribution.

<u>د</u>			<b>A</b>			
	: .	99 <sup>00</sup>		10.00	and Courts Marks	Zetti na mo 1944 - Alexand
						والوقان المتحرين
	<ul> <li>Statistics</li> </ul>	unun alkeas	e de marche a de	la dana i	Litado e doci	the second second
	́зі	X 1997	<u>.</u>		A LE LANDA AND	
starcó 👬		the≇ ⊻t		e Marine II.	18 - Z - T.	
that the base	. aut - 15					₩Ĵ
	r 1. <u>-</u> 11 - 1			ad y 🖓		
i antiadh geite	Ale state per la con-					
	ta kanstees		799 563 X4 617	hant conse <del>i</del> t		•
		the second se				
	·			•		
					· · · · · · · · · · · · · · · · · · ·	
*	· ·					
				ยากระบัดเกิดที่ไม่	L. S. L	· · ·
$1 \leq k^{2} \leq k^{2} \leq k^{2}$	1 1 1	ennettere vettere	en an ann an an Bhir Cuir Mhùna	uk nimeru 1970 jerepi ovu		16 5 47414 1920 3005 <b>63</b>
						."-s s:
and the second and a second	energiate de la composition de la compo	n in the states	্য মূহ কাৰ্ব ব্যক্ত ক			
1.011 - 1116 2 GAN	n e serve e grade e s				· · · · · · · ·	weeder as a
	terra i	ter amit stoman it	ennal ti <b>sz</b> ze	la traduc	. ข. วังหนังชื่อตัว -	s when we have a series of the
Socks Socks Coment	លាយលេខាលេខាលេខ សារសំនិងដែល រំនិងចំណើ	ana na na manana. Nga Sang A	1.5	aanta aa ahaa tarit yoft (ég	titze of Gen Casheg	Size of Hole
steltur	had 1920 a	ť				1.1.1
	<b>£</b>	1 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	`a*€`.	́х, э	(x,y,Y) = (y,y)	
		۲		2		

is daniges in the nine plan tereme neutrane we will usuly you takes and mine a lightly. We estimate that the first projective all and gas song and do to a cleptical cleptical cleptical cleater.

. <del>6</del>7 . . . Approved a second se 二十二百 无论的现在分词 evert as follows: transformer († 1990) 1990 - Stansformer († 1990) 1990 - Stansformer († 1990) یه به اندام. مراجع دارند اندامی مصحف محمد است. La Childer C.C.
 Real Data Market and Science and Sci Perform OLU CUNSERVATION COMMESSION a second and the second s and the second second