

COUNTY	LEA	FIELD	Blinebry & Drinkard	STATE	MN	07023	
OPR	CITIES SERVICE OIL CO.			MAP			
	2 Owen						
	Sec 35, T-21-S, R-37-E			CO-ORD			
	660' FSL, 1980' FEL of Sec						
	Re-Spd 3-10-72;			CLASS			
	Re-Cmp 3-18-72			EL			
		FORMATION	DATUM	FORMATION	DATUM		
CSG & SX - TUBING							
13 3/8" at 331' w/275 sx							
8 5/8" at 2812' w/1400 sx							
5 1/2" at 6407' w/350 sx							
LOGS EL GR RA IND HC A							
	TD 6486'						
IF (Blinebry) Perfs 5504-5760' F 1149 MCFGPD + 4 BO. Pot based on 24 hr test thru 24/64" chk. GOR 383,000; Grav (Cond) 37.4; CP Pkr; TP 360#							
(Drinkard) Perfs & OH 6370-6486' NO NEW POTENTIAL							
Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.							
CONT.	PROP DEPTH			5760'	TYPE		WO
DATE							

F.R.C. 6-17-72; Opr's Elev. 3362' CL
 FD 5760' WO (Blinebry)
 (Orig. Cities Service Oil Co. #2 Owen, comp
 10-22-46 from (Drinkard) OH 6407-86', QTD 6486')
 6-12-72 TD 6486'; COMPLETE
 Perf 6370-74', 6378-82' w/1 SPF
 Acid (6370-82') 100 gals
 Acid (6370-6486') 4000 gals
 Flwd gas @ 501 MCFGPD + 4 BO + 3 BW in 24 hrs.
 thru 1" chk, GOR 167,033, TP 50# (6370-6486')
 Perf (Blinebry) @ 5504', 5517', 5525', 5527',
 5529', 5531', 5554', 5563', 5579', 5596', 5619',
 5645', 5652', 5661', 5670', 5688', 5696', 5739',
 5742', 5750', 5760', w/1 SPI
 Acid (5504-5760') 3000 gals
 -17-72 COMPLETION REPORTED

4-3-72 TD 7530'; Prep Perf
4-10-72 TD 7530'; PBD 7485'; Prep RU Pmp
Perf 7342-44' w/4 SPF
Acid (7342-44') 1500 gals (28% HCL)
4-17-72 TD 7530'; PBD 7485'; TO Pmp
Ppd 19 BO + 187 BW in 72 hrs
4-24-72 TD 7530'; PBD 7485'; SD Rep.
5-1-72 TD 7530'; PBD 7485'; TO Pmp
Ppd 2 BO + 78 BW in 42 hrs
5-8-72 TD 7530'; PBD 7485'; SI BHP
Ppd 2 BO + 18 BW in 24 hrs (7342-44')
5-15-72 TD 7530'; PBD 7485'; SI
5-26-72 TD 7530'; PBD 7485'; SI

6-5-72 TD 7530'; PBD 7485'; Temporarily Abandoned
6-12-72 TD 7530'; PBD 7485'; TEMPORARILY ABANDONED
6-17-72 COMPLETION REPORTED

CONTR	OPRS ELEV	3362'	PD	7444'	TYPE	RT
-------	-----------	-------	----	-------	------	----

F.R.D. 1-26-74
(Abo)
(Orig. #2 Owen, Mark, comp 11-1-46 from
(Drinkard) OH 6407-6486', OTD 6486')
1-21-74 TD 7444'; COMPLETE
Deepened to 7444'
Ran 4 1/2" 1nr
Perf 6632-7148' w/1 SPF
Acid (6632-7148') 6000 gals (20% NEA)
1-26-74 COMPLETION REPORTED