

COUNTY	LEA	FIELD	Blinebry/Drinkard	STATE	NM	OWWO
OPR	SINCLAIR OIL & GAS CO.					MAP
	1 State 367					
	Sec. 36, T-21-S, R-37-E					CO-ORD
	660' FSL & 660' FWL of Sec.					
	Re-Spd 9-13-65					CLASS
	Re-Cmp 10-8-65					EL
		FORMATION	DATUM	FORMATION	DATUM	
CSG & SX . TUBING						
13 3/8" 297' 300						
8 5/8" 275' 1000						
5 1/2" 650' 400						
LOGS EL GR RA IND HC A						
	TD 6542', PBD 6508'					

IP Blinebry Perfs 5636-5838' Pmpd 80 BOPD + 30 BW. Pot. Based on 24 hr test.

Drinkard Perfs 6424-89 - NO CHANGE

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH	TYPE
DATE		

S.R.C. 12-30-65; OWWO
 (Orig. Repollo Oil Co., comp 7-16-46 from
 Drinkard perfs 6449-89', OTD 6542', OPB 6508';
 10-9-65 from Drinkard Perfs 6424-89', OTD
 6542', OPB 6508')
 12-27-65 TD 6542', PBD 6508', COMPLETE.
 Perf 5950-51' W/4 shots
 Squeezed perfs 5950-51' W/125 sx.
 Drilled out cement
 Perf (Blinebry) @ 5636', 5648', 5654', 5661',
 5676', 5686', 5689', 5695', 5707', 5713',
 5723', 5726', 5742', 5753', 5764', 5783',
 5786', 5793', 5817', 5827', 5838' W/2 SPI
 ac (5636-5838') 2000 gals.
 Frac (5636-5838') 20,000 gals oil +
 20,000# sd.

Petroleum Information.

© Copyrighted Reproduction Prohibited

COUNTY	LEA	FIELD	Blinebry & Drinkard		STATE	NM
OPR	ARCO OIL & GAS CO.				API	MN 07043
NO	1	LEASE	State "367"		MAP	
	Sec 36, T21S, R37E				CO-ORD	
	660 FSL, 660 FWL of Sec				2-4-19 NM	
	2 mi E/Eunice				RE SPD 4-30-79	RE MP 7-16-79
CSG	WELL CLASS: INIT DX FIN DO LSE. CODE					
13 3/8-297-300 sx	FORMATION		DATUM		FORMATION DATUM	
8 5/8-2799-1000 sx						
5 1/2-6542-400 sx						
	TD 6542 (DRKD)		PBD		6508	
IP (Blinebry) Perfs 5496-5838 F 14 BOPD + 3 BW. Pot based on 24 hr test thru 1 chk. GOR 16,929; gty (NR); CP Pkr; TP 90						
IP (Drinkard) Perfs 6297-6489 F 16 BOPD + 8 BW. Pot based on 24 hr test thru 1 chk. GOR 20,188; gty (NR); CP Pkr; TP 110						
CONTR	OPRSELEV 3361 GL				PD 6542 WO	

F.R.C. 2-28-81 OWWO
 (Orig. Repollo Oil Co. comp 7-16-46 thru
 (Drinkard) Perfs 6444-89, OTD 6542, OPB 6508,
 OWWO by Sinclair Oil & Gas Co. & Re-comp.
 1-9-58 thru (Drinkard) Perfs 6424-89, OTD
 6542, OPB 6508, OWWO & Re-comp. 10-8-65 dual
 thru (Blinebry) Perfs 5636-5838 & (Drinkard)
 Perfs 6424-89, OTD 6542, OPB 6508)
 2-23-81 TD 6542; PBD 6508; Complete
 Perf (Drinkard) @ 6297-6304, 6306, 6312, 6316,
 6320, 6323, 6327, 6330, 6338, 6340, 6348, 6370,
 6380, 6387 w/1 SPI
 No treatment reported
 Perf (Blinebry) @ 5496, 5504, 5510, 5520, 5525,
 5529, 5530, 5540, 5545, 5549, 5555, 5564, 5568,
 5571, 5586, 5589, 5593, 5597 w/1 SPI
 Acid (5496-5597) 4000 gals
 Frac (5496-5597) 36,000 gals + sd
 2-28-81 COMPLETION ISSUED 2-4-19 NM
 IC 30-025-70090-81