

NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

5-1-61

APPLICATION FOR MULTIPLE COMPLETION

Operator Pan American Petroleum Corporation		County Lea	Date MAY 28 1964
Address Box 68 - Hobbs, New Mexico - 88240		Lease State "C" Tract 13	Well No. 8
Location of Well D	Unit 36	Township 21-S	Range 37-E

1. Has the New Mexico Oil Conservation Commission heretofore authorized the multiple completion of a well in these same pools or in the same zones within one mile of the subject well? YES ☒ NO ☐

2. If answer is yes, identify one such instance: Order No. **NO-2344**; Operator, Lease, and Well No.:

Pan American Petroleum Corporation, Southland Royalty Co. "A" Well No. 2

3. The following facts are submitted:	Upper Zone	Intermediate Zone	Lower Zone
a. Name of Pool and Formation	Blinobry	Tubb	Drinkard
b. Top and Bottom of Pay Section (Perforations)	5724-5890'	6030-6260'	6522-6596'
c. Type of production (Oil or Gas)	OIL	Gas	OIL
d. Method of Production (Flowing or Artificial Lift)	Flw	Flw	Pap

4. The following are attached. (Please mark YES or NO)

- ☒ a. Diagrammatic Sketch of the Multiple Completion, showing all casing strings, including diameters and setting depths, centralizers and /or turbolizers and location thereof, quantities used and top of cement, perforated intervals, tubing strings, including diameters and setting depth, location and type of packers and side door chokes, and such other information as may be pertinent.
- ☒ b. Plat showing the location of all wells on applicant's lease, all offset wells on offset leases, and the names and addresses of operators of all leases offsetting applicant's lease.
- ☒ c. Waivers consenting to such multiple completion from each offset operator, or in lieu thereof, evidence that said offset operators have been furnished copies of the application.*
- ☒ d. Electrical log of the well or other acceptable log with tops and bottoms of producing zones and intervals of perforation indicated thereon. (If such log is not available at the time application is filed, it shall be submitted as provided by Rule 112-A.)

5. List all offset operators to the lease on which this well is located together with their correct mailing address.

Continental Oil Co. - Box 460 - Hobbs, New Mexico

Sinclair Oil & Gas Co. - 520 E. Broadway, - Hobbs, New Mexico

Cities Service Oil Co. - Box 97 - Hobbs, New Mexico

Texas Pacific Oil Co. - Box 1069 - Hobbs, New Mexico

6. Were all operators listed in Item 5 above notified and furnished a copy of this application? YES ☒ NO ☐ . If answer is yes, give date of such notification **May 26, 1964**

CERTIFICATE: I, the undersigned, state that I am the **Area Superintendent** of the **Pan American Petroleum Corp.** (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.


Original Signed by:
V. E. STALEY

V. E. Staley

Signature

* Should waivers from all offset operators not accompany an application for administrative approval, the New Mexico Oil Conservation Commission will hold the application for a period of twenty (20) days from date of receipt by the Commission's Santa Fe office. If, after said twenty-day period, no protest nor request for hearing is received by the Santa Fe office, the application will then be processed.

NOTE: If the proposed multiple completion will result in an unorthodox well location and/or a non-standard proration unit in either or both of the producing zones, then separate application for approval of the same should be filed simultaneously with this application.



Triple Tubing Head
Ground Level

13-3/8" CSA 310 with 300 sx Neat Cement.
Cement Circulated.

9-5/8" CSA 2900' with staging tool at
1305'. Stage No. 1 - 175 sx cement.
Stage No. 2 - 150 sx cement.

UPPER ZONE
Blinebry
5724-5890

Blinebry Tubing - 2" OD

Buttress (1.67 ID) Land at approx. 5850'.

Baker Model FA Packer set at approx. 5950'.
Tubb Tubing - 2" OD Buttress (1.67 ID)
Land at approx. 5950' in twin flow assembly.

MIDDLE ZONE
Tubb
6030-6260

Baker Model "D" Packer with 3.250 ID
set at 6346'.

Drinkard Tubing - 2-3/8" EUE (1.995 ID)
at approx. 6570'.

LOWER ZONE
Drinkard
6522-6596

PBD 6593
TD 6600

7", 23#, J-55 CSA 6600' with 100 sx of 4%
gel cement plus 50 sx of Neat Cmt. T'Cmt 5085

PAN AMERICAN PETROLEUM CORPORATION

Diagrammatic Sketch - Multiple completion Installation Proposal - State "C" Tract 13 Well No. 8,
Unit D, Section 36, T-21-S, R-37-E, Lea County, New Mexico.

26

R-37-E

25

(GULF)



1
(OLSEN)
T.P.C. & O.

Eva Owen
(OLSEN)
T.P.C. & O.

J.E. Simmons

Cone
REPOLLO "B"
SINCLAIR



Hill
REPOLLO
SINCLAIR



35
ETAL



Lockhart "B" 35
(CONT'L) PAN AM ETAL



State
PAN AM "C"



T
2
GULF 5

35

36



Mark Owen

CITIES SERVICE

State "367"
REPOLLO



SINCLAIR

TIDEWATER
"Q"

BLINEBRY
Yeso Lime 5575'



- LEGEND -



BLINEBRY OIL
BLINEBRY GAS
TUBB GAS
PADDOCK OIL
DRINKARD OIL

Pan American Petroleum Corporation
Lubbock District

EUNICE AREA
Lea County, New Mexico

Scale 1" = 1000'

Drawn
2-15-62
JRH

RevisedDatePosted