

COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <u>Salt water disposal</u>		7. Unit Agreement Name
2. Name of Operator <u>Amerada Hess Corporation</u>		8. Farm or Lease Name <u>Warren McKee Unit</u>
3. Address of Operator <u>Drawer D, Monument, New Mexico 88265</u>		9. Well No. <u>WSW #1</u>
4. Location of Well UNIT LETTER <u>F</u> <u>2310</u> FEET FROM THE <u>North</u> LINE AND <u>2331.1</u> FEET FROM THE <u>West</u> LINE, SECTION <u>7</u> TOWNSHIP <u>20-S</u> RANGE <u>38-E</u> NMPM.		10. Field and Pool, or Wildcat <u>Warren McKee</u>
15. Elevation (Show whether DF, RT, GR, etc.)		12. County <u>Lea</u>

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐
PULL OR ALTER CASING ☐

PLUG AND ABANDON ☐
CHANGE PLANS ☐

OTHER Convert from WSW to SWD ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐
COMMENCE DRILLING OPNS. ☐
CASING TEST AND CEMENT JOB ☐

ALTERING CASING ☐
PLUG AND ABANDONMENT ☐

OTHER ☐

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Refer N.M.O.C.C. Order SWD-31

Plan to mill out and recover Baker "DA" pkr. at 3100'. Clean out to 4150'. Set Baker Model "D" pkr. at 4100'. Run 2-3/8" IPC tbg. w/Baker seal ass'y & sting into pkr. at 4100'. Load annulus with treated water and start disposal operations into San Andres zone in open hole from 4200' to 4550'.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED E.A. Fisher TITLE Supv. Adm. Ser. DATE 3-22-77

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

2

1 - 26/87
CAL COMM. N. N
COMM.

FIELD <u>San Andres</u>	OPERATOR <u>Amerada Hess Corp</u>	DATE <u>4-30-76</u>
LEASE <u>Warren McKee</u>	WELL NO <u>W5W</u>	LOCATION <u>2310 FNL-2970 FEL Sec 7-T-30S R-3AE</u>

13 3/8 " casing set at 330 ' with 350 sx of Reg cement
Hole size 17 1/2 " cement e Surface by Calc.

8 5/8 " Perfs 3575-3600 - Squeezed w/ 75 SXS Incor Cement

3678 ' Liner top

8 5/8 " casing set at 3728 ' with 3093 sx of * cement
Hole size 11 " * 300 SX next + 2793 SX w/ 4% Gel - Cement Circulated

5 1/2 " Liner Perfs. Squeezed w/ 150 SXS Incor Cement

5 1/2 " liner set at 4075 ' with unknown sx of unknown cement
Total Depth 4225 ' Hole size unknown "