

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK	X	NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO

Odessa

12-12-1961

(Place)

(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the DeKalb Agricultural Assn. Inc.

and Mobil Oil Company

Nancy G. Stovall

Well No. 2 in L

(Company or Operator)

Lease

(Unit)

NW 1/4 SW 1/4 of Sec. 8, T. 20-S, R. 38-E, NMPM, North Skaggs-Drinkard Pool

(40-acre Subdivision)

Lea

County.

FULL DETAILS OF PROPOSED PLAN OF WORK  
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

This well has been producing from Perforations 9170'-9190' and 9204'-9215' in the Warren Mc-Kee Sand at a unprofitable rate. We plan to plug back and re-complete in the Drinkard, which is a gas-condensate production.

## Proposed Work:

We plan to set a Cast Iron Bridge Plug @ 9000' and dump two bailers of cement on plug. The present top of cement is @ 7800', will perforate at top of cement and squeeze w/200 sacks Reg. Incor Cement. Will run Temperature Survey to determine top of cement. If cement is high enough, will perforate the Drinkard @ 6850'-7000' and treat with 4,000 gallons Acid. If cement is not high enough, will perforate above new zone and block squeeze with 100 sacks of regular Incor Cement. Will run another temperature survey, perforate and treat w/ Acid.

Approved....., 19.....  
Except as follows:Approved  
OIL CONSERVATION COMMISSION

By.....

Title.....

DeKalb Agricultural Assn. Inc.  
Company or Operator

By.....

District Supt.

Position.....

Send Communications regarding well to:

Name DeKalb Agricultural Assn. Inc.

Address Box 6365 Odessa, Texas