

Santa Fe, New Mexico

## NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Hobbs, New MexicoNovember 9, 1949

Place

Date

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico,

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as


Stanolind Oil & Gas Company D. E. Howse well No. 1 in SE/4

Company or Operator

Lease

of Sec. 11, T 20-S, R 38-E, N. M., P. M., Howse Field, Lea County.

N



AREA 640 ACRES

LOCATE WELL CORRECTLY

The well is 1980 feet (N.) 1/4 of the South line and 660 feet 1/4 (W.) of the East line of Section 11, 20-38

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. \_\_\_\_\_ Assignment No. \_\_\_\_\_

If patented land the owner is D. E. HowseAddress Hobbs, New Mexico

If government land the permittee is \_\_\_\_\_

Address \_\_\_\_\_

The lessee is Stanolind Oil and Gas CompanyAddress Box 591, Tulsa, OklahomaWe propose to drill well with drilling equipment as follows: Rotarytools to proposed total depth of 7170'The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: On file with the Commission.

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
17-1/4	13-3/8	36#	New	300'	Cemented	300
12-1/4	9-5/8	36#	New	3850'	"	1200
8-3/4	7"	23#	New	7020'	"	To be determined later.

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 7,020 feet.

Additional information: Well to be drilled in strict conformance with state regulations. Method of cementing and quantity to be reported in a subsequent report.

Approved Nov 10 1949, 19\_\_\_\_

except as follows:

Sincerely yours,

Stanolind Oil and Gas Company

Company or Operator

By Ralph L. HendricksonPosition Field Superintendent

Send communications regarding well to:

Name Ralph L. HendricksonAddress Box "F", Hobbs, New Mexico

OIL CONSERVATION COMMISSION,

By Ray Yachewsky

Title \_\_\_\_\_